



Dream Pools and Spas
1105 Washington Blvd
Pittsburgh, Pennsylvania 15206
(412) 661- 7665
Laboratory Analysis Report

Lab ID No. 02-04041

S-10

Lab# 2777

Customer

Facility Name: *Hamilton Park*
Address: *3601 Grant St.*
Pittsburgh, PA 15234

Sample Collection

Date: *5/18/26*
Time: *10:40 AM*
Method: *Grab*

Matrix: *Recreational Water*
Source Type: *Spray Pad*

Sample Final Analysis

Date: *5/21/26*
Time: *10:30 AM*
Analyst: *AS*

Accredited Analysis	Results	Reporting limit	Incubation Date/Time		Analyst	Method
Escherichia Coli:	Absent	Absent	5/19/26	10:00 AM	JC	SM 9222G
Total coliforms:	0/100mls	2/100mls	5/19/26	10:00 AM	JC	SM 9222B
Standard plate count:	0/ml	200/ml	5/18/26	5:05 PM	AH	SM 9215B

Field Analysis	Results	Reporting limit	Date/Time		Analyst	Method
pH:	3.0 SU	7.2 - 7.8 SU	5/18/26	10:40 AM	AMH	DPD
Chlorine:	7.6 mg/l	1.0 - 5.0 mg/l	5/18/26	10:40 AM	AMH	DPD
Turbidity:	1 NTU	1 - 2 NTU	5/18/26	10:40 AM	AMH	Visual

Sample comments

Andre Smith, Lead Supervisor

(When exceeding reporting limit pool or spa is unfit)