



Dream Pools and Spas
1105 Washington Blvd
Pittsburgh, Pennsylvania 15206
(412) 661- 7665
Laboratory Analysis Report

Lab ID No. 02-04041

N-13

Lab# 2387

Customer

Facility Name: Oxford Athletic
Address: 100 Village Club Dr.
Wexford, PA 15090

Sample Collection

Date: 7/28/26
Time: 10:10 AM
Method: Grab

Sample Final Analysis

Date: 8/1/26
Time: 8:30 AM
Analyst: AS

Matrix: Recreational Water

Source Type: Baby Pool

Accredited Analysis	Results	Reporting limit	Incubation Date/Time		Analyst	Method
Escherichia Coli:	Absent	Absent	7/29/26	8:15 AM	MD	SM 9222G
Total coliforms:	15/100mls	2/100mls	7/29/26	8:15 AM	MD	SM 9222B
Standard plate count:	570/ml	200/ml	7/28/26	4:20 PM	AH	SM 9215B

Field Analysis	Results	Reporting limit	Date/Time		Analyst	Method
pH:	8.0 SU	7.2 - 7.8 SU	7/28/26	10:10 AM	IS	DPD
Chlorine:	0.0 mg/l	1.0 - 5.0 mg/l	7/28/26	10:10 AM	IS	DPD
Turbidity:	1 NTU	1 - 2 NTU	7/28/26	10:10 AM	IS	Visual

Sample comments

(When exceeding reporting limit pool or spa is unfit)

Andre Smith, Lead Supervisor