



Dream Pools and Spas
1105 Washington Blvd
Pittsburgh, Pennsylvania 15206
(412) 661- 7665
Laboratory Analysis Report

Lab ID No. 02-04041

N-17

Lab# 2474

Customer

Facility Name: Sebco Park
Address: 311 Hannahstown Road
Saxonburg, PA 16023

Sample Collection

Date: 1/0/00
Time: 12:00 AM
Method: Grab

Matrix: Recreational Water

Sample Final Analysis

Date: 1/0/00
Time: 12:00 AM
Analyst: 1/0/00

Source Type: Pool

Accredited Analysis	Results	Reporting limit	Incubation Date/Time		Analyst	Method
Escherichia Coli:	Absent	Absent	1/0/00	12:00 AM	0	SM 9222G
Total coliforms:	0/100mls	2/100mls	1/0/00	12:00 AM	0	SM 9222B
Standard plate count:	0/ml	200/ml	1/0/00	12:00 AM	0	SM 9215B

Field Analysis	Results	Reporting limit	Date/Time		Analyst	Method
pH:	0.0 SU	7.2 - 7.8 SU	1/0/00	12:00 AM	0	DPD
Chlorine:	0.0 mg/l	1.0 - 5.0 mg/l	1/0/00	12:00 AM	0	DPD
Turbidity:	0 NTU	1 - 2 NTU	1/0/00	12:00 AM	0	Visual

Sample comments

(When exceeding reporting limit pool or spa is unfit)

Andre Smith, Lead Supervisor