



Dream Pools and Spas
1105 Washington Blvd
Pittsburgh, Pennsylvania 15206
(412) 661- 7665
Laboratory Analysis Report

Lab ID No. 02-04041

C-11

Lab# 266

Customer

Facility Name: *Residence Inn*
Address: *574 W. General Robinson St.*
Pittsburgh, PA 15212

Sample Collection

Date: *7/21/26*
Time: *6:45 AM*
Method: *Grab*

Matrix: *Recreational Water*
Source Type: *Pool*

Sample Final Analysis

Date: *7/24/26*
Time: *10:00 AM*
Analyst: *AS*

Accredited Analysis	Results	Reporting limit	Incubation Date/Time	Analyst	Method
Escherichia Coli:	Absent	Absent	7/22/26 9:40 AM	AS	SM 9222G
Total coliforms:	0/100mls	2/100mls	7/22/26 9:40 AM	AS	SM 9222B
Standard plate count:	10/ml	200/ml	7/21/26 4:30 PM	AS	SM 9215B

Field Analysis	Results	Reporting limit	Date/Time	Analyst	Method
pH:	7.4 SU	7.2 - 7.8 SU	7/21/26 6:45 AM	MB	DPD
Chlorine:	0.5 mg/l	1.0 - 5.0 mg/l	7/21/26 6:45 AM	MB	DPD
Turbidity:	1 NTU	1 - 2 NTU	7/21/26 6:45 AM	MB	Visual

Sample comments

(When exceeding reporting limit pool or spa is unfit)

Andre Smith, Lead Supervisor