



Dream Pools and Spas
1105 Washington Blvd
Pittsburgh, Pennsylvania 15206
(412) 661- 7665
Laboratory Analysis Report

Lab ID No. 02-04041

N-14

Lab# 2319

Customer

Facility Name: *Liberty Hills*
Address: *100 Liberty Lane*
Freedom, PA 15042

Sample Collection

Date: *7/22/26*
Time: *11:55 AM*
Method: *Grab*

Sample Final Analysis

Date: *7/25/26*
Time: *9:30 AM*
Analyst: *1/0/00*

Matrix: *Recreational Water*
Source Type: *Pool*

Accredited Analysis	Results	Reporting limit	Incubation Date/Time	Analyst	Method
Escherichia Coli:	Absent	Absent	7/23/26 9:10 AM	AH	SM 9222G
Total coliforms:	0/100mls	2/100mls	7/23/26 9:10 AM	AH	SM 9222B
Standard plate count:	0/ml	200/ml	7/22/26 4:15 PM	AS	SM 9215B

Field Analysis	Results	Reporting limit	Date/Time	Analyst	Method
pH:	8.0 SU	7.2 - 7.8 SU	7/22/26 11:55 AM	EG	DPD
Chlorine:	2.0 mg/l	1.0 - 5.0 mg/l	7/22/26 11:55 AM	EG	DPD
Turbidity:	1 NTU	1 - 2 NTU	7/22/26 11:55 AM	EG	Visual

Sample comments

Andre Smith

Andre Smith, Lead Supervisor

(When exceeding reporting limit pool or spa is unfit)