



Dream Pools And Spas
1105 Washington Blvd
Pittsburgh, Pennsylvania 15206
(412) 661- 7665
Laboratory Analysis Report

Lab ID No. 02-04041

APM 1

Lab# 2423

Customer

American Pools Management
3261 Babcock Blvd.
Pittsburgh, PA 15237

Sample Collection

Facility Name: Apartment at North Park

Date: 8/3/26

Address: 9815 Presidential Dr.
Allison Park, PA 15101

Time: 9:42 AM

Method: Grab

Sample Final Analysis

Matrix: Recreational Water

Date: 8/6/26

Source Type: Pool

Time: 11:00 AM

Analyst: AS

Accredited Analysis	Results	Reporting limit	Incubation Date/Time	Analyst	Method
Escherichia Coli:	Absent	Absent	8/4/26	10:40 AM	MD SM 9222G
Total coliforms:	0/100mls	2/100mls	8/4/26	10:40 AM	MD SM 9222B
Standard plate count:	0/ml	200/ml	8/3/26	6:15 PM	AS SM 9215B

Field Analysis	Results	Reporting limit	Date/Time	Analyst	Method
pH:	7.6 SU	7.2 - 7.8 SU	8/3/26	9:42 AM	MM DPD
Chlorine:	3.0 mg/l	1.0 - 5.0 mg/l	8/3/26	9:42 AM	MM DPD
Turbidity:	1 NTU	1 - 2 NTU	8/3/26	9:42 AM	MM Visual

Sample comments

(When exceeding reporting limit pool or spa is unfit)

Andre Smith, Lead Supervisor