



Dream Pools and Spas
1105 Washington Blvd
Pittsburgh, Pennsylvania 15206
(412) 661- 7665

Lab ID No. 02-04041

W-1

Lab# 020

Laboratory Analysis Report

Customer

Facility Name: *Beaver Area High School*

Address: *Gypsy Glen*
Beaver, PA 15009

Matrix: *Recreational Water*

Source Type: *Pool*

Sample Collection

Date: *5/4/26*

Time: *1:32 PM*

Method: *Grab*

Sample Final Analysis

Date: *5/7/26*

Time: *10:00 AM*

Analyst: *AS*

Accredited Analysis	Results	Reporting limit	Incubation Date/Time		Analyst	Method
Escherichia Coli:	Absent	Absent	5/5/26	9:55 AM	AS	SM 9222G
Total coliforms:	0/100mls	2/100mls	5/5/26	9:55 AM	AS	SM 9222B
Standard plate count:	0/ml	200/ml	5/4/26	5:00 PM	SL	SM 9215B

Field Analysis	Results	Reporting limit	Date/Time		Analyst	Method
pH:	7.0 SU	7.2 - 7.8 SU	5/4/26	1:32 PM	AMH	DPD
Chlorine:	2.0 mg/l	1.0 - 5.0 mg/l	5/4/26	1:32 PM	AMH	DPD
Turbidity:	1 NTU	1 - 2 NTU	5/4/26	1:32 PM	AMH	Visual

Sample comments

(When exceeding reporting limit pool or spa is unfit)

Andre Smith, Lead Supervisor