



**Dream Pools and Spas**  
**1105 Washington Blvd**  
**Pittsburgh, Pennsylvania 15206**  
**(412) 661- 7665**  
**Laboratory Analysis Report**

Lab ID No. 02-04041

**W-13**

**Lab# 2431**

**Customer**

**Facility Name:** Redwood Estates  
  
**Address:** 100 Redwood Dr.  
Oakdale, PA 15071

**Sample Collection**

**Date:** 6/9/26  
**Time:** 10:27 AM  
**Method:** Grab

**Sample Final Analysis**

**Date:** 6/11/26  
**Time:** 11:30 AM  
**Analyst:** AS

**Matrix:** Recreational Water  
  
**Source Type:** Pool

| Accredited Analysis   | Results  | Reporting limit | Incubation | Date/Time | Analyst | Method   |
|-----------------------|----------|-----------------|------------|-----------|---------|----------|
| Escherichia Coli:     | Absent   | Absent          | 6/10/26    | 11:00 AM  | AH      | SM 9222G |
| Total coliforms:      | 0/100mls | 2/100mls        | 6/10/26    | 11:00 AM  | AH      | SM 9222B |
| Standard plate count: | 0/ml     | 200/ml          | 6/9/26     | 5:35 PM   | SL      | SM 9215B |

| Field Analysis | Results  | Reporting limit |        | Date/Time | Analyst | Method |
|----------------|----------|-----------------|--------|-----------|---------|--------|
| pH:            | 7.8 SU   | 7.2 - 7.8 SU    | 6/9/26 | 10:27 AM  | AMH     | DPD    |
| Chlorine:      | 7.5 mg/l | 1.0 - 5.0 mg/l  | 6/9/26 | 10:27 AM  | AMH     | DPD    |
| Turbidity:     | 1 NTU    | 1 - 2 NTU       | 6/9/26 | 10:27 AM  | AMH     | Visual |

**Sample comments**

( When exceeding reporting limit pool or spa is unfit)

Andre Smith, Lead Supervisor