



Dream Pools And Spas
1105 Washington Blvd
Pittsburgh, Pennsylvania 15206
(412) 661- 7665
Laboratory Analysis Report

Lab ID No. 02-04041

APM 1

Lab# 2702

Customer *American Pools Management*
3261 Babcock Blvd.
Pittsburgh, PA 15237

Facility Name: *Adams Ridge*
Address: *100 Adams Ridge Blvd.*
 Mars, PA 16046

Sample Collection

Date: *5/28/26*
Time: *1:20 PM*
Method: *Grab*

Matrix: *Recreational Water*
Source Type: *Pool*

Sample Final Analysis

Date: *5/31/26*
Time: *2:00 PM*
Analyst: *AS*

Accredited Analysis	Results	Reporting limit	Incubation Date/Time	Analyst	Method
Escherichia Coli:	Absent	Absent	5/29/26 10:00 AM	AH	SM 9222G
Total coliforms:	0/100mls	2/100mls	5/29/26 10:00 AM	AH	SM 9222B
Standard plate count:	0/ml	200/ml	5/28/26 5:25 PM	SL	SM 9215B

Field Analysis	Results	Reporting limit	Date/Time	Analyst	Method
pH:	7.6 SU	7.2 - 7.8 SU	5/28/26 1:20 PM	LL	DPD
Chlorine:	10.0 mg/l	1.0 - 5.0 mg/l	5/28/26 1:20 PM	LL	DPD
Turbidity:	1 NTU	1 - 2 NTU	5/28/26 1:20 PM	LL	Visual

Sample comments

Andre Smith

Andre Smith, Lead Supervisor

(When exceeding reporting limit pool or spa is unfit)