Dream Pools and Spas
1105 Washington Blvd
Pittsburgh, Pennsylvania 15206
(412) 661- 7665
Laboratory Analysis Report

Lab ID No. 02-04041

N-17

Lab# 497

[redacted]

Customer

Facility Name: *Park Inn*

Address: *1924 Leesburg Grove City Road*
Grove City, PA,16127

Matrix: *Recreational Water*

Source Type: *Pool*

Sample Collection

Date: *8/4/25*
Time: 3:20 PM
Method: *Grab*

Sample Final Analysis

Date: *8/7/25*
Time: *11:20 AM*
Analyst: *AS*

Accredited Analysis	Results	Reporting limit	Incubation Date/Time		Analyst	Method
Escherichia Coli:	Absent	Absent	8/5/25	12:15 PM	AS	SM 9222G
Total coliforms:	0/100mls	2/100mls	8/5/25	12:15 PM	AS	SM 9222B
Standard plate count:	0/ml	200/ml	8/4/25	7:20 PM	AS	SM 9215B

Field Analysis	Results	Reporting limit	Date/Time		Analyst	Method
pH:	7.6 SU	7.2 - 7.8 SU	8/4/25	3:20 PM	BH	DPD
Chlorine:	10.0 mg/l	1.0 - 5.0 mg/l	8/4/25	3:20 PM	BH	DPD
Turbidity:	1 NTU	1 - 2 NTU	8/4/25	3:20 PM	BH	Visual

Sample comments

Andre Smith

(When exceeding reporting limit pool or spa is unfit)

Andre Smith, Lead Supervisor

Dream Pools and Spas
1105 Washington Blvd
Pittsburgh, Pennsylvania 15206
(412) 661- 7665
Laboratory Analysis Report

Lab ID No. 02-04041

N-17

Lab# 497

[redacted]

Customer

Facility Name: *Park Inn*

Address: *1924 Leesburg Grove City Road*
Grove City, PA,16127

Matrix: *Recreational Water*

Source Type: *Pool*

Sample Collection

Date: *8/4/25*
Time: 3:20 PM
Method: *Grab*

Sample Final Analysis

Date: *8/7/25*
Time: *11:20 AM*
Analyst: *AS*

Accredited Analysis	Results	Reporting limit	Incubation Date/Time		Analyst	Method
Escherichia Coli:	Absent	Absent	8/5/25	12:15 PM	AS	SM 9222G
Total coliforms:	0/100mls	2/100mls	8/5/25	12:15 PM	AS	SM 9222B
Standard plate count:	0/ml	200/ml	8/4/25	7:20 PM	AS	SM 9215B

Field Analysis	Results	Reporting limit	Date/Time		Analyst	Method
pH:	7.6 SU	7.2 - 7.8 SU	8/4/25	3:20 PM	BH	DPD
Chlorine:	10.0 mg/l	1.0 - 5.0 mg/l	8/4/25	3:20 PM	BH	DPD
Turbidity:	1 NTU	1 - 2 NTU	8/4/25	3:20 PM	BH	Visual

Sample comments

Andre Smith

(When exceeding reporting limit pool or spa is unfit)

Andre Smith, Lead Supervisor