



Dream Pools and Spas
1105 Washington Blvd
Pittsburgh, Pennsylvania 15206
(412) 661- 7665
Laboratory Analysis Report

Lab ID No. 02-04041

W-12

Lab# 220

Customer

Facility Name: *Masonic Village*
Address: *1000 Masonic Dr.*
Sewickley, PA 15143

Sample Collection

Date: *8/5/26*
Time: *9:40 AM*
Method: *Grab*

Sample Final Analysis

Date: *8/8/26*
Time: *9:00 AM*
Analyst: *AS*

Matrix: *Recreational Water*

Source Type: *Pool*

Accredited Analysis	Results	Reporting limit	Incubation Date/Time	Analyst	Method
Escherichia Coli:	Absent	Absent	8/6/26 8:50 AM	AH	SM 9222G
Total coliforms:	0/100mls	2/100mls	8/6/26 8:50 AM	AH	SM 9222B
Standard plate count:	0/ml	200/ml	8/5/26 5:15 PM	AS	SM 9215B

Field Analysis	Results	Reporting limit	Date/Time	Analyst	Method
pH:	7.6 SU	7.2 - 7.8 SU	8/5/26 9:40 AM	EB	DPD
Chlorine:	5.0 mg/l	1.0 - 5.0 mg/l	8/5/26 9:40 AM	EB	DPD
Turbidity:	1 NTU	1 - 2 NTU	8/5/26 9:40 AM	EB	Visual

Sample comments

(When exceeding reporting limit pool or spa is unfit)

Andre Smith, Lead Supervisor