



Dream Pools and Spas
1105 Washington Blvd
Pittsburgh, Pennsylvania 15206
(412) 661- 7665
Laboratory Analysis Report

Lab ID No. 02-04041

N-12

Lab# 013

Customer

Facility Name: *Bairel Center*

Address: *2565 Nicholson Road*
Sewickley, PA 15143

Matrix: *Recreational Water*

Source Type: *Deep End*

Sample Collection

Date: *8/3/26*

Time: *10:15 AM*

Method: *Grab*

Sample Final Analysis

Date: *8/6/26*

Time: *9:30 AM*

Analyst: *AS*

Accredited Analysis	Results	Reporting limit	Incubation Date/Time		Analyst	Method
Escherichia Coli:	Absent	Absent	8/4/26	9:25 AM	MD	SM 9222G
Total coliforms:	0/100mls	2/100mls	8/4/26	9:25 AM	MD	SM 9222B
Standard plate count:	100/ml	200/ml	8/3/26	4:40 PM	AS	SM 9215B

Field Analysis	Results	Reporting limit	Date/Time		Analyst	Method
pH:	7.4 SU	7.2 - 7.8 SU	8/3/26	10:15 AM	IS	DPD
Chlorine:	1.0 mg/l	1.0 - 5.0 mg/l	8/3/26	10:15 AM	IS	DPD
Turbidity:	1 NTU	1 - 2 NTU	8/3/26	10:15 AM	IS	Visual

Sample comments

Andre Smith, Lead Supervisor

(When exceeding reporting limit pool or spa is unfit)