



Dream Pools and Spas
1105 Washington Blvd
Pittsburgh, Pennsylvania 15206
(412) 661- 7665
Laboratory Analysis Report

Lab ID No. 02-04041

APM 3

Lab# 2806

Customer *American Pools Management*
3261 Babcock Blvd.
Pittsburgh, PA 15237

Facility Name: *Nox Apartment*
Address: *2551 Frontier Dr.*
 Pittsburgh, PA 15205

Sample Collection

Date: 7/28/26
Time: 3:40 PM
Method: Grab

Matrix: *Recreational Water*
Source Type: *Pool*

Sample Final Analysis

Date: 7/31/26
Time: 10:30 AM
Analyst: AS

Accredited Analysis	Results	Reporting limit	Incubation	Date/Time	Analyst	Method
Escherichia Coli:	Absent	Absent	7/29/26	10:15 AM	SL	SM 9222G
Total coliforms:	0/100mls	2/100mls	7/29/26	10:15 AM	SL	SM 9222B
Standard plate count:	0/ml	200/ml	7/28/26	7:00 PM	SL	SM 9215B

Field Analysis	Results	Reporting limit	Date/Time	Analyst	Method
pH:	7.6 SU	7.2 - 7.8 SU	7/28/26	3:40 PM	DNP DPD
Chlorine:	7.5 mg/l	1.0 - 5.0 mg/l	7/28/26	3:40 PM	DNP DPD
Turbidity:	1 NTU	1 - 2 NTU	7/28/26	3:40 PM	DNP Visual

Sample comments

(When exceeding reporting limit pool or spa is unfit)

Andre Smith, Lead Supervisor