



Dream Pools and Spas
1105 Washington Blvd
Pittsburgh, Pennsylvania 15206
(412) 661- 7665
Laboratory Analysis Report

Lab ID No. 02-04041

E - 11

Lab# 2364

Customer

Facility Name: *Mountain Pines Campground*
Address: *1662 Indian Creek Valley Rd.*
Champion, PA 15622

Sample Collection

Date: *7/6/26*
Time: *11:56 AM*
Method: *Grab*

Sample Final Analysis

Date: *7/8/26*
Time: *11:00 AM*
Analyst: *AS*

Matrix: *Recreational Water*
Source Type: *Pool-outdoor*

Accredited Analysis	Results	Reporting limit	Incubation Date/Time		Analyst	Method
Escherichia Coli:	Absent	Absent	7/7/26	10:30 AM	AH	SM 9222G
Total coliforms:	0/100mls	2/100mls	7/7/26	10:30 AM	AH	SM 9222B
Standard plate count:	0/ml	200/ml	7/6/26	5:00 PM	AH	SM 9215B

Field Analysis	Results	Reporting limit	Date/Time		Analyst	Method
pH:	7.4 SU	7.2 - 7.8 SU	7/6/26	11:56 AM	JC	DPD
Chlorine:	1.0 mg/l	1.0 - 5.0 mg/l	7/6/26	11:56 AM	JC	DPD
Turbidity:	1 NTU	1 - 2 NTU	7/6/26	11:56 AM	JC	Visual

Sample comments

(When exceeding reporting limit pool or spa is unfit)

Andre Smith, Lead Supervisor