



Dream Pools And Spas
1105 Washington Blvd
Pittsburgh, Pennsylvania 15206
(412) 661- 7665
Laboratory Analysis Report

Lab ID No. 02-04041
APM 2

Lab# 2113

Customer

American Pools Management
3261 Babcock Blvd.
Pittsburgh, PA 15237

Sample Collection

Facility Name: Clinton Lake

Date: 7/7/26

Address: 124 Clinton Dr.
Clinton, PA 15026

Time: 1:48 PM

Method: Grab

Sample Final Analysis

Matrix: Recreational Water

Date: 7/9/26

Source Type: Pool

Time: 9:30 AM

Analyst: AS

Accredited Analysis	Results	Reporting limit	Incubation Date/Time	Analyst	Method
Escherichia Coli:	Absent	Absent	7/8/26	9:05 AM	MD SM 9222G
Total coliforms:	0/100mls	2/100mls	7/8/26	9:05 AM	MD SM 9222B
Standard plate count:	0/ml	200/ml	7/7/26	4:10 PM	SL SM 9215B

Field Analysis	Results	Reporting limit	Date/Time	Analyst	Method
pH:	7.6 SU	7.2 - 7.8 SU	7/7/26	1:48 PM	AMH DPD
Chlorine:	3.0 mg/l	1.0 - 5.0 mg/l	7/7/26	1:48 PM	AMH DPD
Turbidity:	1 NTU	1 - 2 NTU	7/7/26	1:48 PM	AMH Visual

Sample comments

(When exceeding reporting limit pool or spa is unfit)

Andre Smith, Lead Supervisor