



Dream Pools And Spas
1105 Washington Blvd
Pittsburgh, Pennsylvania 15206
(412) 661- 7665
Laboratory Analysis Report

Lab ID No. 02-04041

APM 2

Lab# 2154

Customer

American Pools Management
3261 Babcock Blvd.
Pittsburgh, PA 15237

Sample Collection

Facility Name: Evalee

Date: 7/6/26

Address: 7 Dorchester Dr.
Pittsburgh, PA 15241

Time: 11:40 AM

Method: Grab

Matrix: Recreational Water

Sample Final Analysis

Date: 7/8/26

Source Type: Pool

Time: 11:30 AM

Analyst: AS

Accredited Analysis	Results	Reporting limit	Incubation Date/Time		Analyst	Method
Escherichia Coli:	Absent	Absent	7/7/26	11:00 AM	AH	SM 9222G
Total coliforms:	0/100mls	2/100mls	7/7/26	11:00 AM	AH	SM 9222B
Standard plate count:	0/ml	200/ml	7/6/26	5:30 PM	AS	SM 9215B

Field Analysis	Results	Reporting limit	Date/Time		Analyst	Method
pH:	7.0 SU	7.2 - 7.8 SU	7/6/26	11:40 AM	AHV	DPD
Chlorine:	10.0 mg/l	1.0 - 5.0 mg/l	7/6/26	11:40 AM	AHV	DPD
Turbidity:	2 NTU	1 - 2 NTU	7/6/26	11:40 AM	AHV	Visual

Sample comments

Andre Smith, Lead Supervisor

(When exceeding reporting limit pool or spa is unfit)