



Dream Pools And Spas
1105 Washington Blvd
Pittsburgh, Pennsylvania 15206
(412) 661- 7665
Laboratory Analysis Report

Lab ID No. 02-04041
APM 2

Lab# 2726

Customer *American Pools Management*
3261 Babcock Blvd.
Pittsburgh, PA 15237

Facility Name: *Felson Apts*

Address: *8000 Brandt Dr.*
Cranberry, PA 16066

Matrix: *Recreational Water*

Source Type: *Pool*

Sample Collection

Date: *7/8/26*
Time: *2:36 PM*
Method: *Grab*

Sample Final Analysis

Date: *7/10/26*
Time: *9:30 AM*
Analyst: *AS*

Accredited Analysis	Results	Reporting limit	Incubation Date/Time		Analyst	Method
Escherichia Coli:	Absent	Absent	7/9/26	9:10 AM	MD	SM 9222G
Total coliforms:	0/100mls	2/100mls	7/9/26	9:10 AM	MD	SM 9222B
Standard plate count:	0/ml	200/ml	7/8/26	6:10 PM	SL	SM 9215B

Field Analysis	Results	Reporting limit	Date/Time		Analyst	Method
pH:	8.0 SU	7.2 - 7.8 SU	7/8/26	2:36 PM	EG	DPD
Chlorine:	10.0 mg/l	1.0 - 5.0 mg/l	7/8/26	2:36 PM	EG	DPD
Turbidity:	1 NTU	1 - 2 NTU	7/8/26	2:36 PM	EG	Visual

Sample comments

Andre Smith, Lead Supervisor

(When exceeding reporting limit pool or spa is unfit)