



Dream Pools And Spas
1105 Washington Blvd
Pittsburgh, Pennsylvania 15206
(412) 661- 7665
Laboratory Analysis Report

Lab ID No. 02-04041

APM 2

Lab# 2733

Customer

American Pools Management
3261 Babcock Blvd.
Pittsburgh, PA 15237

Sample Collection

Facility Name: *Fox Plan*

Date: *7/7/26*

Time: *9:40 AM*

Address: *105 Fox Plan Rd.*
Monroeville, PA 15146

Method: *Grab*

Sample Final Analysis

Matrix: *Recreational Water*

Date: *7/9/26*

Time: *11:30 AM*

Source Type: *Pool*

Analyst: *AS*

Accredited Analysis	Results	Reporting limit	Incubation Date/Time		Analyst	Method
Escherichia Coli:	Absent	Absent	7/8/26	11:00 AM	MD	SM 9222G
Total coliforms:	0/100mls	2/100mls	7/8/26	11:00 AM	MD	SM 9222B
Standard plate count:	0/ml	200/ml	7/7/26	7:00 PM	AS	SM 9215B

Field Analysis	Results	Reporting limit	Date/Time		Analyst	Method
pH:	7.6 SU	7.2 - 7.8 SU	7/7/26	9:40 AM	DW	DPD
Chlorine:	5.0 mg/l	1.0 - 5.0 mg/l	7/7/26	9:40 AM	DW	DPD
Turbidity:	1 NTU	1 - 2 NTU	7/7/26	9:40 AM	DW	Visual

Sample comments

Andre Smith, Lead Supervisor

(When exceeding reporting limit pool or spa is unfit)