



Dream Pools and Spas
1105 Washington Blvd
Pittsburgh, Pennsylvania 15206
(412) 661- 7665
Laboratory Analysis Report

Lab ID No. 02-04041

E - 11

Lab# 2759

Customer

Facility Name: *Idlewild and SoakZone*

Address: *2574 Rt 30 E*
Ligonier, PA 15656

Matrix: *Recreational Water*

Source Type: *Wave*

Sample Collection

Date: *7/13/26*

Time: *1:28 PM*

Method: *Grab*

Sample Final Analysis

Date: *7/16/26*

Time: *9:30 AM*

Analyst: *AS*

Accredited Analysis	Results	Reporting limit	Incubation Date/Time		Analyst	Method
Escherichia Coli:	Absent	Absent	7/14/26	9:00 AM	AH	SM 9222G
Total coliforms:	0/100mls	2/100mls	7/14/26	9:00 AM	AH	SM 9222B
Standard plate count:	5700/ml	200/ml	7/13/26	4:25 PM	AH	SM 9215B

Field Analysis	Results	Reporting limit	Date/Time		Analyst	Method
pH:	7.6 SU	7.2 - 7.8 SU	7/13/26	1:28 PM	JC	DPD
Chlorine:	3.0 mg/l	1.0 - 5.0 mg/l	7/13/26	1:28 PM	JC	DPD
Turbidity:	1 NTU	1 - 2 NTU	7/13/26	1:28 PM	JC	Visual

Sample comments

Andre Smith, Lead Supervisor

(When exceeding reporting limit pool or spa is unfit)