



Dream Pools And Spas
1105 Washington Blvd
Pittsburgh, Pennsylvania 15206
(412) 661- 7665
Laboratory Analysis Report

Lab ID No. 02-04041

APM 1

Lab# 2756

Customer *American Pools Management*
3261 Babcock Blvd.
Pittsburgh, PA 15237

Sample Collection

Facility Name: *Artisan at Robinson* *Date:* *7/15/26*
Address: *301 Hightower Blvd.* *Time:* *9:30 AM*
Pittsburgh, PA 15205 *Method:* *Grab*

Sample Final Analysis

Matrix: *Recreational Water* *Date:* *7/18/26*
Source Type: *Pool* *Time:* *10:30 AM*
Analyst: *AS*

Accredited Analysis	Results	Reporting limit	Incubation Date/Time		Analyst	Method
Escherichia Coli:	Absent	Absent	7/16/26	10:00 AM	MD	SM 9222G
Total coliforms:	0/100mls	2/100mls	7/16/26	10:00 AM	MD	SM 9222B
Standard plate count:	0/ml	200/ml	7/15/26	5:00 PM	SL	SM 9215B
Field Analysis	Results	Reporting limit	Date/Time		Analyst	Method
pH:	8.0 SU	7.2 - 7.8 SU	7/15/26	9:30 AM	LL	DPD
Chlorine:	3.0 mg/l	1.0 - 5.0 mg/l	7/15/26	9:30 AM	LL	DPD
Turbidity:	1 NTU	1 - 2 NTU	7/15/26	9:30 AM	LL	Visual

Sample comments

(When exceeding reporting limit pool or spa is unfit)

Andre Smith, Lead Supervisor