



Dream Pools And Spas
1105 Washington Blvd
Pittsburgh, Pennsylvania 15206
(412) 661- 7665
Laboratory Analysis Report

Lab ID No. 02-04041

APM 1

Lab# 2702

Customer *American Pools Management*
3261 Babcock Blvd.
Pittsburgh, PA 15237

Facility Name: *Adams Ridge*
Address: *100 Adams Ridge Blvd.*
 Mars, PA 16046

Sample Collection

Date: *9/1/26*
Time: *4:00 PM*
Method: *Grab*

Matrix: *Recreational Water*
Source Type: *Pool*

Sample Final Analysis

Date: *9/4/26*
Time: *12:30 PM*
Analyst: *AS*

Accredited Analysis	Results	Reporting limit	Incubation Date/Time	Analyst	Method
Escherichia Coli:	Absent	Absent	9/2/26 12:00 PM	AS	SM 9222G
Total coliforms:	0/100mls	2/100mls	9/2/26 12:00 PM	AS	SM 9222B
Standard plate count:	0/ml	200/ml	9/1/26 6:00 PM	AS	SM 9215B

Field Analysis	Results	Reporting limit	Date/Time	Analyst	Method
pH:	7.6 SU	7.2 - 7.8 SU	9/1/26 4:00 PM	EG	DPD
Chlorine:	5.0 mg/l	1.0 - 5.0 mg/l	9/1/26 4:00 PM	EG	DPD
Turbidity:	1 NTU	1 - 2 NTU	9/1/26 4:00 PM	EG	Visual

Sample comments

Andre Smith, Lead Supervisor

(When exceeding reporting limit pool or spa is unfit)