



Dream Pools and Spas
1105 Washington Blvd
Pittsburgh, Pennsylvania 15206
(412) 661- 7665
Laboratory Analysis Report

Lab ID No. 02-04041

C-11

Lab# 056

Customer

Facility Name: Club Pittsburgh
Address: 1139 Penn Ave.
Pittsburgh, PA 15222

Matrix: Recreational Water

Source Type: Spa

Sample Collection

Date: 6/15/26
Time: 10:15 AM
Method: Grab

Sample Final Analysis

Date: 6/17/26
Time: 12:30 PM
Analyst: AS

Accredited Analysis	Results	Reporting limit	Incubation Date/Time	Analyst	Method
---------------------	---------	-----------------	----------------------	---------	--------

Escherichia Coli:	Absent	Absent	6/16/26 12:00 PM	AH	SM 9222G
-------------------	--------	--------	------------------	----	----------

Total coliforms:	0/100mls	2/100mls	6/16/26 12:00 PM	AH	SM 9222B
------------------	----------	----------	------------------	----	----------

Standard plate count:	20/ml	200/ml	6/15/26 5:50 PM	SL	SM 9215B
-----------------------	-------	--------	-----------------	----	----------

Additional Analysis	Results	Reporting limit	Incubation Date/Time	Analyst	Method
---------------------	---------	-----------------	----------------------	---------	--------

Fecal Streptococcus	0/100mls	2/100mls	6/16/26 12:30 PM	AS	SM 9230C
---------------------	----------	----------	------------------	----	----------

Field Analysis	Results	Reporting limit	Date/Time	Analyst	Method
----------------	---------	-----------------	-----------	---------	--------

pH:	7.2 SU	7.2 - 7.8 SU	6/15/26 10:15 AM	JMH	DPD
-----	--------	--------------	------------------	-----	-----

Chlorine:	3.0 mg/l	1.0 - 5.0 mg/l	6/15/26 10:15 AM	JMH	DPD
-----------	----------	----------------	------------------	-----	-----

Turbidity:	1 NTU	1 - 2 NTU	6/15/26 10:15 AM	JMH	Visual
------------	-------	-----------	------------------	-----	--------

Sample comments

Andre Smith

Andre Smith, Lead Supervisor

(When exceeding reporting limit pool or spa is unfit)