



Dream Pools and Spas
1105 Washington Blvd
Pittsburgh, Pennsylvania 15206
(412) 661- 7665
Laboratory Analysis Report

Lab ID No. 02-04041

S-1

Lab# 157

Customer

Facility Name: *Holiday Inn Express*
Address: *875 Greentree Rd.*
Pittsburgh, PA 15220

Sample Collection

Date: *9/15/26*
Time: *8:16 AM*
Method: *Grab*

Sample Final Analysis

Date: *9/19/26*
Time: *10:30 AM*
Analyst: *JC*

Matrix: *Recreational Water*

Source Type: *Pool*

Accredited Analysis	Results	Reporting limit	Incubation Date/Time		Analyst	Method
Escherichia Coli:	Absent	Absent	9/16/26	10:00 AM	AH	SM 9222G
Total coliforms:	50/100mls	2/100mls	9/16/26	10:00 AM	AH	SM 9222B
Standard plate count:	25/ml	200/ml	9/15/26	6:20 PM	AH	SM 9215B

Field Analysis	Results	Reporting limit	Date/Time		Analyst	Method
pH:	7.6 SU	7.2 - 7.8 SU	9/15/26	8:16 AM	MM	DPD
Chlorine:	2.0 mg/l	1.0 - 5.0 mg/l	9/15/26	8:16 AM	MM	DPD
Turbidity:	1 NTU	1 - 2 NTU	9/15/26	8:16 AM	MM	Visual

Sample comments

(When exceeding reporting limit pool or spa is unfit)

Andre Smith, Lead Supervisor