



Dream Pools and Spas
1105 Washington Blvd
Pittsburgh, Pennsylvania 15206
(412) 661- 7665
Laboratory Analysis Report

Lab ID No. 02-04041

S-14

Lab# 201

Customer

Facility Name: L.A. Fitness Bridgeville

Address: 1155 Washington Pike
Bridgeville, PA 15017

Matrix: Recreational Water

Source Type: Spa

Sample Collection

Date: 6/22/26

Time: 12:20 PM

Method: Grab

Sample Final Analysis

Date: 6/25/26

Time: 9:30 AM

Analyst: AS

Accredited Analysis	Results	Reporting limit	Incubation Date/Time	Analyst	Method
Escherichia Coli:	Absent	Absent	6/23/26 9:00 AM	AH	SM 9222G

Total coliforms:	0/100mls	2/100mls	6/23/26 9:00 AM	AH	SM 9222B
------------------	----------	----------	-----------------	----	----------

Standard plate count:	10/ml	200/ml	6/22/26 3:50 PM	AH	SM 9215B
-----------------------	-------	--------	-----------------	----	----------

Additional Analysis	Results	Reporting limit	Incubation Date/Time	Analyst	Method
Fecal Streptococcus	0/100mls	2/100mls	6/23/26 1:30 PM	MD	SM 9230C

Field Analysis	Results	Reporting limit	Date/Time	Analyst	Method
pH:	7.2 SU	7.2 - 7.8 SU	6/22/26 12:20 PM	JB	DPD
Chlorine:	3.0 mg/l	1.0 - 5.0 mg/l	6/22/26 12:20 PM	JB	DPD
Turbidity:	1 NTU	1 - 2 NTU	6/22/26 12:20 PM	JB	Visual

Sample comments

Andre Smith, Lead Supervisor

(When exceeding reporting limit pool or spa is unfit)