



Dream Pools And Spas
1105 Washington Blvd
Pittsburgh, Pennsylvania 15206
(412) 661- 7665
Laboratory Analysis Report

Lab ID No. 02-04041

APM 1

Lab# 2032

Customer *American Pools Management*
3261 Babcock Blvd.
Pittsburgh, PA 15237

Facility Name: *Bear Run Village*
Address: *100 Bear Run Drive*
Pittsburgh, PA 15237

Sample Collection

Date: *6/8/26*
Time: *12:45 PM*
Method: *Grab*

Matrix: *Recreational Water*
Source Type: *Pool*

Sample Final Analysis

Date: *6/10/26*
Time: *10:30 AM*
Analyst: *1/0/00*

Accredited Analysis	Results	Reporting limit	Incubation Date/Time	Analyst	Method
Escherichia Coli:	Absent	Absent	6/9/26 10:00 AM	MD	SM 9222G
Total coliforms:	0/100mls	2/100mls	6/9/26 10:00 AM	MD	SM 9222B
Standard plate count:	0/ml	200/ml	6/8/26 5:00 PM	AS	SM 9215B

Field Analysis	Results	Reporting limit	Date/Time	Analyst	Method
pH:	7.4 SU	7.2 - 7.8 SU	6/8/26 12:45 PM	IS	DPD
Chlorine:	1.0 mg/l	1.0 - 5.0 mg/l	6/8/26 12:45 PM	IS	DPD
Turbidity:	1 NTU	1 - 2 NTU	6/8/26 12:45 PM	IS	Visual

Sample comments

(When exceeding reporting limit pool or spa is unfit)

Andre Smith, Lead Supervisor