



Dream Pools And Spas
1105 Washington Blvd
Pittsburgh, Pennsylvania 15206
(412) 661- 7665
Laboratory Analysis Report

Lab ID No. 02-04041

APM 2

Lab# 2121

Customer *American Pools Management*
3261 Babcock Blvd.
Pittsburgh, PA 15237

Sample Collection

Facility Name: *Club at North Hills*

Address: *700 Lincoln Club Drive*
Pittsburgh, PA 15237

Date: *6/9/26*
Time: *12:05 PM*
Method: *Grab*

Sample Final Analysis

Matrix: *Recreational Water*

Source Type: *Pool*

Date: *6/11/26*
Time: *11:30 AM*
Analyst: *AS*

Accredited Analysis	Results	Reporting limit	Incubation Date/Time	Analyst	Method
Escherichia Coli:	Absent	Absent	6/10/26 11:00 AM	AH	SM 9222G
Total coliforms:	0/100mls	2/100mls	6/10/26 11:00 AM	AH	SM 9222B
Standard plate count:	570/ml	200/ml	6/9/26 6:00 PM	SL	SM 9215B
Field Analysis	Results	Reporting limit	Date/Time	Analyst	Method
pH:	7.6 SU	7.2 - 7.8 SU	6/9/26 12:05 PM	IS	DPD
Chlorine:	0.0 mg/l	1.0 - 5.0 mg/l	6/9/26 12:05 PM	IS	DPD
Turbidity:	1 NTU	1 - 2 NTU	6/9/26 12:05 PM	IS	Visual

Sample comments

(When exceeding reporting limit pool or spa is unfit)

Andre Smith, Lead Supervisor