



Dream Pools and Spas
1105 Washington Blvd
Pittsburgh, Pennsylvania 15206
(412) 661- 7665
Laboratory Analysis Report

Lab ID No. 02-04041

W-1

Lab# 221

Customer

Facility Name: Masonic Village

Address: 1000 Masonic Dr.
Sewickley, PA 15143

Sample Collection

Date: 10/5/26
Time: 12:10 PM
Method: Grab

Matrix: Recreational Water

Sample Final Analysis

Date: 10/8/26
Time: 10:00 AM
Analyst: JC

Source Type: Spa

Accredited Analysis	Results	Reporting limit	Incubation Date/Time	Analyst	Method
---------------------	---------	-----------------	----------------------	---------	--------

Escherichia Coli:	Absent	Absent	10/6/26 9:55 AM	JC	SM 9222G
Total coliforms:	0/100mls	2/100mls	10/6/26 9:55 AM	JC	SM 9222B
Standard plate count:	0/ml	200/ml	10/5/26 6:10 PM	SL	SM 9215B

Additional Analysis	Results	Reporting limit	Incubation Date/Time	Analyst	Method
---------------------	---------	-----------------	----------------------	---------	--------

Fecal Streptococcus	0/100mls	2/100mls	10/6/26 10:50 AM	JC	SM 9230C
---------------------	----------	----------	------------------	----	----------

Field Analysis	Results	Reporting limit	Date/Time	Analyst	Method
----------------	---------	-----------------	-----------	---------	--------

pH:	7.0 SU	7.2 - 7.8 SU	10/5/26 12:10 PM	AMH	DPD
Chlorine:	5.0 mg/l	1.0 - 5.0 mg/l	10/5/26 12:10 PM	AMH	DPD
Turbidity:	1 NTU	1 - 2 NTU	10/5/26 12:10 PM	AMH	Visual

Sample comments

Andre Smith, Lead Supervisor

(When exceeding reporting limit pool or spa is unfit)