



Dream Pools and Spas
1105 Washington Blvd
Pittsburgh, Pennsylvania 15206
(412) 661- 7665
Laboratory Analysis Report

Lab ID No. 02-04041

E-2

Lab# 202

Customer

Facility Name: L.A. Fitness Greensburg

Address: 3000 Lincoln Place
Greensburg, PA 15601

Matrix: Recreational Water

Source Type: Pool

Sample Collection

Date: 10/5/26

Time: 1:00 PM

Method: Grab

Sample Final Analysis

Date: 10/9/26

Time: 10:00 AM

Analyst: JC

Accredited Analysis	Results	Reporting limit	Incubation Date/Time	Analyst	Method
Escherichia Coli:	Absent	Absent	10/6/26 9:30 AM	MH	SM 9222G
Total coliforms:	20/100mls	2/100mls	10/6/26 9:30 AM	MH	SM 9222B
Standard plate count:	5700/ml	200/ml	10/5/26 4:05 PM	MH	SM 9215B

Field Analysis	Results	Reporting limit	Date/Time	Analyst	Method
pH:	7.6 SU	7.2 - 7.8 SU	10/5/26 1:00 PM	JC	DPD
Chlorine:	1.0 mg/l	1.0 - 5.0 mg/l	10/5/26 1:00 PM	JC	DPD
Turbidity:	1 NTU	1 - 2 NTU	10/5/26 1:00 PM	JC	Visual

Sample comments

Andre Smith, Lead Supervisor

(When exceeding reporting limit pool or spa is unfit)