



**Dream Pools and Spas**  
**1105 Washington Blvd**  
**Pittsburgh, Pennsylvania 15206**  
**(412) 661- 7665**  
**Laboratory Analysis Report**

Lab ID No. 02-04041  
**W-13**

**Lab# 382**

**Customer**

**Facility Name:** Hilton Garden Inn  
**Address:** 9600 University Blvd  
Pittsburgh, PA 15108

**Matrix:** Hilton Garden Inn  
**Source Type:** Pool

**Sample Collection**

**Date:** 8/19/26  
**Time:** 12:19 PM  
**Method:** Grab

**Sample Final Analysis**

**Date:** 8/22/26  
**Time:** 10:00 AM  
**Analyst:** AS

| Accredited Analysis   | Results  | Reporting limit | Incubation | Date/Time | Analyst | Method   |
|-----------------------|----------|-----------------|------------|-----------|---------|----------|
| Escherichia Coli:     | Absent   | Absent          | 8/20/26    | 9:30 AM   | AH      | SM 9222G |
| Total coliforms:      | 0/100mls | 2/100mls        | 8/20/26    | 9:30 AM   | AH      | SM 9222B |
| Standard plate count: | 0/ml     | 200/ml          | 8/19/26    | 6:00 PM   | AS      | SM 9215B |

| Field Analysis | Results  | Reporting limit | Date/Time | Analyst  | Method |        |
|----------------|----------|-----------------|-----------|----------|--------|--------|
| pH:            | 7.6 SU   | 7.2 - 7.8 SU    | 8/19/26   | 12:19 PM | AMH    | DPD    |
| Chlorine:      | 3.0 mg/l | 1.0 - 5.0 mg/l  | 8/19/26   | 12:19 PM | AMH    | DPD    |
| Turbidity:     | 1 NTU    | 1 - 2 NTU       | 8/19/26   | 12:19 PM | AMH    | Visual |

**Sample comments**

( When exceeding reporting limit pool or spa is unfit)

Andre Smith, Lead Supervisor