



Dream Pools And Spas
1105 Washington Blvd
Pittsburgh, Pennsylvania 15206
(412) 661- 7665
Laboratory Analysis Report

Lab ID No. 02-04041

APM 2

Lab# 2189

Customer

American Pools Management
3261 Babcock Blvd.
Pittsburgh, PA 15237

Sample Collection

Facility Name: *Forest Glen*

Date: *8/18/26*

Time: *2:25 PM*

Address: *1514 Forest Green Dr.*
Moon, PA 15108

Method: *Grab*

Sample Final Analysis

Matrix: *Recreational Water*

Date: *8/21/26*

Time: *11:00 AM*

Source Type: *Pool*

Analyst: *AS*

Accredited Analysis	Results	Reporting limit	Incubation Date/Time		Analyst	Method
Escherichia Coli:	Absent	Absent	8/19/26	10:30 AM	AH	SM 9222G
Total coliforms:	0/100mls	2/100mls	8/19/26	10:30 AM	AH	SM 9222B
Standard plate count:	0/ml	200/ml	8/18/26	5:30 PM	SL	SM 9215B

Field Analysis	Results	Reporting limit	Date/Time		Analyst	Method
pH:	7.6 SU	7.2 - 7.8 SU	8/18/26	2:25 PM	MH	DPD
Chlorine:	3.0 mg/l	1.0 - 5.0 mg/l	8/18/26	2:25 PM	MH	DPD
Turbidity:	1 NTU	1 - 2 NTU	8/18/26	2:25 PM	MH	Visual

Sample comments

Andre Smith

Andre Smith, Lead Supervisor

(When exceeding reporting limit pool or spa is unfit)