



Dream Pools and Spas
1105 Washington Blvd
Pittsburgh, Pennsylvania 15206
(412) 661- 7665
Laboratory Analysis Report

Lab ID No. 02-04041

APM 4

Lab# 2751

Customer

American Pools Management
3261 Babcock Blvd.
Pittsburgh, PA 15237

Facility Name:

Regency

Address:

1785 McKees Rock Rd.
McKees Rocks, PA 15136

Sample Collection

Date: 8/17/26

Time: 12:00 PM

Method: Grab

Sample Final Analysis

Matrix:

Recreational Water

Date: 8/20/26

Time: 11:00 AM

Analyst: AS

Source Type:

Pool

Accredited Analysis	Results	Reporting limit	Incubation Date/Time		Analyst	Method
Escherichia Coli:	Absent	Absent	8/18/26	10:50 AM	AH	SM 9222G
Total coliforms:	0/100mls	2/100mls	8/18/26	10:50 AM	AH	SM 9222B
Standard plate count:	0/ml	200/ml	8/17/26	5:30 PM	SL	SM 9215B

Field Analysis	Results	Reporting limit	Date/Time		Analyst	Method
pH:	7.8 SU	7.2 - 7.8 SU	8/17/26	12:00 PM	EB	DPD
Chlorine:	7.5 mg/l	1.0 - 5.0 mg/l	8/17/26	12:00 PM	EB	DPD
Turbidity:	1 NTU	1 - 2 NTU	8/17/26	12:00 PM	EB	Visual

Sample comments

(When exceeding reporting limit pool or spa is unfit)

Andre Smith, Lead Supervisor