

CURAPROX

PERIOPLUS⁺

EXCELLENT
TASTE



INTENSIVE ORAL CARE – NATURALLY COMBATTING BACTERIA

Perio Plus+ is used to treat bacterial abnormalities in the oral cavity before and after dental treatments.

Natural protection

Perio Plus+ combines chlorhexidine digluconate with natural bioflavonoids extracted from bitter oranges: CITROX[®] is recommended for combatting oral bacteria. As a key ingredient of all Perio Plus+ products, CITROX[®] protects the teeth, gums and oral mucosa from new plaque formation.

The advantages at a glance

- Contains CHX in concentrations customary in dental medicine
- Contains CITROX[®] – natural bioflavonoids extracted from bitter oranges
- Contains VP/VA copolymer – forms a strong protective film over oral surfaces
- Pleasant tasting without irritating the oral cavity
- Alcohol free





PERIOPLUS+	FORTE	PROTECT	REGENERATE	BALANCE	FOCUS	SUPPORT
Chlorhexidine digluconate	0.20 %	0.12 %	0.09 %	0.05 %	0.50 %	0.09 %
Other key ingredients	<ul style="list-style-type: none"> • CITROX® bioflavonoids • VP/VA protective film 	<ul style="list-style-type: none"> • CITROX® bioflavonoids • VP/VA protective film 	<ul style="list-style-type: none"> • CITROX® bioflavonoids • VP/VA protective film • Hyaluronic acid 	<ul style="list-style-type: none"> • CITROX® bioflavonoids • VP/VA protective film • Sodium fluoride 	<ul style="list-style-type: none"> • CITROX® bioflavonoids • VP/VA protective film • Hyaluronic acid 	<ul style="list-style-type: none"> • CITROX® bioflavonoids • VP/VA protective film • Hyaluronic acid • Sodium fluoride
Recommended	For intensive care before and after invasive dental treatments.	For support in case of gingivitis and periodontitis.	To support tissue renewal after dental surgery and in cases of dry mouth due to therapy.	To reduce the risk of caries and gingivitis in cases of motor impairment or during orthodontic treatment.	For targeted intensive care and support of tissue renewal after dental surgery.	To be used in combination with all Perio Plus+ mouthwashes to protect teeth and gums.
Application	Rinse morning and evening after brushing with 10ml of undiluted mouthwash for 60 seconds. Do not swallow.				Apply some gel to the affected area in the morning and evening.	Use in the morning and evening to brush your teeth.
Application duration	3 to 7 days	Up to 2 weeks	Up to 1 month	Up to 6 months	3 to 7 days	Up to 4 weeks
Side effects	Slight discolouration of the teeth when consuming coffee, tea, nicotine, red wine, and fruit. This is reversible.					
Contraindication	Pregnant women, children under 12, and those with hypersensitivity to an ingredient contained in Perio Plus+ products. versible.					
Additional recommendation	Use SLS-free toothpaste to support long-term CHX effect: e.g. Perio Plus+ Support, Curaprox Enzycal, [BEYOU.], Black Is White					