



Select a spec

default

Api Documentation 1.0

[Base URL: localhost:8080 /]

<http://localhost:8080/v2/api-docs>

Api Documentation

[Terms of service](#)[Apache 2.0](#)

admin-controller Admin Controller

**POST** /account/admin/ban ban_user**Parameters**[Try it out](#)**Name****Description****messageWrapper** * required

messageWrapper

(body)

Example Value Model

```
{  
  "idDto": {  
    "id": 0  
  },  
  "messageDto": {  
    "author_user_id": 0,  
    "message": "string",  
    "unix_creation_time": 0  
  }  
}
```

Parameter content type[application/json](#)**session_key** * required

string

(header)

session_key

Responses

Response content type

application/json

Code	Description
-------------	--------------------

200

*OK***Example Value** Model

```
{
  "body": {},
  "statusCode": "100 CONTINUE",
  "statusCodeValue": 0
}
```

201

Created

401

Unauthorized

403

Forbidden

404

*Not Found***POST** /account/admin/end_auction end_auctions**Parameters****Try it out**

Name	Description
-------------	--------------------

idDto * required

idDto

(body)

Example Value Model

```
{
  "id": 0
}
```

Parameter content type

application/json

Name	Description
sessionKey <small>* required</small>	sessionKey
string <i>(header)</i>	
Responses	Response content type application/json
Code	Description
200	<i>OK</i>
	Example Value Model
	{ "body": {}, "statusCode": "100 CONTINUE", "statusCodeValue": 0 }
201	<i>Created</i>
401	<i>Unauthorized</i>
403	<i>Forbidden</i>
404	<i>Not Found</i>

POST /account/admin/get_all_banned_users get_all_banned_users

Parameters

Try it out

Name	Description

Name	Description
filterDto * required <i>(body)</i>	<p>filterDto</p> <p>Example Value Model</p> <pre>{ "active": true, "amount": 0, "international": true, "is_instant_sell": true, "item_type": "string", "offset": 0, "order_by": "string", "search_by_name": "string", "sorting_order": "string" }</pre> <p>Parameter content type</p> <div style="border: 1px solid black; padding: 2px; display: inline-block;">application/json</div>
sessionKey * required <i>string</i> <i>(header)</i>	sessionKey
Responses	<p>Response content type</p> <div style="border: 1px solid black; padding: 2px; display: inline-block;">application/json</div>
Code	Description
200	<p><i>OK</i></p> <p>Example Value Model</p> <pre>[{ "admin": true, "country": "string", "first_name": "string", "last_name": "string", "profile_picture": "string", "user_id": 0 }]</pre>
201	<i>Created</i>

Code	Description
401	<i>Unauthorized</i>
403	<i>Forbidden</i>
404	<i>Not Found</i>

POST /account/admin/get_all_sellers get_all_sellers

Parameters

Try it out

Name	Description
filterDto * required <i>(body)</i>	filterDto Example Value Model <pre>{ "active": true, "amount": 0, "international": true, "is_instant_sell": true, "item_type": "string", "offset": 0, "order_by": "string", "search_by_name": "string", "sorting_order": "string" }</pre>

Parameter content type

application/json

session_key * required string <i>(header)</i>	session_key
--	-------------

Responses	Response content type	application/json
-----------	-----------------------	------------------

Code	Description
------	-------------

Code	Description
200	<i>OK</i>
Example Value Model	
<pre>[{ "seller": { "admin": true, "country": "string", "first_name": "string", "last_name": "string", "profile_picture": "string", "user_id": 0 }, "sellerDto": { "additional_image": 0, "auction": 0, "is_validated": true, "payment_id": "string", "photo_album": 0, "seller_id": 0, "user_id": 0 } }]</pre>	
201	<i>Created</i>
401	<i>Unauthorized</i>
403	<i>Forbidden</i>
404	<i>Not Found</i>

POST /account/admin/get_all_users get_all_users

Parameters

Try it out

Name	Description

Name	Description
filterDto * required <i>(body)</i>	<p>filterDto</p> <p>Example Value Model</p> <pre>{ "active": true, "amount": 0, "international": true, "is_instant_sell": true, "item_type": "string", "offset": 0, "order_by": "string", "search_by_name": "string", "sorting_order": "string" }</pre> <p>Parameter content type</p> <div style="border: 1px solid black; padding: 2px; display: inline-block;">application/json</div>
sessionKey * required string <i>(header)</i>	sessionKey
Responses	<p>Response content type</p> <div style="border: 1px solid black; padding: 2px; display: inline-block;">application/json</div>
Code	Description
200	<p><i>OK</i></p> <p>Example Value Model</p> <pre>[{ "admin": true, "country": "string", "first_name": "string", "last_name": "string", "profile_picture": "string", "user_id": 0 }]</pre>
201	<i>Created</i>
401	<i>Unauthorized</i>

Code	Description
403	<i>Forbidden</i>
404	<i>Not Found</i>

POST /account/admin/reopen_instant_buy reopen_instant_buy

Parameters
Try it out

Name	Description
idDto * required (body)	idDto Example Value Model <pre>{ "id": 0 }</pre>
	Parameter content type application/json
sessionKey * required string (header)	sessionKey

Responses
Response content type
application/json

Code	Description
200	<i>OK</i> Example Value Model <pre>{ "body": {}, "statusCode": "100 CONTINUE", "statusCodeValue": 0 }</pre>

Code	Description
201	<i>Created</i>
401	<i>Unauthorized</i>
403	<i>Forbidden</i>
404	<i>Not Found</i>

POST	<code>/account/admin/send_email</code>	send_email		
Parameters		Try it out		
No parameters				
Responses	Response content type <code>*/*</code>			
Code	Description			
200	<i>OK</i>			
Example Value Model				
{ "body": {}, "statusCode": "100 CONTINUE", "statusCodeValue": 0 }				
201	<i>Created</i>			
401	<i>Unauthorized</i>			
403	<i>Forbidden</i>			

Code	Description
404	<i>Not Found</i>

POST	<code>/account/admin/unban</code>	unban_user
Parameters		Try it out
<hr/>		
Name	Description	
idDto * required <i>(body)</i>	idDto Example Value Model <pre>{ "id": 0 }</pre>	
Parameter content type		application/json
session_key * required <i>string</i> <i>(header)</i>	session_key	
<hr/>		
Responses	Response content type application/json	
<hr/>		
Code	Description	
200	<i>OK</i> Example Value Model <pre>{ "body": {}, "statusCode": "100 CONTINUE", "statusCodeValue": 0 }</pre>	
201	<i>Created</i>	

Code	Description
401	<i>Unauthorized</i>
403	<i>Forbidden</i>
404	<i>Not Found</i>

auction-controller Auction Controller



POST /auctions/ auctions

Parameters

[Try it out](#)

Name	Description
filterDto * required (body)	filterDto Example Value Model

filterDto * required
(body)

Example Value Model

```
{
  "active": true,
  "amount": 0,
  "international": true,
  "is_instant_sell": true,
  "item_type": "string",
  "offset": 0,
  "order_by": "string",
  "search_by_name": "string",
  "sorting_order": "string"
}
```

Parameter content type

[application/json](#)

session_key
string
(header)

session_key

Responses

Response content type

application/json**Code****Description**

200

*OK***Example Value** Model

```
[  
  {  
    "auctionResponse": {  
      "amount": 0,  
      "auction_id": 0,  
      "auction_type": "string",  
      "bank_transfer": true,  
      "cash": true,  
      "cost": 0,  
      "country": "string",  
      "currency": "string",  
      "current_price": 0,  
      "description": "string",  
      "images": [  
        "string"  
      ],  
      "international": true,  
      "item_type": "string",  
      "paypal": true,  
      "seller_id": 0,  
      "starting_price": 0,  
      "thumbnail": "string",  
      "title": "string",  
      "unix_creation_time": 0,  
      "unix_ending_time": 0,  
      "unix_starting_time": 0  
    }  
  }]
```

201

Created

401

Unauthorized

403

Forbidden

404

*Not Found***POST** /auctions/bet bet**Parameters****Try it out**

Name	Description
idPriceWrapper * required <i>(body)</i>	<p>idPriceWrapper</p> <p>Example Value Model</p> <pre>{ "idDto": { "id": 0 }, "priceDto": { "price": 0 } }</pre> <p>Parameter content type</p> <div style="border: 1px solid black; padding: 2px; display: inline-block;">application/json</div>
sessionKey * required <i>string (header)</i>	sessionKey
Responses	<p>Response content type</p> <div style="border: 1px solid black; padding: 2px; display: inline-block;">application/json</div>
Code	Description
200	<p><i>OK</i></p> <p>Example Value Model</p> <pre>{ "body": {}, "statusCode": "100 CONTINUE", "statusCodeValue": 0 }</pre>
201	<i>Created</i>
401	<i>Unauthorized</i>
403	<i>Forbidden</i>
404	<i>Not Found</i>

POST /auctions/create create

Parameters

Try it out

Name	Description
auctionDto * required (body)	auctionDto Example Value Model
	<pre>{ "_auction_Seller": { "admin": true, "country": "string", "first_name": "string", "last_name": "string", "profile_picture": "string", "user_id": 0 }, "_highest_bettor": { "admin": true, "country": "string", "first_name": "string", "last_name": "string", "profile_picture": "string", "user_id": 0 }, "amount": 0, "auction_id": 0, "auction_type": "string", "bank_transfer": true, "cash": true, "cost": 0, "currency": "string", "current_price": 0, "description": "string", }</pre>

Parameter content type

application/json

sessionKey * required
sessionKey

string
(header)

Responses

Response content type

application/json

Code Description

Code	Description
200	<i>OK</i>
	Example Value Model
	{ "id": 0 }
201	<i>Created</i>
401	<i>Unauthorized</i>
403	<i>Forbidden</i>
404	<i>Not Found</i>

POST /auctions/end end_auction

Parameters

Try it out

Name	Description
------	-------------

idDto * required

(body)

Example Value Model

```
{  
    "id": 0  
}
```

Parameter content type

application/json

sessionKey * required

string

(header)

sessionKey

Responses

Response content type

application/json**Code****Description**

200

*OK***Example Value** Model

```
{  
    "body": {},  
    "statusCode": "100 CONTINUE",  
    "statusCodeValue": 0  
}
```

201

Created

401

Unauthorized

403

Forbidden

404

*Not Found***POST** /auctions/from_seller auctions_from_seller**Parameters****Try it out****Name****Description**

Name	Description
idFilterWrapper * required <i>(body)</i>	<p>idFilterWrapper</p> <p>Example Value Model</p> <pre>{ "filterDto": { "active": true, "amount": 0, "international": true, "is_instant_sell": true, "item_type": "string", "offset": 0, "order_by": "string", "search_by_name": "string", "sorting_order": "string" }, "idDto": { "id": 0 } }</pre>
	<p>Parameter content type</p> <div style="border: 1px solid black; padding: 2px; display: inline-block;">application/json</div>
session_key string <i>(header)</i>	session_key
Responses	<p>Response content type</p> <div style="border: 1px solid black; padding: 2px; display: inline-block;">application/json</div>
Code	Description

Code	Description
200	<i>OK</i>
	Example Value Model
	<pre>[{ "amount": 0, "auction_id": 0, "auction_type": "string", "bank_transfer": true, "cash": true, "cost": 0, "country": "string", "currency": "string", "current_price": 0, "description": "string", "images": ["string"], "international": true, "item_type": "string", "paypal": true, "seller_id": 0, "starting_price": 0, "thumbnail": "string", "title": "string", "unix_creation_time": 0, "unix_ending_time": 0, "unix_starting_time": 0 }]</pre>
201	<i>Created</i>
401	<i>Unauthorized</i>
403	<i>Forbidden</i>
404	<i>Not Found</i>

POST /auctions/get_featured_auctions get_featured_auctions

Parameters**Try it out**

Name	Description

Name	Description
filterDto * required <i>(body)</i>	filterDto Example Value Model <pre>{ "active": true, "amount": 0, "international": true, "is_instant_sell": true, "item_type": "string", "offset": 0, "order_by": "string", "search_by_name": "string", "sorting_order": "string" }</pre>
	Parameter content type <div style="border: 1px solid black; padding: 2px; display: inline-block;">application/json</div>
session_key string <i>(header)</i>	session_key
Responses	Response content type <div style="border: 1px solid black; padding: 2px; display: inline-block;">application/json</div>

Code	Description

Code	Description
200	<p><i>OK</i></p> <p>Example Value Model</p> <pre>[{ "auctionResponse": { "amount": 0, "auction_id": 0, "auction_type": "string", "bank_transfer": true, "cash": true, "cost": 0, "country": "string", "currency": "string", "current_price": 0, "description": "string", "images": ["string"], "international": true, "item_type": "string", "paypal": true, "seller_id": 0, "starting_price": 0, "thumbnail": "string", "title": "string", "unix_creation_time": 0, "unix_ending_time": 0, "unix_starting_time": 0 } }]</pre>
201	<p><i>Created</i></p>
401	<p><i>Unauthorized</i></p>
403	<p><i>Forbidden</i></p>
404	<p><i>Not Found</i></p>

POST /auctions/{id} get_auction

Parameters

Try it out

Name	Description

Name	Description
idDto * required <i>(body)</i>	<p>idDto</p> <p>Example Value Model</p> <pre>{ "id": 0 }</pre> <p>Parameter content type</p> <div style="border: 1px solid black; padding: 2px; display: inline-block;">application/json</div>
session_key string <i>(header)</i>	session_key
Responses	<p>Response content type</p> <div style="border: 1px solid black; padding: 2px; display: inline-block;">application/json</div>
Code	Description
200	<p><i>OK</i></p> <p>Example Value Model</p> <pre>{ "amount": 0, "auction_id": 0, "auction_type": "string", "bank_transfer": true, "cash": true, "cost": 0, "country": "string", "currency": "string", "current_price": 0, "description": "string", "images": ["string"], "international": true, "item_type": "string", "paypal": true, "seller_id": 0, "starting_price": 0, "thumbnail": "string", "title": "string", "unix_creation_time": 0, "unix_ending_time": 0, "unix_starting_time": 0 }</pre>

Code	Description
201	<i>Created</i>
401	<i>Unauthorized</i>
403	<i>Forbidden</i>
404	<i>Not Found</i>

POST /auctions/{id}/bettors get_auction_bettors

Parameters

Try it out

Name	Description
idFilterWrapper * required <i>(body)</i>	<p>idFilterWrapper</p> <p>Example Value Model</p> <pre>{ "filterDto": { "active": true, "amount": 0, "international": true, "is_instant_sell": true, "item_type": "string", "offset": 0, "order_by": "string", "search_by_name": "string", "sorting_order": "string" }, "idDto": { "id": 0 } }</pre>

Parameter content type

application/json

Responses

Response content type

application/json

Code	Description
200	<i>OK</i>
	Example Value Model
	<pre>[{ "admin": true, "country": "string", "first_name": "string", "last_name": "string", "profile_picture": "string", "user_id": 0 }]</pre>
201	<i>Created</i>
401	<i>Unauthorized</i>
403	<i>Forbidden</i>
404	<i>Not Found</i>

POST /auctions/{id}/get_highest_bet highest_bet

Parameters

Try it out

Name	Description
idDto * required	idDto
(body)	Example Value Model
	<pre>{ "id": 0 }</pre>
	Parameter content type
	application/json

Responses

Response content type

application/json**Code****Description**

200

*OK***Example Value** Model

0

201

Created

401

Unauthorized

403

Forbidden

404

*Not Found***POST**`/auctions/{id}/highest_bettor` get_highest_bettor_of_auction**Parameters****Try it out****Name****Description****idDto** * required

idDto

(body)

Example Value Model

```
{  
    "id": 0  
}
```

Parameter content type**application/json**

Responses**Response content type****application/json****Code****Description**

200

*OK***Example Value** Model

```
{  
    "admin": true,  
    "country": "string",  
    "first_name": "string",  
    "last_name": "string",  
    "profile_picture": "string",  
    "user_id": 0  
}
```

201

Created

401

Unauthorized

403

Forbidden

404

*Not Found***POST** /auctions/suggest suggest_price**Parameters****Try it out****Name****Description**

Name	Description
idPriceWrapper * required <i>(body)</i>	<p>idPriceWrapper</p> <p>Example Value Model</p> <pre>{ "idDto": { "id": 0 }, "priceDto": { "price": 0 } }</pre> <p>Parameter content type</p> <div style="border: 1px solid black; padding: 2px; display: inline-block;">application/json</div>
sessionKey * required <i>string</i> <i>(header)</i>	sessionKey
Responses	<p>Response content type</p> <div style="border: 1px solid black; padding: 2px; display: inline-block;">application/json</div>
Code	Description
200	<p><i>OK</i></p> <p>Example Value Model</p> <pre>{ "body": [], "statusCode": "100 CONTINUE", "statusCodeValue": 0 }</pre>
201	<i>Created</i>
401	<i>Unauthorized</i>

Code	Description
403	<i>Forbidden</i>
404	<i>Not Found</i>

basic-error-controller Basic Error Controller



GET /error error

Parameters

[Try it out](#)

No parameters

Responses

Response content type

/

Code Description

200 *OK*

Example Value Model

```
{  
    "additionalProp1": {},  
    "additionalProp2": {},  
    "additionalProp3": {}  
}
```

401 *Unauthorized*

403 *Forbidden*

404 *Not Found*

HEAD /error error**Parameters****Try it out**

No parameters

Responses**Response content type**`*/*`**Code****Description**

200

*OK***Example Value** Model

```
{  
    "additionalProp1": {},  
    "additionalProp2": {},  
    "additionalProp3": {}  
}
```

204

No Content

401

Unauthorized

403

*Forbidden***POST** /error error**Parameters****Try it out**

No parameters

Responses**Response content type**`*/*`**Code****Description**

Code	Description
200	<i>OK</i>
	Example Value Model
	{ "additionalProp1": {}, "additionalProp2": {}, "additionalProp3": {} }
201	<i>Created</i>
401	<i>Unauthorized</i>
403	<i>Forbidden</i>
404	<i>Not Found</i>

PUT /error error

Parameters

No parameters

Responses

Response content type */*

Code	Description
200	<i>OK</i>
	Example Value Model
	{ "additionalProp1": {}, "additionalProp2": {}, "additionalProp3": {} }

Code	Description
201	<i>Created</i>
401	<i>Unauthorized</i>
403	<i>Forbidden</i>
404	<i>Not Found</i>

DELETE /error error

Parameters

No parameters

Responses

Response content type `*/*`

Code	Description
200	<i>OK</i>
204	<i>No Content</i>
401	<i>Unauthorized</i>
403	<i>Forbidden</i>

OPTIONS /error error**Parameters****Try it out**

No parameters

Responses**Response content type**

/

Code**Description**

200

*OK***Example Value** Model

```
{  
    "additionalProp1": {},  
    "additionalProp2": {},  
    "additionalProp3": {}  
}
```

204

No Content

401

Unauthorized

403

*Forbidden***PATCH** /error error**Parameters****Try it out**

No parameters

Responses**Response content type**

/

Code**Description**

Code	Description
200	<i>OK</i>
	Example Value Model <pre>{ "additionalProp1": {}, "additionalProp2": {}, "additionalProp3": {} }</pre>
204	<i>No Content</i>
401	<i>Unauthorized</i>
403	<i>Forbidden</i>

chat-controller Chat Controller



POST /chat/get_all_chats get_all_chats

Parameters

[Try it out](#)

Name	Description

Name	Description
filterDto * required <i>(body)</i>	<p>filterDto</p> <p>Example Value Model</p> <pre>{ "active": true, "amount": 0, "international": true, "is_instant_sell": true, "item_type": "string", "offset": 0, "order_by": "string", "search_by_name": "string", "sorting_order": "string" }</pre> <p>Parameter content type</p> <div style="border: 1px solid black; padding: 2px; display: inline-block;">application/json</div>
sessionKey * required string <i>(header)</i>	sessionKey
Responses	<p>Response content type</p> <div style="border: 1px solid black; padding: 2px; display: inline-block;">application/json</div>
Code	Description
200	<p><i>OK</i></p> <p>Example Value Model</p> <pre>[{ "admin": true, "country": "string", "first_name": "string", "last_name": "string", "profile_picture": "string", "user_id": 0 }]</pre>
201	<i>Created</i>
401	<i>Unauthorized</i>

Code	Description
403	<i>Forbidden</i>
404	<i>Not Found</i>

POST /chat/get_messages get_chat_with_user

Parameters
Try it out

Name	Description
idFilterWrapper * required (body)	idFilterWrapper Example Value Model <pre>{ "filterDto": { "active": true, "amount": 0, "international": true, "is_instant_sell": true, "item_type": "string", "offset": 0, "order_by": "string", "search_by_name": "string", "sorting_order": "string" }, "idDto": { "id": 0 } }</pre> <p>Parameter content type application/json</p>
sessionKey * required string (header)	sessionKey

Responses
Response content type
application/json

Code	Description
------	-------------

Code	Description
200	<i>OK</i>
	Example Value Model
	<pre>[{ "author_user_id": 0, "message": "string", "unix_creation_time": 0 }]</pre>
201	<i>Created</i>
401	<i>Unauthorized</i>
403	<i>Forbidden</i>
404	<i>Not Found</i>

GET /chat/get_unread_listings get_unread_listings

Parameters**Try it out****Name****Description****sessionKey** * required

sessionKey

string

(header)

Responses

Response content type

application/json**Code****Description**

Code	Description
200	<i>OK</i>
	Example Value Model
	<pre>[{ "lightUserDto": { "admin": true, "country": "string", "first_name": "string", "last_name": "string", "profile_picture": "string", "user_id": 0 }, "unread_messages": 0 }]</pre>
401	<i>Unauthorized</i>
403	<i>Forbidden</i>
404	<i>Not Found</i>

POST /chat/send_message send_message

Parameters

Try it out

Name	Description

Name	Description
messageWrapper * required <i>(body)</i>	messageWrapper Example Value Model <pre>{ "idDto": { "id": 0 }, "messageDto": { "author_user_id": 0, "message": "string", "unix_creation_time": 0 } }</pre>
Parameter content type	
application/json	
sessionKey * required string <i>(header)</i>	sessionKey
Responses	
Response content type application/json	

Code follow-controller Description Follow Controller



200

POST /account/follow/ follow_user

Parameters	Example Value	Try it out
Name	<pre>{ "body": {}, "statusCode": "100 CONTINUE", "statusCodeValue": 0 }</pre>	
idDto * required <i>(body)</i>	Example Value Model <pre>{ "id": 0 }</pre>	
Parameter content type		
application/json		

Name	Description
session_key <small>* required</small>	session_key
string <i>(header)</i>	
Responses	Response content type <code>/*</code>
Code	Description
200	<i>OK</i>
	Example Value <code>Model</code>
	<pre>{ "body": {}, "statusCode": "100 CONTINUE", "statusCodeValue": 0 }</pre>
201	<i>Created</i>
401	<i>Unauthorized</i>
403	<i>Forbidden</i>
404	<i>Not Found</i>

POST	<code>/account/follow/get_follower_count</code>	<code>get_follower_count</code>
Parameters	Try it out	
Name	Description	

Name	Description
idDto * required <i>(body)</i>	<p>idDto</p> <p>Example Value Model</p> <pre>{ "id": 0 }</pre>
Parameter content type	
application/json	
Responses	Response content type <code>*/*</code>
Code	Description
200	<p><i>OK</i></p> <p>Example Value Model</p> <pre>0</pre>
201	<p><i>Created</i></p>
401	<p><i>Unauthorized</i></p>
403	<p><i>Forbidden</i></p>
404	<p><i>Not Found</i></p>

POST	<code>/account/follow/get_followers</code>	get_followers
Parameters		Try it out

Name	Description
idFilterWrapper * required <i>(body)</i>	<p>idFilterWrapper</p> <p>Example Value Model</p> <pre>{ "filterDto": { "active": true, "amount": 0, "international": true, "is_instant_sell": true, "item_type": "string", "offset": 0, "order_by": "string", "search_by_name": "string", "sorting_order": "string" }, "idDto": { "id": 0 } }</pre> <p>Parameter content type</p> <div style="border: 1px solid black; padding: 2px; display: inline-block;">application/json</div>
Responses	<p>Response content type</p> <div style="border: 1px solid black; padding: 2px; display: inline-block;">*/*</div>
Code	Description
200	<p><i>OK</i></p> <p>Example Value Model</p> <pre>[{ "admin": true, "country": "string", "first_name": "string", "last_name": "string", "profile_picture": "string", "user_id": 0 }]</pre>
201	<i>Created</i>
401	<i>Unauthorized</i>

Code	Description
403	<i>Forbidden</i>
404	<i>Not Found</i>

POST /account/follow/is_following_me is_following_me

Parameters Try it out

Name	Description
idDto * required (body)	idDto Example Value Model <pre>{ "id": 0 }</pre>
session_key * required string (header)	session_key

Responses Response content type application/json

Code	Description
200	<i>OK</i> Example Value Model true

Code	Description
201	<i>Created</i>
401	<i>Unauthorized</i>
403	<i>Forbidden</i>
404	<i>Not Found</i>

POST /account/follow/is_following_user is_following_user

Parameters

Try it out

Name	Description
ids * required <i>(body)</i>	ids Example Value Model <pre>{ "idDto1": { "id": 0 }, "idDto2": { "id": 0 } }</pre>

Parameter content type

application/json

Responses

Response content type

application/json

Code	Description

Code	Description
200	<i>OK</i>
	Example Value Model true
201	<i>Created</i>
401	<i>Unauthorized</i>
403	<i>Forbidden</i>
404	<i>Not Found</i>

POST	/account/follow/unfollow	unfollow_user	Try it out
Parameters			
			Try it out
Name	Description		
idDto * required (body)	idDto Example Value Model <pre>{ "id": 0 }</pre>	Parameter content type application/json	
session_key * required string (header)	session_key		

Responses

Response content type

application/json**Code****Description**

200

*OK***Example Value** Model

```
{  
    "body": {},  
    "statusCode": "100 CONTINUE",  
    "statusCodeValue": 0  
}
```

201

Created

401

Unauthorized

403

Forbidden

404

*Not Found***index-controller** Index Controller ▼

GET / server_time

Parameters**Try it out**

No parameters

Responses

Response content type

application/json**Code****Description**

Code	Description
200	<i>OK</i>
	Example Value Model 0
401	<i>Unauthorized</i>
403	<i>Forbidden</i>
404	<i>Not Found</i>

POST /login login

Parameters

Try it out

Name	Description
------	-------------

login * required (body)	login Example Value Model <pre>{ "email": "string", "password": "string" }</pre>
-----------------------------------	---

Parameter content type

application/json

Responses

Response content type

application/json

Code	Description
------	-------------

Code	Description
200	<i>OK</i>
	Example Value Model
	<pre>{ "admin": true, "expiring_date": 0, "key": "string", "seller_id": 0, "user_id": 0 }</pre>
201	<i>Created</i>
401	<i>Unauthorized</i>
403	<i>Forbidden</i>
404	<i>Not Found</i>

rating-controller Rating Controller



POST /rating/avg_rating get_avg_rating_by_id

Parameters

[Try it out](#)

Name	Description

Name	Description
idDto * required <i>(body)</i>	<p>idDto</p> <p>Example Value Model</p> <pre>{ "id": 0 }</pre>
Parameter content type	
application/json	
Responses	Response content type application/json
Code	Description
200	<i>OK</i>
Example Value Model	
<pre>[0]</pre>	
201	<i>Created</i>
401	<i>Unauthorized</i>
403	<i>Forbidden</i>
404	<i>Not Found</i>

POST <code>/rating/delete delete_rating</code>	Try it out
Parameters	

Name	Description
idDto * required <i>(body)</i>	<p>idDto</p> <p>Example Value Model</p> <pre>{ "id": 0 }</pre> <p>Parameter content type</p> <div style="border: 1px solid black; padding: 2px; display: inline-block;">application/json</div>
session_key * required string <i>(header)</i>	session_key
Responses	<p>Response content type</p> <div style="border: 1px solid black; padding: 2px; display: inline-block;">application/json</div>
Code	Description
200	<p><i>OK</i></p> <p>Example Value Model</p> <pre>{ "body": {}, "statusCode": "100 CONTINUE", "statusCodeValue": 0 }</pre>
201	<i>Created</i>
401	<i>Unauthorized</i>
403	<i>Forbidden</i>
404	<i>Not Found</i>

POST /rating/delete_by_exact_id delete_rating_by_id

Parameters**Try it out**

Name	Description
------	-------------

idDto * required
(body)

idDto

Example Value Model{
 "id": 0
}**Parameter content type****application/json****session_key** * required

string

(header)

session_key

Responses**Response content type** **application/json**

Code	Description
------	-------------

200
*OK***Example Value** Model{
 "body": [],
 "statusCode": "100 CONTINUE",
 "statusCodeValue": 0
}201
*Created*401
*Unauthorized*403
Forbidden

Code	Description
404	<i>Not Found</i>

POST /rating/does_rating_exist does_rating_exist

Parameters Try it out

Name	Description
idDto * required <i>(body)</i>	idDto Example Value Model <pre>{ "id": 0 }</pre>
session_key * required <i>string</i> <i>(header)</i>	session_key

Responses application/json

Code	Description
200	<i>OK</i> Example Value Model 0
201	<i>Created</i>

Code	Description
401	<i>Unauthorized</i>
403	<i>Forbidden</i>
404	<i>Not Found</i>

POST /rating/from_user get_ratings_from_user

Parameters

Try it out

Name	Description
idFilterWrapper * required (body)	idFilterWrapper Example Value Model

```
{
  "filterDto": {
    "active": true,
    "amount": 0,
    "international": true,
    "is_instant_sell": true,
    "item_type": "string",
    "offset": 0,
    "order_by": "string",
    "search_by_name": "string",
    "sorting_order": "string"
  },
  "idDto": {
    "id": 0
  }
}
```

Parameter content type

application/json

Responses

Response content type

application/json

Code	Description

Code	Description
200	<i>OK</i>
	Example Value Model
	<pre>[{ "comment": "string", "creator_user_id": 0, "first_name": "string", "last_name": "string", "rating": 0, "rating_id": 0, "unix_creation_time": 0, "user_id": 0 }]</pre>
201	<i>Created</i>
401	<i>Unauthorized</i>
403	<i>Forbidden</i>
404	<i>Not Found</i>

POST /rating/id get_rating_by_id

Parameters

Try it out

Name	Description
idDto * required	idDto
(body)	Example Value Model

Parameter content type

application/json

Responses

Response content type

application/json**Code****Description**

200

*OK***Example Value** Model

```
{  
    "comment": "string",  
    "creator_user_id": 0,  
    "first_name": "string",  
    "last_name": "string",  
    "rating": 0,  
    "rating_id": 0,  
    "unix_creation_time": 0,  
    "user_id": 0  
}
```

201

Created

401

Unauthorized

403

Forbidden

404

*Not Found***POST** /rating/new create_new_rating**Parameters****Try it out****Name****Description**

Name	Description
ratingDto * required <i>(body)</i>	ratingDto Example Value Model <pre>{ "comment": "string", "creator_user_id": 0, "first_name": "string", "last_name": "string", "rating": 0, "rating_id": 0, "unix_creation_time": 0, "user_id": 0 }</pre>
	Parameter content type application/json
session_key * required string <i>(header)</i>	session_key
Responses	Response content type application/json
Code	Description
200	<i>OK</i> Example Value Model <pre>{ "body": {}, "statusCode": "100 CONTINUE", "statusCodeValue": 0 }</pre>
201	<i>Created</i>
401	<i>Unauthorized</i>
403	<i>Forbidden</i>

Code	Description
404	<i>Not Found</i>

report-controller Report Controller



POST /report/ report_user

Parameters

[Try it out](#)

Name	Description
------	-------------

mailWrapper * required mailWrapper

(body)

Example Value Model

```
{  
  "idDto": {  
    "id": 0  
  },  
  "mailDto": {  
    "author_user_id": 0,  
    "message": "string",  
    "title": "string",  
    "unix_creation_time": 0  
  }  
}
```

Parameter content type

[application/json](#)

sessionKey * required sessionKey

string

(header)

Responses

Response content type

[application/json](#)

Code	Description
------	-------------

Code	Description
200	<i>OK</i>
	Example Value Model
	{ "body": {}, "statusCode": "100 CONTINUE", "statusCodeValue": 0 }
201	<i>Created</i>
401	<i>Unauthorized</i>
403	<i>Forbidden</i>
404	<i>Not Found</i>

POST /report/get reports

Parameters

Try it out

Name	Description
filterDto * required	filterDto
(body)	Example Value Model
	{ "active": true, "amount": 0, "international": true, "is_instant_sell": true, "item_type": "string", "offset": 0, "order_by": "string", "search_by_name": "string", "sorting_order": "string" }
	Parameter content type
	application/json

Name	Description
session_key * required string (header)	session_key
Responses	Response content type application/json
Code	Description
200	<i>OK</i>
	Example Value Model
	[{ "author_user_id": 0, "culprit_user_id": 0, "description": "string", "problem": "string", "unix_time": 0 }]
201	<i>Created</i>
401	<i>Unauthorized</i>
403	<i>Forbidden</i>
404	<i>Not Found</i>

POST	/report/get/id report
Parameters	Try it out
Name	Description

Name	Description
idDto * required <i>(body)</i>	<p>idDto</p> <p>Example Value Model</p> <pre>{ "id": 0 }</pre> <p>Parameter content type</p> <div style="border: 1px solid black; padding: 2px; display: inline-block;">application/json</div>
session_key * required string <i>(header)</i>	session_key
Responses	<p>Response content type</p> <div style="border: 1px solid black; padding: 2px; display: inline-block;">application/json</div>
Code	Description
200	<p><i>OK</i></p> <p>Example Value Model</p> <pre>{ "author_user_id": 0, "culprit_user_id": 0, "description": "string", "problem": "string", "unix_time": 0 }</pre>
201	<i>Created</i>
401	<i>Unauthorized</i>
403	<i>Forbidden</i>
404	<i>Not Found</i>

seller-controller Seller Controller



GET /account/seller/ my_seller_account

Parameters

Try it out

Name

Description

session_key * required

string

(header)

session_key

Responses

Response content type

/

Code

Description

200

OK

Example Value Model

```
{  
    "additional_image": 0,  
    "auction": 0,  
    "is_validated": true,  
    "payment_id": "string",  
    "photo_album": 0,  
    "seller_id": 0,  
    "user_id": 0  
}
```

401

Unauthorized

403

Forbidden

404

Not Found

POST /account/seller/delete delete

Parameters**Try it out****Name****Description****deleteDto** * required

deleteDto

*(body)***Example Value** Model

```
{  
    "email": "string",  
    "password": 0,  
    "primary_id": 0  
}
```

Parameter content type**application/json****session_key** * required

string

session_key

*(header)***Responses****Response content type****application/json****Code****Description**

200

*OK***Example Value** Model

```
{  
    "body": {},  
    "statusCode": "100_CONTINUE",  
    "statusCodeValue": 0  
}
```

201

Created

401

Unauthorized

403

Forbidden

Code	Description
404	<i>Not Found</i>

POST	<code>/account/seller/{id}</code> if_seller_exists_return_user_id
Parameters	Try it out
Name	Description
id * required	id
(body)	Example Value Model <pre>{ "id": 0 }</pre>
Responses	Response content type application/json
Code	Description
200	<i>OK</i> Example Value Model <pre>{ "id": 0 }</pre>
201	<i>Created</i>
401	<i>Unauthorized</i>

Code	Description
403	<i>Forbidden</i>
404	<i>Not Found</i>

GET /account/seller/invoices invoices

Parameters Try it out

Name	Description
session_key * required string (header)	session_key

Responses Response content type */*

Code	Description
200	<i>OK</i>
401	<i>Unauthorized</i>
403	<i>Forbidden</i>
404	<i>Not Found</i>

Example Value Model

```
{}
```

POST`/account/seller/payment_method/detach` `detach_payment_method`**Parameters****Try it out****Name****Description****payment_id * required***(body)*

payment_id

Example Value Model`"string"`**Parameter content type****application/json****session_key * required**

string

(header)

session_key

Responses**Response content type****application/json****Code****Description**

200

*OK***Example Value** Model

```
{  
    "body": {},  
    "statusCode": "100 CONTINUE",  
    "statusCodeValue": 0  
}
```

201

Created

401

Unauthorized

403

Forbidden

Code	Description
404	<i>Not Found</i>

POST	<code>/account/seller/payment_method/prefer</code> <code>prefer_payment_method</code>
Parameters	Try it out
Name	Description
payment_id <small>* required</small> <i>(body)</i>	payment_id Example Value Model "string" Parameter content type application/json
session_key <small>* required</small> string <i>(header)</i>	session_key
Responses	Response content type application/json
Code	Description
200	<i>OK</i> Example Value Model <pre>{ "body": {}, "statusCode": "100 CONTINUE", "statusCodeValue": 0 }</pre>

Code	Description
201	<i>Created</i>
401	<i>Unauthorized</i>
403	<i>Forbidden</i>
404	<i>Not Found</i>

GET /account/seller/payment_methods payment_methods

Parameters Try it out

Name	Description
session_key * required string (header)	session_key

Responses Response content type */*

Code	Description
200	<i>OK</i>
	Example Value Model <pre>{}</pre>
401	<i>Unauthorized</i>
403	<i>Forbidden</i>

Code**Description**

404

*Not Found***POST**`/account/seller/registration/checkout_session` send_checkout_session_and_get_seller_id**Parameters****Try it out****Name****Description****checkout_session * required***(body)*

checkout_session

Example Value Model`"string"`**Parameter content type****application/json****session_key * required**

string

(header)

session_key

Responses**Response content type****application/json****Code****Description**

200

*OK***Example Value** Model`0`

201

Created

Code	Description
401	<i>Unauthorized</i>
403	<i>Forbidden</i>
404	<i>Not Found</i>

POST /account/seller/registration/create_seller_account create

Parameters Try it out

Name	Description
session_key * required string (header)	session_key

Responses Response content type application/json

Code **Description**

200	<i>OK</i>
201	<i>Created</i>
401	<i>Unauthorized</i>

Example Value Model

```
{  
    "body": {},  
    "statusCode": "100 CONTINUE",  
    "statusCodeValue": 0  
}
```

Code	Description
403	<i>Forbidden</i>
404	<i>Not Found</i>

GET /account/seller/registration/get_seller_account_status get_seller_account_status

Parameters Try it out

Name	Description
session_key * required string (header)	session_key

Responses Response content type */*

Code	Description
200	<i>OK</i>
401	<i>Unauthorized</i>
403	<i>Forbidden</i>
404	<i>Not Found</i>

Example Value Model

0

GET /account/seller/registration/get_stripe_session get_stripe_session

Parameters

[Try it out](#)

Name

Description

session_key * required

string

(header)

session_key

Responses

Response content type

/

Code

Description

200

OK

Example Value Model

{}

statistic-controller

GET /statistic/avg_bets average_bets

Parameters

[Try it out](#)

Name

Description

session_key * required

string

(header)

session_key

Responses

Response content type

/

Code

Description

Code	Description
200	<i>OK</i>
	Example Value Model 0
401	<i>Unauthorized</i>
403	<i>Forbidden</i>
404	<i>Not Found</i>

GET /statistic/get_total_auctions auction_count

Parameters

[Try it out](#)

Name	Description
session_key * required string (header)	session_key

Responses

Response content type

/

Code	Description
200	<i>OK</i>
	Example Value Model 0

Code	Description
401	<i>Unauthorized</i>
403	<i>Forbidden</i>
404	<i>Not Found</i>

POST /statistic/get_total_auctions_from_seller auction_count_from_seller

Parameters Try it out

Name	Description
id * required (body)	id Example Value Model <pre>{ "id": 0 }</pre>

Parameter content type application/json

Responses Response content type /*

Code	Description
200	<i>OK</i> Example Value Model 0

Code	Description
201	<i>Created</i>
401	<i>Unauthorized</i>
403	<i>Forbidden</i>
404	<i>Not Found</i>

GET	/statistic/get_total_bets	bet_count	Try it out
Parameters			
			Try it out
Name		Description	
session_key * required		session_key	
string (header)			
Responses		Response content type	*/*
Code		Description	
200		<i>OK</i>	
			Example Value Model
			0
401		<i>Unauthorized</i>	
403		<i>Forbidden</i>	

Code**Description**

404

*Not Found***GET** /statistic/total_banned_users banned_user_count**Parameters****Try it out****Name****Description****session_key** * required

string

(header)

session_key

Responses**Response content type**

/

Code**Description**

200

*OK***Example Value** Model

0

401

Unauthorized

403

Forbidden

404

*Not Found***GET** /statistic/total_sellers seller_count**Parameters****Try it out**

Name	Description
session_key * required string (header)	session_key
Responses	Response content type <code>*/*</code>
Code	Description
200	<i>OK</i>
	Example Value Model 0
401	<i>Unauthorized</i>
403	<i>Forbidden</i>
404	<i>Not Found</i>

GET	/statistic/total_users	user_count
Parameters		Try it out
Name	Description	
session_key * required string (header)	session_key	

Responses**Response content type**

/

Code	Description
------	-------------

200

*OK***Example Value** Model

0

401

Unauthorized

403

Forbidden

404

*Not Found***user-controller** User Controller ▼

GET /account/user/ my_account

Parameters**Try it out****Name****Description****session_key** * required

string

(header)

session_key

Responses**Response content type**

/

Code	Description
------	-------------

Code	Description
200	<i>OK</i>
	Example Value Model
	<pre>{ "address_addition": "string", "birth_date": "string", "city": "string", "country": "string", "description": "string", "email": "string", "first_name": "string", "house_number": "string", "last_name": "string", "password": "string", "phone_number": "string", "postal_code": 0, "profile_picture": "string", "street_name": "string", "unix_creation_time": 0, "user_id": 0 }</pre>
401	<i>Unauthorized</i>
403	<i>Forbidden</i>
404	<i>Not Found</i>

POST /account/user/delete delete

Parameters**Try it out**

Name	Description

Name	Description
deleteDto * required <i>(body)</i>	deleteDto Example Value Model <pre>{ "email": "string", "password": 0, "primary_id": 0 }</pre>
	Parameter content type application/json
session_key * required <i>string</i> <i>(header)</i>	session_key
Responses	Response content type application/json
Code	Description
200	<i>OK</i> Example Value Model <pre>{ "body": {}, "statusCode": "100 CONTINUE", "statusCodeValue": 0 }</pre>
201	<i>Created</i>
401	<i>Unauthorized</i>
403	<i>Forbidden</i>

Code	Description
404	<i>Not Found</i>

POST	/account/user/edit edit
Parameters	Try it out
Name	Description
changed_user_dto * required <i>(body)</i>	<p>changed_user_dto</p> <p>Example Value Model</p> <pre>{ "address_addition": "string", "birth_date": "string", "city": "string", "country": "string", "description": "string", "email": "string", "first_name": "string", "house_number": "string", "last_name": "string", "password": "string", "phone_number": "string", "postal_code": 0, "profile_picture": "string", "street_name": "string", "unix_creation_time": 0, "user_id": 0 }</pre>
session_key * required <i>string</i> <i>(header)</i>	<p>Parameter content type</p> <p>application/json</p> <p>session_key</p>
Responses	Response content type application/json
Code	Description

Code	Description
200	<i>OK</i>
	Example Value Model <pre>{ "address_addition": "string", "birth_date": "string", "city": "string", "country": "string", "description": "string", "email": "string", "first_name": "string", "house_number": "string", "last_name": "string", "password": "string", "phone_number": "string", "postal_code": 0, "profile_picture": "string", "street_name": "string", "unix_creation_time": 0, "user_id": 0 }</pre>
201	<i>Created</i>
401	<i>Unauthorized</i>
403	<i>Forbidden</i>
404	<i>Not Found</i>

POST /account/user/email/confirm_change confirm_change

Parameters

[Try it out](#)

Name	Description
code * required string (header)	code

Responses**Response content type**

/

Code	Description
-------------	--------------------

200	<i>OK</i>
-----	-----------

Example Value Model

```
{
  "body": {},
  "statusCode": "100 CONTINUE",
  "statusCodeValue": 0
}
```

201	<i>Created</i>
-----	----------------

401	<i>Unauthorized</i>
-----	---------------------

403	<i>Forbidden</i>
-----	------------------

404	<i>Not Found</i>
-----	------------------

POST /account/user/email/reset email_reset**Parameters****Try it out**

Name	Description
------	-------------

email * required	email
-------------------------	-------

string
(header)

session_key	session_key
--------------------	-------------

Responses**Response content type**

/

Code	Description
200	<i>OK</i>
	Example Value Model <pre>{ "body": {}, "statusCode": "100_CONTINUE", "statusCodeValue": 0 }</pre>
201	<i>Created</i>
401	<i>Unauthorized</i>
403	<i>Forbidden</i>
404	<i>Not Found</i>

POST /account/user/get_all_my_bets get_all_my_bets

Parameters

Try it out

Name	Description
filterDto * required	filterDto
(body)	Example Value Model <pre>{ "active": true, "amount": 0, "international": true, "is_instant_sell": true, "item_type": "string", "offset": 0, "order_by": "string", "search_by_name": "string", "sorting_order": "string" }</pre>
	Parameter content type <div style="border: 1px solid black; padding: 2px; display: inline-block;">application/json</div>

Name	Description
session_key * required string (header)	session_key
Responses	Response content type application/json
Code	Description
200	<i>OK</i>
	Example Value Model
	<pre>{ "auctionResponse": [{ "amount": 0, "auction_id": 0, "auction_type": "string", "bank_transfer": true, "cash": true, "cost": 0, "country": "string", "currency": "string", "current_price": 0, "description": "string", "images": ["string"], "international": true, "item_type": "string", "paypal": true, "seller_id": 0, "starting_price": 0, "thumbnail": "string", "title": "string", "unix_creation_time": 0, "unix_ending_time": 0, "unix_starting_time": 0 }] }</pre>
201	<i>Created</i>
401	<i>Unauthorized</i>
403	<i>Forbidden</i>

Code	Description
404	<i>Not Found</i>

POST	<code>/account/user/get_my_current_bets</code>	get_my_current_bets
Parameters		Try it out
<hr/>		
Name	Description	
filterDto * required	filterDto	
(body)	Example Value Model	
	<pre>{ "active": true, "amount": 0, "international": true, "is_instant_sell": true, "item_type": "string", "offset": 0, "order_by": "string", "search_by_name": "string", "sorting_order": "string" }</pre>	
Parameter content type		
application/json		
<hr/>		
session_key * required		
string	session_key	
(header)		
<hr/>		
Responses	Response content type	
	application/json	
<hr/>		
Code	Description	

Code	Description
200	<i>OK</i>
	Example Value Model
	<pre>[{ "auctionResponse": { "amount": 0, "auction_id": 0, "auction_type": "string", "bank_transfer": true, "cash": true, "cost": 0, "country": "string", "currency": "string", "current_price": 0, "description": "string", "images": ["string"], "international": true, "item_type": "string", "paypal": true, "seller_id": 0, "starting_price": 0, "thumbnail": "string", "title": "string", "unix_creation_time": 0, "unix_ending_time": 0, "unix_starting_time": 0 } }]</pre>
201	<i>Created</i>
401	<i>Unauthorized</i>
403	<i>Forbidden</i>
404	<i>Not Found</i>

POST /account/user/{id} get_account

Parameters**Try it out**

Name	Description

Name	Description
idDto * required <i>(body)</i>	<p>idDto</p> <p>Example Value Model</p> <pre>{ "id": 0 }</pre>
Parameter content type	
application/json	
Responses	<p>Response content type application/json</p>
Code	Description
200	<p><i>OK</i></p> <p>Example Value Model</p> <pre>{ "address_addition": "string", "birth_date": "string", "city": "string", "country": "string", "description": "string", "email": "string", "first_name": "string", "house_number": "string", "last_name": "string", "password": "string", "phone_number": "string", "postal_code": 0, "profile_picture": "string", "street_name": "string", "unix_creation_time": 0, "user_id": 0 }</pre>
201	<i>Created</i>
401	<i>Unauthorized</i>
403	<i>Forbidden</i>

Code	Description
404	<i>Not Found</i>

POST	<code>/account/user/password/forgot forgot_password</code>
Parameters	Try it out
Name	Description
email * required string (header)	email
Responses	Response content type <code>*/*</code>
Code	Description
200	<i>OK</i>
201	<i>Created</i>
401	<i>Unauthorized</i>
403	<i>Forbidden</i>
404	<i>Not Found</i>

POST /account/user/password/reset reset_password

Parameters

[Try it out](#)

Name	Description
code * required	code
string (header)	
email	email
string (query)	
new_password	new_password
string (query)	

Responses

Response content type

/

Code	Description
------	-------------

200 *OK*

Example Value Model

```
{  
    "body": {},  
    "statusCode": "100 CONTINUE",  
    "statusCodeValue": 0  
}
```

201 *Created*

401 *Unauthorized*

403 *Forbidden*

404 *Not Found*

POST /account/user/register register

Parameters

[Try it out](#)

Name	Description
------	-------------

registerDto * required	registerDto
-------------------------------	-------------

(body)

Example Value Model

```
{  
    "address_addition": "string",  
    "birth_date": "string",  
    "city": "string",  
    "country": "string",  
    "email": "string",  
    "first_name": "string",  
    "house_number": "string",  
    "last_name": "string",  
    "password": "string",  
    "phone_number": "string",  
    "postal_code": 0,  
    "street_name": "string"  
}
```

Parameter content type

[application/json](#)

Responses

Response content type

[application/json](#)

Code	Description
------	-------------

200	<i>OK</i>
-----	-----------

Example Value Model

```
{  
    "admin": true,  
    "expiring_date": 0,  
    "key": "string",  
    "seller_id": 0,  
    "user_id": 0  
}
```

201	<i>Created</i>
-----	----------------

Code	Description
401	<i>Unauthorized</i>
403	<i>Forbidden</i>
404	<i>Not Found</i>

POST /account/user/verify verify

Parameters

Try it out

Name	Description
verification_code * required string (header)	verification_code

Responses

Response content type */*

Code	Description
200	<i>OK</i>
	Example Value Model
	{ "body": {}, "statusCode": "100 CONTINUE", "statusCodeValue": 0 }
201	<i>Created</i>
401	<i>Unauthorized</i>

Code	Description
403	<i>Forbidden</i>
404	<i>Not Found</i>

GET /account/user/verify/get_code get_verification_code_via_email

Parameters Try it out

Name	Description
type string (query)	type
verify_key * required string (header)	verify_key

Responses Response content type */*

Code	Description
200	<i>OK</i>
	Example Value Model
	{ "body": {}, "statusCode": "100 CONTINUE", "statusCodeValue": 0 }
401	<i>Unauthorized</i>
403	<i>Forbidden</i>

Code	Description
404	<i>Not Found</i>

GET /account/user/verify/status verify_status

Parameters

Name **Description**

verify_key * required
string
(header)

Responses **Response content type** */*

Code **Description**

200 *OK*

Example Value Model

0

401 *Unauthorized*

403 *Forbidden*

404 *Not Found*

watchlist-controller Watchlist Controller



POST /watchlist/ get_watchlist_auctions**Parameters****Try it out**

Name	Description
filterDto * required <i>(body)</i>	filterDto Example Value Model <pre>{ "active": true, "amount": 0, "international": true, "is_instant_sell": true, "item_type": "string", "offset": 0, "order_by": "string", "search_by_name": "string", "sorting_order": "string" }</pre>
session_key * required string <i>(header)</i>	Parameter content type application/json session_key

Responses

Response content type

application/json

Code**Description**

Code	Description
200	<p><i>OK</i></p> <p>Example Value Model</p> <pre>[{ "auctionResponse": { "amount": 0, "auction_id": 0, "auction_type": "string", "bank_transfer": true, "cash": true, "cost": 0, "country": "string", "currency": "string", "current_price": 0, "description": "string", "images": ["string"], "international": true, "item_type": "string", "paypal": true, "seller_id": 0, "starting_price": 0, "thumbnail": "string", "title": "string", "unix_creation_time": 0, "unix_ending_time": 0, "unix_starting_time": 0 } }]</pre>
201	<p><i>Created</i></p>
401	<p><i>Unauthorized</i></p>
403	<p><i>Forbidden</i></p>
404	<p><i>Not Found</i></p>

POST `/watchlist/add add_auction_to_watchlist`

Parameters**Try it out**

Name	Description

Name	Description
idDto * required <i>(body)</i>	<p>idDto</p> <p>Example Value Model</p> <pre>{ "id": 0 }</pre> <p>Parameter content type</p> <div style="border: 1px solid black; padding: 2px; display: inline-block;">application/json</div>
session_key * required string <i>(header)</i>	session_key

Responses	Response content type	application/json
Code	Description	
200	<i>OK</i>	
		Example Value Model
		<pre>{ "body": {}, "statusCode": "100_CONTINUE", "statusCodeValue": 0 }</pre>
201	<i>Created</i>	
401	<i>Unauthorized</i>	
403	<i>Forbidden</i>	
404	<i>Not Found</i>	

/watchlist/is_auction_on_watchlist_for_xena_i_hope_it_work

POST

is_auction_on_watchlist

s_lol

[Try it out](#)**Parameters****Name****Description****idDto** * required

idDto

(body)

Example Value Model{
 "id": 0
}**Parameter content type**[application/json](#)**session_key** * required

string

session_key

(header)

Responses**Response content type**[application/json](#)**Code****Description**

200

OK

Example Value Model

true

201

Created

401

Unauthorized

403

Forbidden

404

Not Found

POST /watchlist/remove remove_auction_from_watchlist

Parameters

[Try it out](#)

Name	Description
------	-------------

idDto * required	idDto
-------------------------	-------

(body) **Example Value** Model

```
{  
    "id": 0  
}
```

Parameter content type

[application/json](#)

session_key * required

string

(header)

session_key

Responses

Response content type [application/json](#)

Code	Description
------	-------------

200	<i>OK</i>
-----	-----------

Example Value Model

```
{  
    "body": {},  
    "statusCode": "100 CONTINUE",  
    "statusCodeValue": 0  
}
```

201	<i>Created</i>
-----	----------------

401	<i>Unauthorized</i>
-----	---------------------

Code	Description
403	<i>Forbidden</i>
404	<i>Not Found</i>

Models



```
ArrayAuctionBetLightuserWrapper {
    auctionResponse      [...]
    betDto              [...]
    seller              [...]
}
```

```
AuctionBetLightuserWrapper {
    auctionResponse      AuctionResponse  {...}
    betDto              BetDto        {...}
    seller              LightUserDto   {...}
}
```

```

AuctionDto {
    _auction_Seller      LightUserDto     {...}
    _highest_bettor     LightUserDto     {...}
    amount               integer($int32)
    auction_id          integer($int32)
    auction_type         string
    bank_transfer        boolean
    cash                 boolean
    cost                number($float)
    currency             string
    current_price        number($float)
    description          string
    images               [...]
    international        boolean
    item_type            string
    paypal               boolean
    seller_id            integer($int32)
    starting_price       number($float)
    thumbnail             string
    title                string
    unix_creation_time   integer($int64)
    unix_ending_time     integer($int64)
    unix_starting_time   integer($int64)
}

}

```

```

AuctionLightuserWrapper {
    auctionResponse      AuctionResponse   {...}
    seller               LightUserDto     {...}
}

}

```

```

AuctionResponse {
    amount               integer($int32)
    auction_id          integer($int32)
    auction_type         string
    bank_transfer        boolean
    cash                 boolean
    cost                number($float)
    country              string
    currency             string
    current_price        number($float)
    description          string
    images               [...]
    international        boolean
    item_type            string
    paypal               boolean
    seller_id            integer($int32)
    starting_price       number($float)
    thumbnail             string
    title                string
    unix_creation_time   integer($int64)
    unix_ending_time     integer($int64)
    unix_starting_time   integer($int64)
}

}

```

```
BetDto {  
    auction_id      integer($int32)  
    price          number($float)  
    timestamp      integer($int64)  
    user_id        integer($int32)  
}
```

```
DeleteDto {  
    email           string  
    password       integer($int32)  
    primary_id     integer($int32)  
}
```

```
DoubleIdWrapper {  
    idDto1         IDDto {...}  
    idDto2         IDDto {...}  
}
```

```
FeaturedAuctionLightUserWrapper {  
    auctionResponse   AuctionResponse {...}  
    featured_type    string  
    seller           LightUserDto {...}  
}
```

```
FilterDto {  
    active          boolean  
    amount          integer($int32)  
    international   boolean  
    is_instant_sell boolean  
    item_type       string  
    offset          integer($int32)  
    order_by        string  
    search_by_name  string  
    sorting_order   string  
}
```

```
IDDto {  
    id              integer($int32)  
}
```

```
IDFilterWrapper {  
    filterDto      FilterDto  {...}  
    idDto         IDDto    {...}  
}
```

```
IDPriceWrapper {  
    idDto        IDDto    {...}  
    priceDto     PriceDto  {...}  
}
```

```
LightUserDto {  
    admin        boolean  
    country      string  
    first_name   string  
    last_name    string  
    profile_picture string  
    user_id     integer($int32)  
}
```

```
LoginDto {  
    email        string  
    password    string  
}
```

```
MailDto {  
    author_user_id integer($int32)  
    message       string  
    title         string  
    unix_creation_time integer($int64)  
}
```

```
MailWrapper {  
    idDto        IDDto    {...}  
    mailDto      MailDto  {...}  
}
```

```
MessageDto {  
    author_user_id      integer($int32)  
    message            string  
    unix_creation_time integer($int64)  
}
```

```
MessageListingWrapper {  
    lightUserDto      LightUserDto {...}  
    unread_messages   integer($int32)  
}
```

```
MessageWrapper {  
    idDto             IDDto {...}  
    messageDto        MessageDto {...}  
}
```

```
ModelAndView {  
    empty              boolean  
    model              {...}  
    modelMap           {...}  
    reference          boolean  
    status              string  
    Enum:  
                      Array [ 68 ]  
    view               View {...}  
    viewName           string  
}
```

```
PriceDto {  
    price              number($float)  
}
```

```
RatingDto {  
    comment            string  
    creator_user_id   integer($int32)  
    first_name         string  
    last_name          string  
    rating             integer($int32)  
    rating_id          integer($int32)  
    unix_creation_time integer($int64)  
    user_id            integer($int32)  
}
```

```
RegisterDto  {
    address_addition      string
    birth_date             string
    city                   string
    country                string
    email                  string
    first_name             string
    house_number           string
    last_name               string
    password                string
    phone_number           string
    postal_code            integer($int32)
    street_name             string
}
```

```
ReportDto  {
    author_user_id         integer($int32)
    culprit_user_id        integer($int32)
    description             string
    problem                 string
    unix_time               integer($int64)
}
```

```
ResponseEntity  {
    body                   {...}
    statusCode             string
    Enum:
        Array [ 68 ]
    statusCodeValue        integer($int32)
}
```

```
SellerDto  {
    additional_image        number($float)
    auction                 number($float)
    is_validated            boolean
    payment_id               string
    photo_album              number($float)
    seller_id                integer($int32)
    user_id                  integer($int32)
}
```

```
SellerLightUserWrapper  {
    seller                  LightUserDto  {...}
    sellerDto                SellerDto   {...}
}
```

```
SessionKey {  
    admin boolean  
    expiring_date integer($int64)  
    key string  
    seller_id integer($int32)  
    user_id integer($int32)  
}
```

```
UserDto {  
    address_addition string  
    birth_date string  
    city string  
    country string  
    description string  
    email string  
    first_name string  
    house_number string  
    last_name string  
    password string  
    phone_number string  
    postal_code integer($int32)  
    profile_picture string  
    street_name string  
    unix_creation_time integer($int64)  
    user_id integer($int32)  
}
```

```
View {  
    contentType string  
}
```