MESIVTA ATERES YAAKOV - REQUIRED NYS SCHOOL HEALTH EXAMINATION FORM - 2024-2025

TO BE COMPLETED IN ENTIRETY BY PRIVATE HEALTH CARE PROVIDER OR SCHOOL MEDICAL DIRECTOR

		d working pa	apers as ne	trants and students eded; or as required Pre-School Special e	l by the Com	ımittee on Specia	, 9 & 11; annually for I Education (CSE) or			
				UDENT INFORMAT						
Name:						Sex: □M □F	DOB:			
School:						Grade:	Exam Date:			
				HEALTH HISTORY						
Allergies □ No	□ Medi	cation/Treat	tment Ord	er Attached	☐ Anaph	ylaxis Care Plan A	Attached			
☐ Yes, indicate typ	e 🗆 Food	• • •								
Asthma □ No	, " " "									
☐ Yes, indicate typ		·								
Seizures No	□ Medi	cation/Treat	ment Orde			e Care Plan Attacl				
☐ Yes, indicate typ	е 🗆 Туре:				Date of la	st seizure:				
Diabetes □ No	□ Medi	cation/Treat	tment Ord	er Attached	☐ Diabet	es Medical Mgm	t. Plan Attached			
☐ Yes, indicate typ	е 🗆 Туре	1 □ Type :	2 □ Hb	A1c results:		Date Drawn:				
Gestational Hx of I	Mother; and m2 Perce	d/or pre-diab ntile (Weight	etes. : Status Cat	egory):			nsulin Resistance, ☐ 95 th -98 th ☐ 99 th and>			
			PHYSICAL	EXAMINATION/AS	SESSMENT					
Height:	Weig	ght:	BP:		Pulse:	R	espirations:			
TESTS	Positive	Negative	Date		Other Perti	nent Medical Con	cerns			
PPD/ PRN				One Functioning:	□ Eye □	Kidney 🗆 Test	iicle			
Sickle Cell Screen/PRN	ı 🗆			\square Concussion – Las	t Occurrence	:				
Lead Level Required	Grades Pre-	· K & K	Date	\square Mental Health: $_$						
☐ Test Done ☐ Le	ad Elevated	≥10 µg/dL		☐ Other:						
☐ System Review a	nd Exam E	ntirely Norm	nal							
Check Any Assessment Boxes <u>Outside</u> Normal Limits And Note Below Under Abnormalities										
☐ HEENT	\sqsupset Lymph n	odes	☐ Abdo	men	☐ Extremit	ies	Speech			
☐ Dental ☐	Dental ☐ Cardiovascular ☐ Back/Spine					☐ Skin ☐ Social Emotion				
□ Neck □	Lungs		☐ Genit	ourinary	☐ Neurolo	gical	Musculoskeletal			
☐ Assessment/Abno	rmalities N	oted/Recom	mendations	S:	Diagnoses/Problems (list) ICD-10 Code					

Name:				DOB:				
	SCREENINGS							
Vision	Right	Left	Referral		Notes			
Distance Acuity	20/	20/	☐ Yes ☐ No					
Distance Acuity With Lenses	20/	20/						
Vision – Near Vision	20/	20/						
Vision – Color ☐ Pass ☐ Fail								
Hearing	Right dB	Left dB	Referral					
Pure Tone Screening			☐ Yes ☐ No					
Scoliosis Required for boys grade 9	Negative	Positive						
And girls grades 5 & 7			☐ Yes ☐ No					
Deviation Degree:		Trunk Rotatio	n Angle:					
Recommendations:	1	1						
RECOMMENDATIONS FO	OR PARTICIPATIO	ON IN PHYSICAL	EDUCATION/SPO	RTS/PLAYGR	OUND/WORK			
☐ Full Activity without restriction	ons including Phy	sical Education a	and Athletics.	<u> </u>				
☐ Restrictions/Adaptations	Use the Inte	rscholastic Sports	Categories (below) for Restrictio	ns or modifications			
☐ No Contact Sports	Includes: bas	seball, basketball,	competitive cheer	leading, field h	nockey, football, ice			
	•		oall, volleyball, and	_				
☐ No Non-Contact Sports	☐ No Non-Contact Sports Includes: archery, badminton, bowling, cross-country, fencing, golf, gymnastics, rifle,							
☐ Other Restrictions:	Skiing, swimi	ming and diving, i	tennis, and track &	тіеіа				
☐ Developmental Stage for Ath	alotic Placomont Pr	ocoss ONLV						
Grades 7 & 8 to play at high scl			iddle school level sno	nrts				
Student is at Tanner Stage:		• •	idale scribbi level spe	<i>i</i> (3				
☐ Accommodations: Use addit								
☐ Brace*/Orthotic ☐ Colostomy Appliance* ☐ Hearing Aids								
☐ Insulin Pump/Insulin Sen	ısor* □ M	edical/Prostheti	c Device*	☐ Pacema	ker/Defibrillator*			
☐ Protective Equipment	les	\square Other:	·					
*Check with athletic governing bod	•			evice at athleti	c competitions.			
Explain:								
		MEDICATION	IS					
☐ Order Form for Medication(s)	Needed at Schoo	l attached						
List medications taken at home	:							
	,	IMMUNIZATIO	NS					
☐ Record Attached	☐ Rep	orted in NYSIIS	Rec	eived Today:	☐ Yes ☐ No			
	HE	ALTH CARE PRO	OVIDER					
Medical Provider Signature:				Date:				
Provider Name: (please print)				Stamp:				
Provider Address:								
Phone:								
Fax:								
Please Retu	ırn This Form To	Your Child's Sc	hool When Entire	ly Completed	d.			

Health Office - Mesivta Ateres Yaakov Vaccine Administration Record for Children & Teens 2018- 2019

Before administering any vaccines, give copies of all pertinent Vaccine Information Statements (VISs) to the child's parent or legal representative and make sure he/she understands the risks and benefits of the vaccine(s). Always provide or update the patient's personal record card.

Patient name	
Birthdate	Chart number
PRACTICE NAME AND ADDRESS	

Vaccine	Type of Vaccine ¹	Date vaccine given	Funding Source	Site ³	Vaccine	Vaccine		Vaccine Information Statement (VIS)	
	vaccine	(mo/day/yr)	(F,S,P) ²		Lot #	Mfr.	Date on VIS ⁴	Date given⁴	(signature or initials and title)
Hepatitis B ⁶									
(e.g., HepB, Hib-HepB,									
DTaP-HepB-IPV) Give IM. ⁷									
5.75									
Diphtheria, Tetanus,									
Pertussis ⁶									
(e.g., DTaP, DTaP/Hib, DTaP-HepB-IPV, DT,									
DTaP-IPV/Hib, DTaP-IPV,									
Tdap, Td) Give IM. ⁷									
Haemophilus influenzae									
type b ⁶									
(e.g., Hib, Hib-HepB, DTaP-IPV/Hib, DTaP/Hib,									
Hib-MenCY) Give IM. ⁷									
Polio ⁶									
(e.g., IPV, DTaP-HepB-IPV,									
DTaP-IPV/Hib, DTaP-IPV) Give IPV Subcut or IM. ⁷									
Give IPV Subcut or IM. ⁷ Give all others IM. ⁷									
Pneumococcal									
(e.g., PCV7, PCV13,									
conjugate; PPSV23,									
polysaccharide) Give PCV IM. ⁷ Give									
PPSV Subcut or IM. ⁷									
Rotavirus (RV1, RV5) Give orally (po).									
Give orally (po).									

See page 2 to record measles-mumps-rubella, varicella, hepatitis A, meningococcal, HPV, influenza, and other vaccines (e.g., travel vaccines).

How to Complete this Record

- 1. Record the generic abbreviation (e.g., Tdap) or the trade name for each vaccine (see table at right).
- 2. Record the funding source of the vaccine given as either F (federal), S (state), or P (private).
- 3. Record the site where vaccine was administered as either RA (right arm), LA (left arm), RT (right thigh), LT (left thigh), or NAS (intranasal).
- 4. Record the publication date of each VIS as well as the date the VIS is given to the patient.
- 5. To meet the space constraints of this form and federal requirements for documentation, a healthcare setting may want to keep a reference list of vaccinators that includes their initials and titles.
- 6. For combination vaccines, fill in a row for each antigen in the combination.
- 7. IM is the abbreviation for intramuscular; Subcut is the abbreviation for subcutaneous.

Abbreviation	Trade Name and Manufacturer	
DTaP	Daptacel (Sanofi Pasteur); Infanrix (GlaxoSmithKline [GSK]); Tripedia (Sanofi Pasteur)	
DT (pediatric)	Generic (Sanofi Pasteur)	
DTaP-HepB-IPV	Pediarix (GSK)	
DTaP-IPV/Hib	Pentacel (Sanofi Pasteur)	
DTaP-IPV	Kinrix (GSK); Quadracel (Sanofi Pasteur)	
НерВ	Engerix-B (GSK); Recombivax HB (Merck)	
НерА-НерВ	Twinrix (GSK); can be given to teens age 18 and older	
Hib	ActHIB (Sanofi Pasteur); Hiberix (GSK); PedvaxHIB (Merck)	
Hib-MenCY	MenHibrix (GSK)	
IPV	Ipol (Sanofi Pasteur)	
PCV13	Prevnar 13 (Pfizer)	
PPSV23	Pneumovax 23 (Merck)	
RV1	Rotarix (GSK)	
RV5	RotaTeq (Merck)	
Tdap	Adacel (Sanofi Pasteur); Boostrix (GSK)	
Td	Decavac, Tenivac (Sanofi Pasteur); Generic (MA Biological Labs)	

Health Office - Mesivta Ateres Yaakov Vaccine Administration Record for Children & Teens (Continued)

Before administering any vaccines, give copies of all pertinent Vaccine Information Statements (VISs) to the child's parent or legal representative and make sure he/she understands the risks and benefits of the vaccine(s). Always provide or update the patient's personal record card.

Patient name	
Birthdate	Chart number
PRACTICE NAME AND ADDRESS	

Vaccine	Type of Vaccine ¹	Date vaccine given		Site ³	Vaccine		Vaccine Information Statement (VIS)		Vaccinator⁵ (signature or
	vaceme	(mo/day/yr)	(F,S,P) ²		Lot #	Mfr.	Date on VIS ⁴	Date given⁴	initials and title)
Measles, Mumps, Rubella ⁶ (e.g., MMR, MMRV) Give Subcut. ⁷									
Varicella ⁶ (e.g., VAR, MMRV) Give Subcut. ⁷									
Hepatitis A (HepA) Give IM. ⁷									
Meningococcal ACWY; CY (e.g., MenACWY [MCV4]; Hib-MenCY) Give MenACWY and Hib-MenCY IM. ⁷									
Meningococcal B (e.g., MenB) Give MenB IM. ⁷									
Human papillomavirus (e.g., HPV2, HPV4, HPV9) Give IM. ⁷									
Influenza (e.g., IIV3, IIV4, ccIIV3, RIV3, LAIV4) Give IIV3, IIV4, ccIIV3,									
and RIV3 IM. ⁷ Give LAIV4 NAS. ⁷									
Other									

➤ See page 1 to record hepatitis B, diphtheria, tetanus, pertussis, *Haemophilus* influenzae type b, polio, pneumococcal, and rotavirus vaccines.

How to Complete this Record

- 1. Record the generic abbreviation (e.g., Tdap) or the trade name for each vaccine (see table at right).
- Record the funding source of the vaccine given as either F (federal),
 S (state), or P (private).
- 3. Record the site where vaccine was administered as either RA (right arm), LA (left arm), RT (right thigh), LT (left thigh), or NAS (intranasal).
- 4. Record the publication date of each VIS as well as the date the VIS is given to the patient.
- 5. To meet the space constraints of this form and federal requirements for documentation, a healthcare setting may want to keep a reference list of vaccinators that includes their initials and titles.
- 6. For combination vaccines, fill in a row for each antigen in the combination.
- 7. IM is the abbreviation for intramuscular; Subcut is the abbreviation for subcutaneous.

Abbreviation	Trade Name and Manufacturer
MMR	MMRII (Merck)
VAR	Varivax (Merck)
MMRV	ProQuad (Merck)
НерА	Havrix (GlaxoSmithKline [GSK]); Vaqta (Merck)
НерА-НерВ	Twinrix (GSK)
HPV2	Cervarix (GSK)
HPV4, HPV9	Gardasil, Gardasil 9 (Merck)
LAIV4 (live attenuated influenza vaccine, quadrivalent)	FluMist (MedImmune)
IIV3 (inactivated influenza vac- cine, trivalent), IIV4 (inactivated influenza vaccine, quadrivalent), ccIIV3 (cell culture-based inactivated influenza vaccine, trivalent), RIV3 (inactivated recombinant influenza vaccine, trivalent)	Fluarix (GSK); Flublok (Protein Sciences Corp.); Afluria, Fluad, Flucelvax, Fluvirin (Seqirus); FluLaval (GSK); Fluzone (Sanofi Pasteur)
MenACWY	Menactra (Sanofi Pasteur); Menveo (GSK)
HibMenCY	MenHibrix (GSK)
MenB	Bexsero (GSK); Trumenba (Pfizer)