

i)ii)iii)iv)

→

`\citep{IPLeiriaThesis}`

IPLeiriaMain.texIPLeiriaThesis.cls

✓
✓
✓
✓
✓

04-Glossary.tex05-Acronyms.tex

IPLeiriaMain.texIPLeiriaThesis.cls

IPLeiriaMain.texdocumentclass

⇒
⇒
⇒

⇒
→
→
⇒
→
→
⇒
→
→
⇒
⇒
⇒
⇒





Metadata/Metadata.tex

\GetTitle	✓
\GetSubtitle	✓
\GetUniversity	✓
\GetSchool	✓
\GetDepartment	✓
\GetDegree	✓
\GetCourse	
\GetDate	✓


\GetAcademicYear	✓
\GetThesisType	✓
\GetFirstAuthor	✓
\GetFirstAuthorNumber	✓
\GetSecondAuthor	
\GetSecondAuthorNumber	
\GetThirdAuthor	
\GetThirdAuthorNumber	
\GetSupervisor	✓
\GetSupervisorMail	✓
\GetSupervisorTitle	✓
\GetCoSupervisor	
\GetCoSupervisorMail	
\GetCoSupervisorTitle	
\GetSecCoSupervisor	
\GetSecCoSupervisorMail	
\GetSecCoSupervisorTitle	

iii)\include{CHAPTER}


todo\begin{block}[todo]tipwarningnote



`\citet{ENTRY}\citep{ENTRY}\citep{ENTRY1, ENTRY2, ...}\citetitle{ENTRY}\citeauthor{ENTRY}`






`\label{TEXT}\ref{LABEL}\autoref{LABEL}`



`Matter/05-GlossaryMatter/06-AcronymsMatter/07-Symbols\gls{ENTRY}\acrfull{ENTRY}\acrshort{ENTRY}`

$\alpha\beta$

`\begin{figure}width\caption{TEXT}\caption[SMALL_TEXT]{BIG_TEXT}`
`\begin{figure}\begin{subfigure}`



```
\begin{table}[!htpb]
```

```
\begin{tabular}booktab
```

✓
✓

```
\begin{tabularx}\begin{tabularx}{\textwidth}{lX}XCLR\begin{tabularx}
```


```
\begin{longtable}longtable
```

`\begin{itemize}\begin{enumerate}\begin{itemize}`

✓
✓
✓
✓
✓
✓
✓
✓
✓
✓
✓

`\item`

`\begin{enumerate}`

`enumerate`



`\item\item[!]`

■

\item

\begin{listing}\begin{minted}

```
1 #include <stdio.h>
2 int main() {
3     printf("Hello, World!"); /* printf() outputs the quoted string */
4     return 0;
5 }
```

\inputminted{CODE_LANGUAGE}{FILE}\begin{listing}

```
1 -- Factorial function
2 factorial :: Integer -> Integer
3 factorial 0 = 1 -- Base case: 0! = 1
4 factorial n = n * factorial (n - 1) -- Recursive case
5
6 -- Main function to test the factorial
7 main :: IO ()
8 main = do
9     putStrLn "Enter a number:"
10    input <- getLine
11    let number = read input :: Integer
12    print (factorial number)
```

listingminted\verb\begin{verbatim}verbatimlisting

\begin{listing}[!htpb]

\inputminted{CODE_LANGUAGE}{FILE}

\caption{TEXT}

\label{TEXT}

\end{listing}

`\begin{longlisting}`

```
1 (defun factorial (n)
2   "Calculate the factorial of a number."
3   (if (zerop n)
4       (* n (factorial (1- n))))
5
6 (defun fibonacci (n)
7   "Calculate the nth Fibonacci number."
8   (cond ((zerop n) 0)
9         ((= n 1) 1)
10        (t (+ (fibonacci (1- n)) (fibonacci (- n 2)))))
11
12 (defun gcd (a b)
13   "Calculate the greatest common divisor of a and b."
14   (if (zerop b)
15       a
16       (gcd b (mod a b))))
17
18 (defun primes-up-to (limit)
19   "Return a list of all prime numbers up to LIMIT."
20   (let ((primes '()))
21     (loop for i from 2 to limit
22           unless (some (lambda (p) (zerop (mod i p))) primes)
23             do (push i primes))
24     (nreverse primes)))
25
26 (defun example-function (x)
27   "An example function to demonstrate Lisp capabilities."
28   (let ((result (list (factorial x)
29                       (fibonacci x)
30                       (gcd x 10)
31                       (primes-up-to x))))
32     (format t "Factorial of ~A: ~A~%" x (factorial x))
33     (format t "Fibonacci of ~A: ~A~%" x (fibonacci x))
34     (format t "GCD of ~A and 10: ~A~%" x (gcd x 10))
35     (format t "Primes up to ~A: ~A~%" x (primes-up-to x))
36     result))
37
38 (example-function 10)
```

`\(FORMULA\)\begin{equation}\[FORMULA\]`

$$E = mc^2 c = 1$$

$$E = m$$

L_2

$$\mathcal{L}(\boldsymbol{\theta}) = \frac{1}{N} \sum_{i=1}^N \ell(y_i, f(\mathbf{x}_i; \boldsymbol{\theta})) + \lambda \|\boldsymbol{\theta}\|_2^2$$

`\footnote{TEXT}`





