

metrocity_college.localhost

 Servers

Servers 1

 [metrocity_college.localhost](#)

metrocity_college.localhost

Databases 1

metrocity_college

Properties

Name	Value
Product	MySQL
Version	8.0.46
Version Comment	MySQL Community Server - GPL
Version Compile Machine	x86_64
Version Compile Os	Win64
Collation	utf8mb4_0900_ai_ci
Hostname	localhost
Port	3306
Base Directory	C:\Program Files\MySQL\MySQL Server 8.0\

 Databases

Databases 1

 metrocity_college

metrocity_college

Properties

Name	Value
Collation	utf8mb4_0900_ai_ci

Object Types 1

 Tables

 Tables

Objects 4

Name	Description
course	
enrollment	
examscore	
student	

course

Description

Properties

Name	Value
Engine	InnoDB
Auto Increment	0
Average Row Length	0
Charset	utf8mb4
Collation	utf8mb4_0900_ai_ci
Row Format	Default
Min Rows	0
Max Rows	0
Checksum	False
Page Checksum	True
Pack Keys	False
Delay Key Write	False
Is Partitioned	False
Encryption	False
Persistent Statistics	DEFAULT
Auto Recalculate Statistics	DEFAULT
Sample Pages	0
Created	9/14/2026 6:44:42 PM
Last Modified	1/1/0001 12:00:00 AM

Columns

Key	Name	Data Type	Length	Precision	Scale	Unsigned	Zerofill	Binary	Not Null	Auto Increment	Default	Virtual	Invisible	Description
	course_id	INT				False	False	False	True	False		False	False	
	course_code	VARCHAR	20			False	False	False	True	False		False	False	
	course_title	VARCHAR	100			False	False	False	True	False		False	False	
	credits	INT				False	False	False	True	False		False	False	
	department	VARCHAR	100			False	False	False	True	False		False	False	

Primary Key

Key	Name	Columns	Description
	PRIMARY	course_id	

SQL Script

```
CREATE TABLE course (  
  course_id int NOT NULL,  
  course_code varchar(20) NOT NULL,  
  course_title varchar(100) NOT NULL,  
  credits int NOT NULL,  
  department varchar(100) NOT NULL,  
  PRIMARY KEY (course_id)  
)  
ENGINE = INNODB,  
CHARACTER SET utf8mb4,  
COLLATE utf8mb4_0900_ai_ci;
```

Depends On

No items found

Used By ¹

 [enrollment](#)

enrollment

Description

Properties

Name	Value
Engine	InnoDB
Auto Increment	0
Average Row Length	0
Charset	utf8mb4
Collation	utf8mb4_0900_ai_ci
Row Format	Default
Min Rows	0
Max Rows	0
Checksum	False
Page Checksum	True
Pack Keys	False
Delay Key Write	False
Is Partitioned	False
Encryption	False
Persistent Statistics	DEFAULT
Auto Recalculate Statistics	DEFAULT
Sample Pages	0
Created	9/14/2026 6:45:24 PM
Last Modified	1/1/0001 12:00:00 AM

Columns

Key	Name	Data Type	Length	Precision	Scale	Unsigned	Zerofill	Binary	Not Null	Auto Increment	Default	Virtual	Invisible	Description
	enrollment_id	INT				False	False	False	True	False		False	False	
	student_id	INT				False	False	False	True	False		False	False	
	course_id	INT				False	False	False	True	False		False	False	
	term	VARCHAR	20			False	False	False	True	False		False	False	
	enrollment_status	VARCHAR	20			False	False	False	True	False		False	False	

Indexes

Key	Name	Columns	Unique	Type	Key Lengths
	student_id	student_id	False	None	0

	course_id	course_id	False	None	0
--	-----------	-----------	-------	------	---

Primary Key

Key	Name	Columns	Description
	PRIMARY	enrollment_id	

Foreign Keys

Name	Columns	Delete Rule	Update Rule
enrollment_ibfk_1	student_id	N/S	N/S
enrollment_ibfk_2	course_id	N/S	N/S

SQL Script

```
CREATE TABLE enrollment (  
  enrollment_id int NOT NULL,  
  student_id int NOT NULL,  
  course_id int NOT NULL,  
  term varchar(20) NOT NULL,  
  enrollment_status varchar(20) NOT NULL,  
  PRIMARY KEY (enrollment_id)  
)  
ENGINE = INNODB,  
CHARACTER SET utf8mb4,  
COLLATE utf8mb4_0900_ai_ci;  
  
ALTER TABLE enrollment  
ADD CONSTRAINT enrollment_ibfk_1 FOREIGN KEY (student_id)  
REFERENCES student (student_id);  
  
ALTER TABLE enrollment  
ADD CONSTRAINT enrollment_ibfk_2 FOREIGN KEY (course_id)  
REFERENCES course (course_id);
```

Depends On 2

-  course
-  student

Used By 1

-  examscore

examscore

Description

Properties

Name	Value
Engine	InnoDB
Auto Increment	0
Average Row Length	0
Charset	utf8mb4
Collation	utf8mb4_0900_ai_ci
Row Format	Default
Min Rows	0
Max Rows	0
Checksum	False
Page Checksum	True
Pack Keys	False
Delay Key Write	False
Is Partitioned	False
Encryption	False
Persistent Statistics	DEFAULT
Auto Recalculate Statistics	DEFAULT
Sample Pages	0
Created	9/14/2026 6:45:28 PM
Last Modified	1/1/0001 12:00:00 AM

Columns

Key	Name	Data Type	Length	Precision	Scale	Unsigned	Zerofill	Binary	Not Null	Auto Increment	Default	Virtual	Invisible	Description
	score_id	INT				False	False	False	True	False		False	False	
	enrollment_id	INT				False	False	False	True	False		False	False	
	exam_type	VARCHAR	30			False	False	False	True	False		False	False	
	score	DECIMAL		5	2	False	False	False	True	False		False	False	
	score_date	DATE		0		False	False	False	True	False		False	False	

Indexes

Key	Name	Columns	Unique	Type	Key Lengths
	enrollment_id	enrollment_id	False	None	0

Primary Key

Key	Name	Columns	Description
	PRIMARY	score_id	

Foreign Keys

Name	Columns	Delete Rule	Update Rule
examscore_ibfk_1	enrollment_id	N/S	N/S

SQL Script

```
CREATE TABLE examscore (
  score_id int NOT NULL,
  enrollment_id int NOT NULL,
  exam_type varchar(30) NOT NULL,
  score decimal(5, 2) NOT NULL,
  score_date date NOT NULL,
  PRIMARY KEY (score_id)
)
ENGINE = INNODB,
CHARACTER SET utf8mb4,
COLLATE utf8mb4_0900_ai_ci;

ALTER TABLE examscore
ADD CONSTRAINT examscore_ibfk_1 FOREIGN KEY (enrollment_id)
REFERENCES enrollment (enrollment_id);
```

Depends On 1

 [enrollment](#)

Used By

No items found

student

Description

Properties

Name	Value
Engine	InnoDB
Auto Increment	0
Average Row Length	0
Charset	utf8mb4
Collation	utf8mb4_0900_ai_ci
Row Format	Default
Min Rows	0
Max Rows	0
Checksum	False
Page Checksum	True
Pack Keys	False
Delay Key Write	False
Is Partitioned	False
Encryption	False
Persistent Statistics	DEFAULT
Auto Recalculate Statistics	DEFAULT
Sample Pages	0
Created	9/14/2026 6:44:30 PM
Last Modified	1/1/0001 12:00:00 AM

Columns

Key	Name	Data Type	Length	Precision	Scale	Unsigned	Zerofill	Binary	Not Null	Auto Increment	Default	Virtual	Invisible	Description
	student_id	INT				False	False	False	True	False		False	False	
	first_name	VARCHAR	50			False	False	False	True	False		False	False	
	last_name	VARCHAR	50			False	False	False	True	False		False	False	
	email	VARCHAR	100			False	False	False	True	False		False	False	
	phone	VARCHAR	20			False	False	False	False	False	NULL	False	False	
	department	VARCHAR	100			False	False	False	True	False		False	False	

Primary Key

Key	Name	Columns	Description
-----	------	---------	-------------

	PRIMARY	student_id	
---	---------	------------	--

SQL Script

```
CREATE TABLE student (  
  student_id int NOT NULL,  
  first_name varchar(50) NOT NULL,  
  last_name varchar(50) NOT NULL,  
  email varchar(100) NOT NULL,  
  phone varchar(20) DEFAULT NULL,  
  department varchar(100) NOT NULL,  
  PRIMARY KEY (student_id)  
)  
  
ENGINE = INNODB,  
CHARACTER SET utf8mb4,  
COLLATE utf8mb4_0900_ai_ci;
```

Depends On

No items found

Used By 1

 [enrollment](#)