

university_course_registration.localhos
t

 Servers

Servers **1**

 [university_course_registration.localhost](#)

university_course_registration.localhost

Databases 1

university_course_registration

Properties

Name	Value
Product	MySQL
Version	8.0.46
Version Comment	MySQL Community Server - GPL
Version Compile Machine	x86_64
Version Compile Os	Win64
Collation	utf8mb4_0900_ai_ci
Hostname	localhost
Port	3306
Base Directory	C:\Program Files\MySQL\MySQL Server 8.0\

 Databases

Databases 1

 university_course_registration

university_course_registration

Properties

Name	Value
Collation	utf8mb4_0900_ai_ci

Object Types 1

 Tables

 Tables

Objects 7

Name	Description
course	
department	
lecturer	
registration	
result	
semester	
student	

course

Description

Properties

Name	Value
Engine	InnoDB
Auto Increment	0
Average Row Length	0
Charset	utf8mb4
Collation	utf8mb4_0900_ai_ci
Row Format	Default
Min Rows	0
Max Rows	0
Checksum	False
Page Checksum	True
Pack Keys	False
Delay Key Write	False
Is Partitioned	False
Encryption	False
Persistent Statistics	DEFAULT
Auto Recalculate Statistics	DEFAULT
Sample Pages	0
Created	9/22/2026 2:43:57 AM
Last Modified	9/22/2026 2:50:10 AM

Columns 6

Key	Name	Data Type	Length	Precision	Scale	Unsigned	Zerofill	Binary	Not Null	Auto Increment	Default	Virtual	Invisible	Description
	CourseID	VARCHAR	10			False	False	False	True	False		False	False	
	CourseCode	VARCHAR	20			False	False	False	True	False		False	False	
	CourseTitle	VARCHAR	100			False	False	False	True	False		False	False	
	Credits	INT				False	False	False	True	False		False	False	
	DepartmentID	VARCHAR	10			False	False	False	True	False		False	False	
	LecturerID	VARCHAR	10			False	False	False	False	False	NULL	False	False	

Indexes 2

Key	Name	Columns	Unique	Type	Key Lengths
	DepartmentID	DepartmentID	False	None	0
	LecturerID	LecturerID	False	None	0

Primary Key 1

Key	Name	Columns	Description
	PRIMARY	CourseID	

Foreign Keys 2

Name	Columns	Delete Rule	Update Rule
course_ibfk_1	DepartmentID	N/S	N/S
course_ibfk_2	LecturerID	N/S	N/S

SQL Script

```
CREATE TABLE course (  
  CourseID varchar(10) NOT NULL,  
  CourseCode varchar(20) NOT NULL,  
  CourseTitle varchar(100) NOT NULL,  
  Credits int NOT NULL,  
  DepartmentID varchar(10) NOT NULL,  
  LecturerID varchar(10) DEFAULT NULL,  
  PRIMARY KEY (CourseID)  
)  
  
ENGINE = INNODB,  
CHARACTER SET utf8mb4,  
COLLATE utf8mb4_0900_ai_ci;  
  
ALTER TABLE course  
ADD CONSTRAINT course_ibfk_1 FOREIGN KEY (DepartmentID)  
REFERENCES department (DepartmentID);  
  
ALTER TABLE course  
ADD CONSTRAINT course_ibfk_2 FOREIGN KEY (LecturerID)  
REFERENCES lecturer (LecturerID);
```

Depends On 2

-  department
-  lecturer

Used By 1

-  registration

department

Description

Properties

Name	Value
Engine	InnoDB
Auto Increment	0
Average Row Length	0
Charset	utf8mb4
Collation	utf8mb4_0900_ai_ci
Row Format	Default
Min Rows	0
Max Rows	0
Checksum	False
Page Checksum	True
Pack Keys	False
Delay Key Write	False
Is Partitioned	False
Encryption	False
Persistent Statistics	DEFAULT
Auto Recalculate Statistics	DEFAULT
Sample Pages	0
Created	9/22/2026 2:43:57 AM
Last Modified	9/22/2026 2:45:58 AM

Columns 2

Key	Name	Data Type	Length	Precision	Scale	Unsigned	Zerofill	Binary	Not Null	Auto Increment	Default	Virtual	Invisible	Description
	DepartmentID	VARCHAR	10			False	False	False	True	False		False	False	
	DepartmentName	VARCHAR	100			False	False	False	True	False		False	False	

Primary Key 1

Key	Name	Columns	Description
	PRIMARY	DepartmentID	

SQL Script

```
CREATE TABLE department (  
  DepartmentID varchar(10) NOT NULL,  
  DepartmentName varchar(100) NOT NULL,  
  PRIMARY KEY (DepartmentID)  
)
```

```
ENGINE = INNODB,  
CHARACTER SET utf8mb4,  
COLLATE utf8mb4_0900_ai_ci;
```

Depends On

No items found

Used By ³



course



lecturer



student

lecturer

Description

Properties

Name	Value
Engine	InnoDB
Auto Increment	0
Average Row Length	0
Charset	utf8mb4
Collation	utf8mb4_0900_ai_ci
Row Format	Default
Min Rows	0
Max Rows	0
Checksum	False
Page Checksum	True
Pack Keys	False
Delay Key Write	False
Is Partitioned	False
Encryption	False
Persistent Statistics	DEFAULT
Auto Recalculate Statistics	DEFAULT
Sample Pages	0
Created	9/22/2026 2:43:57 AM
Last Modified	9/22/2026 2:45:58 AM

Columns 4

Key	Name	Data Type	Length	Precision	Scale	Unsigned	Zerofill	Binary	Not Null	Auto Increment	Default	Virtual	Invisible	Description
	LecturerID	VARCHAR	10			False	False	False	True	False		False	False	
	LecturerName	VARCHAR	100			False	False	False	True	False		False	False	
	Email	VARCHAR	100			False	False	False	True	False		False	False	
	DepartmentID	VARCHAR	10			False	False	False	True	False		False	False	

Indexes 1

Key	Name	Columns	Unique	Type	Key Lengths
	DepartmentID	DepartmentID	False	None	0

Primary Key 1

Key	Name	Columns	Description
	PRIMARY	LecturerID	

Foreign Keys 1

Name	Columns	Delete Rule	Update Rule
lecturer_ibfk_1	DepartmentID	N/S	N/S

SQL Script

```
CREATE TABLE lecturer (  
  LecturerID varchar(10) NOT NULL,  
  LecturerName varchar(100) NOT NULL,  
  Email varchar(100) NOT NULL,  
  DepartmentID varchar(10) NOT NULL,  
  PRIMARY KEY (LecturerID)  
)  
  
ENGINE = INNODB,  
CHARACTER SET utf8mb4,  
COLLATE utf8mb4_0900_ai_ci;  
  
ALTER TABLE lecturer  
ADD CONSTRAINT lecturer_ibfk_1 FOREIGN KEY (DepartmentID)  
REFERENCES department (DepartmentID);
```

Depends On 1



department

Used By 1



course

registration

Description

Properties

Name	Value
Engine	InnoDB
Auto Increment	0
Average Row Length	0
Charset	utf8mb4
Collation	utf8mb4_0900_ai_ci
Row Format	Default
Min Rows	0
Max Rows	0
Checksum	False
Page Checksum	True
Pack Keys	False
Delay Key Write	False
Is Partitioned	False
Encryption	False
Persistent Statistics	DEFAULT
Auto Recalculate Statistics	DEFAULT
Sample Pages	0
Created	9/22/2026 2:43:57 AM
Last Modified	9/22/2026 3:06:24 AM

Columns 6

Key	Name	Data Type	Length	Precision	Scale	Unsigned	Zerofill	Binary	Not Null	Auto Increment	Default	Virtual	Invisible	Description
	RegistrationID	VARCHAR	10			False	False	False	True	False		False	False	
	StudentID	VARCHAR	10			False	False	False	True	False		False	False	
	CourseID	VARCHAR	10			False	False	False	True	False		False	False	
	SemesterID	VARCHAR	10			False	False	False	True	False		False	False	
	RegistrationDate	DATE		0		False	False	False	True	False		False	False	
	RegistrationStatus	VARCHAR	20			False	False	False	True	False		False	False	

Indexes 3

Key	Name	Columns	Unique	Type	Key Lengths
	StudentID	StudentID	False	None	0
	CourseID	CourseID	False	None	0
	SemesterID	SemesterID	False	None	0

Primary Key 1

Key	Name	Columns	Description
	PRIMARY	RegistrationID	

Foreign Keys 3

Name	Columns	Delete Rule	Update Rule
registration_ibfk_1	StudentID	N/S	N/S
registration_ibfk_2	CourseID	N/S	N/S
registration_ibfk_3	SemesterID	N/S	N/S

SQL Script

```
CREATE TABLE registration (  
  RegistrationID varchar(10) NOT NULL,  
  StudentID varchar(10) NOT NULL,  
  CourseID varchar(10) NOT NULL,  
  SemesterID varchar(10) NOT NULL,  
  RegistrationDate date NOT NULL,  
  RegistrationStatus varchar(20) NOT NULL,  
  PRIMARY KEY (RegistrationID)  
)  
ENGINE = INNODB,  
CHARACTER SET utf8mb4,  
COLLATE utf8mb4_0900_ai_ci;  
  
ALTER TABLE registration  
ADD CONSTRAINT registration_ibfk_1 FOREIGN KEY (StudentID)  
REFERENCES student (StudentID);  
  
ALTER TABLE registration  
ADD CONSTRAINT registration_ibfk_2 FOREIGN KEY (CourseID)  
REFERENCES course (CourseID);  
  
ALTER TABLE registration  
ADD CONSTRAINT registration_ibfk_3 FOREIGN KEY (SemesterID)  
REFERENCES semester (SemesterID);
```

Depends On 3

-  course
-  semester
-  student

Used By 1

-  result

result

Description

Properties

Name	Value
Engine	InnoDB
Auto Increment	0
Average Row Length	0
Charset	utf8mb4
Collation	utf8mb4_0900_ai_ci
Row Format	Default
Min Rows	0
Max Rows	0
Checksum	False
Page Checksum	True
Pack Keys	False
Delay Key Write	False
Is Partitioned	False
Encryption	False
Persistent Statistics	DEFAULT
Auto Recalculate Statistics	DEFAULT
Sample Pages	0
Created	9/22/2026 2:43:57 AM
Last Modified	9/22/2026 3:00:38 AM

Columns 4

Key	Name	Data Type	Length	Precision	Scale	Unsigned	Zerofill	Binary	Not Null	Auto Increment	Default	Virtual	Invisible	Description
	ResultID	VARCHAR	10			False	False	False	True	False		False	False	
	RegistrationID	VARCHAR	10			False	False	False	True	False		False	False	
	Score	DECIMAL		5	2	False	False	False	True	False		False	False	
	Grade	VARCHAR	5			False	False	False	True	False		False	False	

Indexes 1

Key	Name	Columns	Unique	Type	Key Lengths
	RegistrationID	RegistrationID	True	None	0

Primary Key 1

Key	Name	Columns	Description
	PRIMARY	ResultID	

Foreign Keys 1

Name	Columns	Delete Rule	Update Rule
result_ibfk_1	RegistrationID	N/S	N/S

SQL Script

```
CREATE TABLE result (  
  ResultID varchar(10) NOT NULL,  
  RegistrationID varchar(10) NOT NULL,  
  Score decimal(5, 2) NOT NULL,  
  Grade varchar(5) NOT NULL,  
  PRIMARY KEY (ResultID)  
)  
ENGINE = INNODB,  
CHARACTER SET utf8mb4,  
COLLATE utf8mb4_0900_ai_ci;  
  
ALTER TABLE result  
ADD UNIQUE INDEX RegistrationID (RegistrationID);  
  
ALTER TABLE result  
ADD CONSTRAINT result_ibfk_1 FOREIGN KEY (RegistrationID)  
REFERENCES registration (RegistrationID);
```

Depends On 1

 registration

Used By

No items found

 semester

Description

Properties

Name	Value
Engine	InnoDB
Auto Increment	0
Average Row Length	0
Charset	utf8mb4
Collation	utf8mb4_0900_ai_ci
Row Format	Default
Min Rows	0
Max Rows	0
Checksum	False
Page Checksum	True
Pack Keys	False
Delay Key Write	False
Is Partitioned	False
Encryption	False
Persistent Statistics	DEFAULT
Auto Recalculate Statistics	DEFAULT
Sample Pages	0
Created	9/22/2026 2:43:57 AM
Last Modified	9/22/2026 2:45:58 AM

Columns 5

Key	Name	Data Type	Length	Precision	Scale	Unsigned	Zerofill	Binary	Not Null	Auto Increment	Default	Virtual	Invisible	Description
	SemesterID	VARCHAR	10			False	False	False	True	False		False	False	
	SemesterName	VARCHAR	50			False	False	False	True	False		False	False	
	AcademicYear	INT				False	False	False	True	False		False	False	
	StartDate	DATE		0		False	False	False	True	False		False	False	
	EndDate	DATE		0		False	False	False	True	False		False	False	

Primary Key 1

Key	Name	Columns	Description
	PRIMARY	SemesterID	

SQL Script

```
CREATE TABLE semester (  
  SemesterID varchar(10) NOT NULL,  
  SemesterName varchar(50) NOT NULL,  
  AcademicYear int NOT NULL,  
  StartDate date NOT NULL,  
  EndDate date NOT NULL,  
  PRIMARY KEY (SemesterID)  
)  
ENGINE = INNODB,  
CHARACTER SET utf8mb4,  
COLLATE utf8mb4_0900_ai_ci;
```

Depends On

No items found

Used By 1

 [registration](#)

student

Description

Properties

Name	Value
Engine	InnoDB
Auto Increment	0
Average Row Length	0
Charset	utf8mb4
Collation	utf8mb4_0900_ai_ci
Row Format	Default
Min Rows	0
Max Rows	0
Checksum	False
Page Checksum	True
Pack Keys	False
Delay Key Write	False
Is Partitioned	False
Encryption	False
Persistent Statistics	DEFAULT
Auto Recalculate Statistics	DEFAULT
Sample Pages	0
Created	9/22/2026 2:43:57 AM
Last Modified	9/22/2026 7:42:38 PM

Columns 6

Key	Name	Data Type	Length	Precision	Scale	Unsigned	Zerofill	Binary	Not Null	Auto Increment	Default	Virtual	Invisible	Description
	StudentID	VARCHAR	10			False	False	False	True	False		False	False	
	FirstName	VARCHAR	50			False	False	False	True	False		False	False	
	LastName	VARCHAR	50			False	False	False	True	False		False	False	
	Email	VARCHAR	100			False	False	False	True	False		False	False	
	Phone	VARCHAR	20			False	False	False	False	False	NULL	False	False	
	DepartmentID	VARCHAR	10			False	False	False	True	False		False	False	

Indexes 1

Key	Name	Columns	Unique	Type	Key Lengths
-----	------	---------	--------	------	-------------

	DepartmentID	DepartmentID	False	None	0
--	--------------	--------------	-------	------	---

Primary Key 1

Key	Name	Columns	Description
	PRIMARY	StudentID	

Foreign Keys 1

Name	Columns	Delete Rule	Update Rule
student_ibfk_1	DepartmentID	N/S	N/S

SQL Script

```
CREATE TABLE student (  
  StudentID varchar(10) NOT NULL,  
  FirstName varchar(50) NOT NULL,  
  LastName varchar(50) NOT NULL,  
  Email varchar(100) NOT NULL,  
  Phone varchar(20) DEFAULT NULL,  
  DepartmentID varchar(10) NOT NULL,  
  PRIMARY KEY (StudentID)  
)  
ENGINE = INNODB,  
CHARACTER SET utf8mb4,  
COLLATE utf8mb4_0900_ai_ci;  
  
ALTER TABLE student  
ADD CONSTRAINT student_ibfk_1 FOREIGN KEY (DepartmentID)  
REFERENCES department (DepartmentID);
```

Depends On 1

 department

Used By 1

 registration