

포팅 매뉴얼

프로젝트 사용 도구

이슈 관리 : JIRA

형상 관리 : Gitlab, Gerrit

커뮤니케이션 : Notion, Mattermost

디자인 : Figma

UCC : CANVA, Typecast

CI/CD : Jenkins, Nginx, docker, AWS EC2, Gitlab + Jira

개발환경

IntelliJ : IntelliJ IDEA 2023.3.2

JVM : java version "17.0.9" 2023-10-17 LTS

SpringBoot : '3.2.2', gradle, lombok

JWT(Json Web Token) : 0.11.5

Spring Boot Security : Spring Boot Security 6.2.1

(스웨거)Open API 3.0 : springdoc-openapi-starter-webmvc-ui : 2.2.0

Querydsl : querydsl-jpa : 5.0.0:jakarta

Android(Kotlin) : Android Studio Hedgehog, Java 1.8 target SDK 최소 24

MariaDb : mariadb-java-client, version: '3.3.2'

SERVER : AWS EC2 Ubuntu

Amazon S3 : aws-java-sdk-s3, version : '1.12.651'

외부 서비스

Naver OAuth : application.yml에 해당 내용 있음

Kakao OAuth : application.yml에 해당 내용 있음

Kakao Navigation API :

Gitignore 처리한 핵심 키들

Spring : application.yml

환경 변수 형태

echo 명령어로 찾아 쓴다.

`DB_PASSWORD` = 0125

`AWS_ACCESS_KEY_ID` = AKIAU6GDYJBHU62CFVA7

`AWS_SECRET_ACCESS_KEY` = a/G/VE6JgdyLZFNgNPA40ohaD4NT1ZEJSeQ55KP

```

ENV DB_URL = jdbc:mariadb://110d102.p.ssafy.io:3306/final
ENV DB_USERNAME = d102
ENV DB_PASSWORD = 0125
ENV GMAIL_USERNAME = ukyoung147@gmail.com
ENV GMAIL_PASSWORD = vfkcpxxqwlyrldll
ENV JWT_SECRET_KEY =
a3f62325a07a3194531c43a4fb97e85d8c635959ff92bf833bd86a98a5c2cbe02a3f082a5058712221c8e7cac9ad5143ed3f6d3bce64ef052b2df2bd95a0132cENV
KAKAO_CLIENT_ID 4748a59e12003074b3681b074013b84d
ENV NAVER_CLIENT_ID = ISnIndg5vxbmmrhbZ2rJ
ENV AWS_ACCESS_KEY_ID = AKIAU6GDYJBHU62CFVA7
ENV AWS_SECRET_ACCESS_KEY = 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

```

application.yml

```

spring:
  datasource:
    url: ${DB_URL}
    username: ${DB_USERNAME}
    password: ${DB_PASSWORD}
    driver-class-name: org.mariadb.jdbc.Driver
  jpa:
    # hibernate:
    #   ddl-auto: create
    properties:
      hibernate:
        #show_sql: true
        format_sql: true
  mail:
    host: smtp.gmail.com
    port: 587
    username: ${GMAIL_USERNAME}
    # password는 앱 비밀번호 값이며 기존 구글 비밀번호와는 다른 값임
    password: ${GMAIL_PASSWORD}
    properties:
      mail:
        smtp:
          auth: true
          starttls:
            enable: true
          debug: true
        mime:
          charset: UTF-8
        transport:
          protocol: smtp

  logging.level:
    org.hibernate.SQL: debug
    level:
      root: INFO
    # org.hibernate.type: trace

  jwt:
    secret-key: ${JWT_SECRET_KEY}

  file:

```

```

max-file-size: 5MB

oauth:
  kakao:
    client-id: ${KAKAO_CLIENT_ID}
    url:
      auth: https://kauth.kakao.com
      api: https://kapi.kakao.com
  naver:
    client-id: ${NAVER_CLIENT_ID}
    url:
      auth: https://nid.naver.com
      api: https://openapi.naver.com

cloud:
  aws:
    credentials:
      access-key: ${AWS_ACCESS_KEY_ID}
      secret-key: ${AWS_SECRET_ACCESS_KEY}
    region:
      static: ap-northeast-2

app:
  awsServices:
    bucketName: ssafyd102

springdoc:
  packages-to-scan: com.ssafy.dmobile
  default-consumes-media-type: application/json;charset=UTF-8
  default-produces-media-type: application/json;charset=UTF-8
  swagger-ui:
    # alpha: 알파벳 순 태그 정렬, method: HTTP Method 순 정렬
    tags-sorter: alpha
    operations-sorter: method
  api-docs:
    path: /api-docs/json
    groups:
      enabled: true
  cache:
    disabled: true

```

프론트 쪽 환경변수 설정 파일

```

sdk.dir=C:\Users\SSAFY\AppData\Local\Android\Sdk

kakao_api_key = "6bc61f45686049a50d5900bd5a6c330b"

naver_client_id = "ISnINdg5vxbmmrhbZ2rJ"
naver_client_secret = "Zc1XDYhfgo"
naver_client_name = "dMoblle"

```

빌드하기

1. Front : Android Studio Hedgehog 실행 버튼

2. Back-spring :

a. Jenkins credentials 설정

- gitlab에서 personal access tokens 발급
- Jenkins 관리 → System Configuration → System
- Jenkins Location 입력

b. Jenkins와 Gitlab Repository 연결

- Credentials ADD 한 후 Username에 gitlab id, password에는 access token 추가
 - 유저네임 : git-lab id
 - password : git-lab PAT
- script path Jenkinsfile이 존재하는지 확인

배포하기

Nginx 설정 nginx.conf

```
events {
    worker_connections 768;
}

http {
    sendfile on;
    tcp_nopush on;
    tcp_nodelay on;
    keepalive_timeout 65;
    types_hash_max_size 2048;
    include /etc/nginx/mime.types;
    default_type application/octet-stream;

    server {
        listen 80;
        server_name temp;

        return 301 https://$host$request_uri;
    }

    server {
        listen 443 ssl;
        server_name https_temp;
        ssl_certificate /etc/ssl/certificate.crt;
        ssl_certificate_key /etc/ssl/private.key;
        location / {
            proxy_pass http://i10d102.p.ssafy.io:8080;
        }
    }

    ssl_protocols TLSv1 TLSv1.1 TLSv1.2 TLSv1.3; # Dropping SSLv3, ref: P00DLE
```

```

    ssl_prefer_server_ciphers on;
    access_log /var/log/nginx/access.log;
    error_log /var/log/nginx/error.log;
    gzip on;
    include /etc/nginx/conf.d/*.conf;
    include /etc/nginx/sites-enabled/*;
}

```

nginx/sites-enabled

```

server
    listen 443 ssl;
    server_name i10d102.p.ssafy.io;
    ssl_certificate /etc/ssl/certificate.crt;
    ssl_certificate_key /etc/ssl/private.key;

    root /var/www/html;
    index index.html index.htm index.nginx-debian.html;
    location /api/ {
        proxy_pass http://i10d102.p.ssafy.io:8080/;
        proxy_set_header Host $host;
        proxy_set_header X-Real-IP $remote_addr;
        proxy_set_header X-Forwarded-For $proxy_add_x_forwarded_for;
        proxy_set_header X-Forwarded-Proto $scheme;
        proxy_set_header X-Forwarded-Port $server_port;
        proxy_set_header X-Forwarded-Prefix /api;
    }
}

```

이후 `sudo service nginx start`

EC2 세팅

Docker

Jenkins

S3

MariaDB

Zero SSL

배포 특이사항

프록시 설정이 /api/로 되어있어 ec2주소 뒤에 /api/를 붙여줘야 한다.

서비스 이용 방법

어플리케이션 Apk 설치

