

LAPORAN PEMROGRAMAN FRAMEWORK

“SESSION 12 INSTALASI LARAVEL”



Oleh:

Nama : Bagus Satria Putra

Kelas : 3F



Absen/NIM : 8 / 1841720146



PROGRAM STUDI TEKNIK INFORMATIKA



JURUSAN TEKNOLOGI INFORMASI


POLITEKNIK NEGERI MALANG

05 MAY 2021


Link GitHub :	
Link Youtube :	
No.	Keterangan
	<p>Sebelum menginstal Laravel, harus menginstal composer terlebih dahulu di https://getcomposer.org/download/</p>  <p>The installer - which requires that you have PHP already installed - will download Composer for you and set up your PATH environment variable so you can simply call <code>composer</code> from any directory.</p> <p>Download and run Composer-Setup.exe - it will install the latest composer version whenever it is executed.</p>
	<p>Lalu pilih yang recommended</p>  <p>Select Setup Install Mode</p> <p>Select install mode</p> <p>Composer can be installed for all users (requires administrative privileges), or for you only.</p> <p>Install for all users (recommended)</p> <p>→ Install for me only</p> <p>Cancel</p>
	Pilih next

	 <p>Composer Setup</p> <p>Installation Options Choose your installation type.</p> <p>Setup will install Composer to a fixed location for all users. This includes a Control Panel uninstaller and is the recommended option. Click Next to use it.</p> <p><input type="checkbox"/> Developer mode Take control and just install Composer. An uninstaller will not be included.</p> <p>Next > Cancel</p>
	<p>Disini saya simpan composer nya di dalam folder xampp, lalu next</p>  <p>Composer Setup</p> <p>Settings Check We need to check your PHP and other settings.</p> <p>Choose the command-line PHP you want to use:</p> <p>C:\xampp\php\php.exe Browse...</p> <p>This is the PHP in your path. Click Next to use it.</p> <p>< Back Next > Cancel</p>
	<p>Next</p>


	 <p>Composer Setup</p> <p>Proxy Settings Choose if you need to use a proxy.</p> <p><input type="checkbox"/> Use a proxy server to connect to internet</p> <p>Enter proxy url <input type="text"/></p> <p>< Back Next Cancel</p>
Pilih Install	 <p>Composer Setup</p> <p>Ready to Install Setup is now ready to download Composer and install it on your computer.</p> <p>Please review these settings. Click Install to continue with the installation.</p> <div> <p>PHP version 7.3.8 C:\xampp\php\php.exe</p> <p>Proxy: none</p> </div> <p>< Back Install Cancel</p>
	Tunggu beberapa saat



Lalu pilih **Next**






Install composer sudah selesai, klik **finish**



Install Laravel App

No.	Keterangan
	<p>Buka website Laravel https://laravel.com/docs/8.x , pilih yang Installation Via Composer. Masuk ke dalam directory xampp nya, lalu ketik cmd dan ketikkan</p> <pre>composer create-project laravel/laravel example-app</pre>
	Selesai pembuatan Laravel app

	 <pre> C:\Windows\System32\cmd.exe - Installing phpunit/php-file-iterator (3.0.5): Extracting archive - Installing theseer/tokenizer (1.2.0): Extracting archive - Installing sebastian/lines-of-code (1.0.3): Extracting archive - Installing sebastian/complexity (2.0.2): Extracting archive - Installing sebastian/code-unit-reverse-lookup (2.0.3): Extracting archive - Installing phpunit/php-code-coverage (9.2.6): Extracting archive - Installing doctrine/instantiator (1.4.0): Extracting archive - Installing phpspec/prophecy (1.13.0): Extracting archive - Installing phar-io/version (3.1.0): Extracting archive - Installing phar-io/manifest (2.0.1): Extracting archive - Installing myclabs/deep-copy (1.10.2): Extracting archive - Installing phpunit/phpunit (9.5.4): Extracting archive All package suggestions were added by new dependencies, use 'composer suggest' to see details. Generating optimized autoload files Illuminate\Foundation\ComposerScripts::postAutoloadDump @php artisan package:discover --ansi Discovered Package: facade/ignition Discovered Package: fideloper/proxy Discovered Package: fruitcake/laravel-cors Discovered Package: laravel/sail Discovered Package: laravel/tinker Discovered Package: nesbot/carbon Discovered Package: nunomaduro/collision Package manifest generated successfully. 74 packages you are using are looking for funding. Use the 'composer fund' command to find out more! @php artisan key:generate --ansi Application key set successfully. C:\xampp\htdocs> </pre>
	<p>Ketik php artisan serve di project Lalu akan diarahkan ke laravel development server, http://127.0.0.1:8000  <pre> C:\Windows\System32\cmd.exe - php artisan serve Discovered Package: laravel/sail Discovered Package: laravel/tinker Discovered Package: nesbot/carbon Discovered Package: nunomaduro/collision Package manifest generated successfully. 74 packages you are using are looking for funding. Use the 'composer fund' command to find out more! > @php artisan key:generate --ansi Application key set successfully. C:\xampp\htdocs>cd laravel-week10 C:\xampp\htdocs\laravel-week10>php artisan serve Starting Laravel development server: http://127.0.0.1:8000 </pre> </p>
	<p>Jika dibuka, tampilan nya seperti ini</p>



Edit Tampilan Default Laravel menjadi Biodata Mahasiswa

No.	Keterangan
	<p>Buka folder pbfmodul12 di visual studio code, kemudian cari resource > views > welcome.blade.php lalu ganti script sebagai berikut :</p> <pre> <!DOCTYPE html> <html lang="{ str_replace('_', '-', app()->getLocale()) }"> <head> <meta charset="utf-8"> <meta name="viewport" content="width=device-width, initial-scale=1"> <title>Laravel</title> <!-- Fonts --> <link href="https://fonts.googleapis.com/css2?family=Nunito:wght@200;600&display=swap" rel="stylesheet"> <link href="https://cdn.jsdelivr.net/npm/bootstrap@5.0.0-beta3/dist/css/bootstrap.min.css" rel="stylesheet" integrity="sha384-e0JMYsd53ii+sc0/bJGFsiCZc+5NDVN2yr8+0RDqr0Ql0h+rP48ckxlpbzkGwra6" crossorigin="anonymous"> <!-- Styles --> <style> .body{ height: auto; } </pre>


```

        .container{
            margin-top: 50px;
            margin-left: auto;
            margin-right: auto;
        }

    </style>
</head>
<body>
<div class="container">
    <div class="container-fluid">
        <div class="row">
            <div class="card card-primary card-outline">
                <div class="card-body box-profile">
                    <div class="text-center">
                        
                    </div>
                    <hr>
                    <strong>
                        <i class="fas fa-map-marker mr-2"></i>
                        Nama
                    </strong>
                    <p class="text-muted">
                        Bagus Satria Putra
                    </p>
                    <hr>
                    <strong>
                        <i class="fas fa-map-marker mr-2"></i>
                        Kelas
                    </strong>
                    <p class="text-muted">
                        TI-3F
                    </p>
                    <hr>
                    <strong>
                        <i class="fas fa-envelope mr-2"></i>
                        NIM
                    </strong>
                    <p class="text-muted">
                        1841720146
                    </p>
                    <hr>
                    <strong>

```


```
        <i class="fas fa-phone mr-2"></i>
        Email
    </strong>
    <p class="text-muted">
        bagussatria1711004545@gmail.com
    </p>
    <hr>
    <strong>
        <i class="fas fa-map-marker mr-2"></i>
        Github
    </strong>
    <p class="text-muted">
        https://github.com/BagusSatria123
    </p>
    <hr>
    <strong>
        <i class="fas fa-map-marker mr-2"></i>
        LinkedIn
    </strong>
    <p class="text-muted">
        https://www.linkedin.com/in/bagus-satria-217aaa1b5/
    </p>
    <hr>
    <strong>
        <i class="fas fa-envelope mr-2"></i>
        Youtube
    </strong>
    <p class="text-muted">
        https://youtube.com/playlist?list=PLPGKfEfqkoZYfV6J
        gFig1b4du7njVki8U
    </p>
    <hr>
</div>
</div>
</div>
</div>
</body>
</html>
```


```

1 <!DOCTYPE html>
2 <html lang="{{ str_replace('_', '-', app()->getLocale()) }}">
3 <head>
4 <meta charset="utf-8">
5 <meta name="viewport" content="width=device-width, initial-scale=1">
6
7 <title>Laravel</title>
8
9 <!-- Fonts -->
10 <link href="https://fonts.googleapis.com/css2?family=Nunito:wght@200;600&display=swap" rel="stylesheet">
11 <link href="https://cdn.jsdelivr.net/npm/bootstrap@5.0.0-beta3/dist/css/bootstrap.min.css" rel="stylesheet" integrity="sha384-e03MYsd"
12
13 <!-- Styles -->
14 <style>
15 .body{
16     height: auto;
17 }
18
19 .container{
20     margin-top: 50px;
21     margin-left: auto;
22     margin-right: auto;
23 }
24 </style>
25 </head>
26 <body>
27 <div class="container">
28 <div class="container-fluid">
29 <div class="row">
30 <div class="card card-primary card-outline">
31 <div class="card-body box-profile">
32 <div class="text-center">
33 <img profile-user-img img-responsive" alt="User profile picture" data-bbox="155 109 819 389"/>

```

Tambahkan folder photo di folder public untuk foto biodata



	<div data-bbox="261 226 1349 945"></div> <p data-bbox="261 951 529 982">Hasil sebagai berikut :</p>
--	--

--Alhamdulillah--

--Alhamdulillah--