# McGill University

Tower Defense - Software Requirements Specifications

Team 6: Amlekar R, Aydede E, Gupta Y, Wright A

ECSE 321: Introduction to Software Engineering
Dr. Sinnig

2015/02/15

# **Revision History**

Date	<b>Changes to Document</b>	Version	Changes made by
2015/02/08	Creation of Document	1.0	Team 6

### **Table of Contents**

Revision History	2
List of Illustrations	4
Figure	Error! Bookmark not defined
Page	
Project Description	5
Introduction	
Context	
Business Goals	
Scope	
Domain Model	
Actors	
Functional Requirements	8
Overview	
Use Cases	
Use Case: Play Game	
Use Case: Create a new Game Map	10
Use Case: Build Tower	12
Use Case: Upgrade Tower	13
Use Case: Sell Tower	14
Use Case: Play Wave	15
Game Logic	16
GL-Turret	
GL-Player	
GL-Critter	
GL-Map	17
Non-functional Requirements	18
Software Quality Requirements	
Performance Requirements	
Design Constraints	18
Glossary	19
References	21

Note: This document uses intra-document references. To navigate from the Table of Contents, click the page number on the right. If there is an underlined <u>Keyword</u>, clicking or ctrl-clicking it will move the document to the <u>Glossary</u>.

# **List of Illustrations**

Figure	Page
Figure 1 – Domain Model	5
Figure 2 – Use Case Diagram: Play Game	7
Figure 3 – Use Case Diagram: Manage Tower	7

#### **Project Description**

#### Introduction

The <u>Tower Defense Game (TDG)</u> is a video game playable on personal computers. The goal of the TDG is to stop the <u>Critters</u> from reaching the end of the path on the map by creating <u>Turrets</u> that shoot them. When a Critter is killed, the <u>Player</u> receives money that can be used to build or upgrade Towers. Players must attempt to survive the most number of Critter <u>Waves</u>.

#### Context

The Tower Defense Game is designed with the versatility to create and play on custom created <u>Maps</u>. Players may create a Map using the <u>Map Editor</u> or can choose an existing Map to play on.

#### **Business Goals**

The successful outcome of this project will be a game that allows for the <u>Player</u> to create a <u>Map</u> and then place <u>Turrets</u> on the map to defend against incoming waves of <u>Critters</u>.

#### Scope

The Tower Defense Game can be complex but given the project timeframe and for the sake of simplicity and elegance, certain features are omitted. They include:

#### Multiplayer feature:

One might expect a survival mode where players can compete against each other in real time, to outlast the Critters longer than their opponent. Although this would be a great feature, it would require a longer timeframe to implement.

#### 3D graphics:

Since we are developing a <u>Tower Defense Game</u>, one might expect it to not only have a state of the art game engine, but also have immersive graphics. We will only be implementing the game engine, as time spent working on the engine will produce higher value than better graphics. The graphics will be implemented from a library.

#### **Domain Model**




Figure 1 - Domain Model

### Actors

The Player is the primary actor. The player plays the Tower Defense Game and is in charge of managing towers.

### **Functional Requirements**

#### **Overview**

There are two following use case diagrams. The first is a general overview of the Tower Defense Game, labeled "Play Game". This use case diagram encompasses the entirety of the game. The second use case diagram is the bubble labeled "Manage Tower", in the first use case diagram.




Figure 2 – Use Case Diagram: Play Game




Figure 3 – Use Case Diagram: Manage Tower

### **Use Cases**

Use Case: Play Game

Successful Outcomes: The Player plays and completes the whole Tower Defense Game.

Use Case Package	Tower Defense
ID	UC-TD-PG
<b>Use Case Goal</b>	The primary actor plays and completes the Tower Defense Game
Actor(s)	Primary Actor: Player
Level	User-level goal
Precondition	The Player has opened the Game.
<b>Domain Entities</b>	Game, Game Map, Wave, Tower

#### Main Success Scenario:

Step	Action	Notes
1	Player indicates intent to play the game	
2	System prompts the Player to select an existing Game Map	
3	Player selects game map	
4	System prompts the Player to prepare for a Wave	
5	Player manages towers to prepare for the wave	Use Cases UC- TM-1, UC-TM-2 and UC-TM-3
6	Player selects to Play a Wave	Use Case UC- TD-PW
7	Return to Main Success Scenario Step 4 as long as Player has life points, else proceed to Main Success Scenario Step 8	According to GL-Wave
8	System indicates to player that the game is over and returns to main menu	
9	Use case ends successfully.	

### *3a. Player selects to make a new Game Map:*

Step	Action	Notes
3a.1	Player Creates a New Map	Use Case UC-
		TD-Map
3a.2	Return to Main Success Scenario Step 4	
3a.3	Use case ends successfully.	

### Use Case: Create a new Game Map

Successful Outcomes: The Player makes a new Game Map.

<b>Use Case Package</b>	Tower Defense
ID	UC-TD-Map
<b>Use Case Goal</b>	The Player makes and saves a new Game Map.
Actor(s)	Primary Actor: Player
Level	User-level goal
Precondition	The Player is on the Main Screen and selects to make a new Game
	Map
<b>Domain Entities</b>	Game Map, Map Editor, Grid Size, Critter Path

#### Main Success Scenario:

Step	Action	Notes
1	Player indicates intent to make a new Game Map.	
2	System prompts the Player to choose a map background	
3	Player selects a map Background.	
4	System prompts Player to select a Grid Size.	
5	Player specifies a Grid Size.	According to
		GL-Map
6	System prompts player to create a Critter Path	
7	Player makes and submits a potential Critter Path	
8	System validates the Critter Path and saves it to the Game	According to
	Map.	GL-Map
9	Player indicates intent to save the Map.	
10	System saves the Map	
11	Use case ends successfully.	

#### Alternative Flows:

5a Player selects an Invalid Grid Size

Step	Action	Notes
5a.1	System displays a message that the selected Grid Size is	
	invalid.	
5a.2	Player acknowledges the message.	
5a.3	Return to Main Success Scenario Step 5.	

### 8a Player Builds a Non Valid Critter Path

Step	Action	Notes
8a.1	System displays a message that the Critter Path is invalid	

	and discards the Critter Path	
8a.2	Player acknowledges the message	
8a.3	Return to Main Success Scenario Step 7	

# \*a Player discards the new Game Map

Step	Action	Notes
*a.1	Player indicates intent to discard the current Map.	
*a.2	System deletes the Map	
*a.3	Use Case ends unsuccessfully.	

### **Use Case: Build Tower**

Successful Outcomes: The Player builds a new tower to prepare for the next Wave.

Use Case Package	Tower Management
ID	UC-TM-1
<b>Use Case Goal</b>	The primary actor builds a new tower
Actor(s)	Primary Actor: Player
Level	User-level goal
Precondition	The Player is preparing for a Wave and selects to build a new Tower
<b>Domain Entities</b>	Tower, Game Map

### Main Success Scenario:

Step	Action	Notes
1	Player indicates intent to build a new Tower	
2	System prompts Player to select a position to place new Tower on the Game Map	According to GL-Map
3	Player selects a position on the Game Map for the new Tower	
4	System displays available Towers.	According to GL-Tower
5	Player selects the Tower to be built	
6	System validates Player attributes	According to GL-Player
7	System builds a new Tower and modifies Player attributes	According to GL-Tower
8	Use case ends successfully	

### 2a. The selected position on the Game Map is invalid:

Step	Action	Notes
2a.1	System displays to the Player that the selected position on	
	the Game Map is invalid.	
2a.2	Player acknowledges this fact	
2a.3	Return to Main Success Scenario Step 2	

### 6a. Player does not have enough Resources to build Tower:

Step	Action	Notes
6a.1	System displays to the Player that he/she does not have	According to
	enough Resources to build the Tower	<b>GL-Tower</b>
6a.2	Player acknowledges this fact	
6a.3	Use case ends unsuccessfully	

### **Use Case: Upgrade Tower**

Successful Outcomes: The Player upgrades a Tower to prepare the next Wave.

Use Case Package	Tower Management
ID	UC-TM-2
<b>Use Case Goal</b>	Primary actor upgrades an existing tower.
Actor(s)	Primary Actor: Player
Level	User-level goal
Precondition	The Player is preparing for a Wave and selects to upgrade a Tower.
<b>Domain Entities</b>	Tower, Game Map, Tower Upgrade Option

#### Main Success Scenario:

Step	Action	Notes
1	Player indicates intent to upgrade a Tower.	
2	System prompts Player to select a Tower to upgrade	
3	Player selects one Tower to upgrade	
4	System displays available Tower Upgrade Options and the	According to
	corresponding costs for the selected Tower.	GL-Tower
5	Player chooses one of the Tower Upgrade Options.	
6	System validates Player resources.	According to GL-Player
7	System upgrades Tower attributes and modifies Player resources.	According to GL-Tower
8	Use case ends successfully.	

#### Alternative Flows

4a No upgrades are available for the selected tower:

Step	Action	Notes
4a.1	System displays to the Player that there are no Tower	
	Upgrades for the selected Tower.	
4a.2	Player acknowledges this fact	
4a.2	System returns Player to the Game Screen.	
4a.3	Use case ends unsuccessfully.	

### 6a Not enough Resources are available to apply the selected upgrade to the tower:

Step	Action	Notes
6a.1	System displays to the Player that there are not enough	According to
	Resources to apply the selected Tower Upgrade Option.	<b>GL-Tower</b>
6a.2	Player acknowledges this fact	
6a.3	Return to Main Success Scenario Step 4.	

### Use Case: Sell Tower

Successful Outcomes: The Player sells an existing Tower to prepare for the next Wave.

Use Case Package	Tower Management
ID	UC-TM-3
<b>Use Case Goal</b>	The primary actor sells an existing tower
Actor(s)	Primary Actor: Player
Level	User-level goal
Precondition	The Player is preparing for a Wave and selects to sell a Tower.
<b>Domain Entities</b>	Tower, Game Map

#### Main Success Scenario:

Step	Action	Notes
1	Player indicates intent to sell a Tower.	
2	System prompts Player to select a Tower to sell	
3	Player selects the tower to sell	
4	System displays Tower Sell Price	According to GL-Tower
5	Player chooses to sell the Tower.	
6	System deletes Tower and modifies Player resources accordingly	According to GL-Tower
7	Use case ends successfully.	

### \*a. Player chooses to not sell the Tower:

Step	Action	Notes
*a.1	System displays to Player that the Tower was not sold	
*a.2	Use case ends unsuccessfully.	

### Use Case: Play Wave

### Successful Outcomes: The Player plays one Wave of the Game without letting critters through

Use Case Package	Tower Defense
ID	UC-TD-PW
Use Case Goal	The primary actor completes a wave of the game without letting
	critters through
Actor(s)	Primary Actor: Player
Level	User-level goal
Precondition	The Player has already prepared for the Wave and selects to play
	the Wave.
<b>Domain Entities</b>	Tower, Player, Critter

#### Main Success Scenario:

Step	Action	Notes
1	Player indicates intent to start a Wave.	
2	System generates a finite amount of Critters to move on the Critter Path	
3	Towers fire on Critters to prevent them from reaching the end of the Critter Path.	
4	All critters are killed, and the system modifies player attributes according to the types and amounts of critters killed	According to GL- Critters
6	Use case ends successfully.	

### \*a. A critter reaches the end of the path:

Step	Action	Notes
*a1	System modifies the Player attributes.	According to GL-Player
*a2	Use case ends unsuccessfully.	

# **Game Logic**

## **GL-Turret**

Turret Name	Laser Turret	Ice Beam Turret	Fire Turret	Bomb Turret
Tower Description	Average	Slowing, weak	Sets critters on fire for <u>Damage Over</u> <u>Time (DOT)</u>	Fires bombs which damage critters in an area
Build Price	100	150	200	250
Upgrade Price (level 2, 3, 4)	300, 400, 500	200, 300, 400	400, 500, 600	400, 500, 600
Sell Price	50+(upgrade money spent)/2	75+(upgrade money spent)/2	100+(upgrade money spent)/2	125 + 0.5*(upgrade money spent)
<u>Range</u>	150	200	125	100
<u>Damage</u>	25	12.5	25	50
Slow Factor (out of 1.0)	0.0	0.7	0.2	0.0
Rate of Fire (beams/s)	2.0	1.5	1.0	0.5
Special Attributes	None	Slowing (as specified by slow factor)	Sets critters on fire for 25 HP/s for 5 seconds (total of 125 damage)	Hits target critter (10 damage); hits critters in 25 unit radius (2.5 damage)
Color	Blue	Green	Red	Yellow

## **GL-Player**

Game Mode	Starting Money	Number of Lives	<u>Critter Money</u> <u>Multiplier</u>	Maximum Time between waves
Zen	1000000	Infinite	0.0	Infinite
Easy	600	20	1.5	60 seconds
Medium	300	10	1.0	30 seconds
Hard	200	5	0.5	15 seconds

#### **GL-Critter**

Critter Name	Critter Description	Health Points (HP)	Health Regeneration (HP/s)	Speed (units/s)	Resistance (out of 1.0)	<u>Loot</u> <u>Money</u>	Special attributes
Circle Critter	Average	100	1.0	15	0.0	10	None
Arrow Critter	Fast but weak	30	0.0	30	0.0	10	None
Shuriken Critter	Strong but slow	200	2.0	5	0.3	10	None
Square Critter	Weak but travel in large groups	50	0.0	10	0.0	5	Travel in groups of 10, 15, 25
Diamond Critter	Regenerating critter	100	5.0	15	0.3	15	None
X Critter	Critter that is immune to slows and Damage Over Time (DOT)	100	1.0	10	1.0	20	Resistance of 1.0, so immune to Damage Over Time (DOT) + slow
Infinity Critter	Strong and Fast (boss)	200	3.0	20	0.5	30	None

#### **GL-Map**

The user must adhere to certain conditions with respect to the creation of the map. The system then validates these rules before allowing the map to be saved.

These conditions are:

- 1. The grid size can be a minimum of 5x5, and a maximum of 30x30.
- 2. The path tiles must start on the perimeter, and end on the perimeter
- 3. There must be no breaks in the path tiles from beginning to end
- 4. There must be at least one tower tile (although more are recommended)

If these conditions are not met, the map will not be saved (see use case).

## **Non-functional Requirements**

### **Software Quality Requirements**

There should be few to no bugs, and the game should not crash upon appropriate use.

### **Performance Requirements**

The gameplay should be smooth, and without any noticeable Lag.

# **Design Constraints**

The program must be implemented in Java with graphical libraries. The program must be created by the  $31^{st}$  of March.

# **Glossary**

<u>Keyword</u>	Description
Build Price	The cost to build a certain tower, i.e. create and place the tower on the map
<u>Critter</u>	The entities that travel along the map path in an attempt to make it through without being destroyed by the turrets. Critter details can be found in the Game Logic Section.
<u>Critter</u> <u>Money</u> <u>Multiplier</u>	Determines how much of the loot money the user actually receives when he/she kills a critter. For killing a creep with Loot Money L, in a game mode with CMM C, the player receives money = C*M. For example, in Medium mode, CMM = 1.0, and the player will exactly get the loot money. In easy mode, the player will get more money. In hard mode, the player will get less money. In Zen, the player will not get money.
<u>Damage</u>	This is the amount of Health Points that an attack from a tower will take away from a critter
Damage Over Time (DOT)	This is a property of a tower that can harm critters over time, not just upon hitting them.
Game Mode	There are four game modes: Zen, Easy, Medium, and hard. The user can select which mode he/she would like to play. This changes various game properties (money earned, timers, etc.) that can be found in the Game Logic section
<b>Health Points</b>	The amount of health that a critter has. If this reaches 0 the critter dies
<u>Health</u> <u>Regeneration</u>	How much a critter regains health over time
<u>Lag</u>	When animation appears choppy
<b>Loot Money</b>	The amount of money that a critter gives to the player upon dying (before being multiplied by the critter money multiplier).
<u>Map</u>	What determines where turrets can be placed, and on what path the critters will travel
Map Editor	The software entity that allows the player to create a new map
<u>Path</u>	The place where the critters can travel on the map. The critters follow the path from the beginning to the end.
<u>Player</u>	The primary actor. The player is in control of the game

Range	The amount of distance units from which the tower can hit critters
Rate of Fire	The amount of damage instances a tower can do in a set amount of time
<u>Resistance</u>	A value from 0.0 to 1.0 that determines how a certain critter type is affected by slows/DOT. Reduces the effect by the factor = Resistance. Thus, a value of 1 means that they are not affected at all (effect – 1.0*effect), whereas a value of 0 means that they are completely affected (will not mitigate effect)
Sell Price	The sell price of a tower is how much money the player will receive if he/she sells the tower.
Slow Factor	A value from 0.0 to 1.0 that determines how much a turret slows critters. Speed of critter after being hit by tower = (original speed of critter)*(Slow Factor of tower).
<u>Speed</u>	How many units the critter will move in a set amount of time
<u>Tower</u> <u>Defense</u> <u>Game (TDG)</u>	The main product for which this Software Requirements Specification has been created
<u>Turret</u>	The entity that damages or adversely affects critters to stop them from travelling through the path
<u>Upgrade</u> <u>Price</u>	The amount of money the player has to spend to upgrade a certain tower. There are three available upgrades for each tower, each with its own price
<u>Wave</u>	One preset (finite) amount of critters that travel on the path periodically. The towers clear these critters, and then the user can manage his/her towers.

# References

Some aspects of document adapted from: http://brazos.cs.tcu.edu/0910/deliverables/SRS\_v1.0.pdf