spet 1 parsing xml

```
devasc@labvm:~/labs/devnet-src/unittest$ cd ~/labs/devnet-src/parsing
devasc@labvm:~/labs/devnet-src/parsing$ ls
myfile.json  myfile.xml  myfile.yaml  parsejson.py  parsexml.py  parseyaml.py
devasc@labvm:~/labs/devnet-src/parsing$ nano parsexml.py
devasc@labvm:~/labs/devnet-src/parsing$
```

devasc@labvm: ~/labs/devnet-src/parsing

File Edit View Search Terminal Help

GNU nano 4.8 parsexm

```
import xml.etree.ElementTree as ET
import re


xml = ET.parse("myfile.xml")
root = xml.getroot()


ns = re.match('{.*}', root.tag).group(0)
editconf = root.find("{}edit-config".format(ns))
defop = editconf.find("{}default-operation".format(ns))
testop = editconf.find("{}test-option".format(ns))

print("The default-operation contains: {}".format(defop.text))
print("The test-option contains: {}".format(testop.text))

# Fill in this file with the code from parsing XML exercise
```

part 3 parsing json





part 4 parding yaml

```
devasc@labvm:~/labs/devnet-src/parsing$ nano parseyaml.py
devasc@labvm:~/labs/devnet-src/parsing$ python3 parseyaml.py
{'access_token': 'ZDI3MGEyYzQtNmFlNS00NDNhLWFlNzAtZGVjNjE0MGU1OGZmZWNmZDEwN2ItYTU3', 'expires_in': 1209600, 'refresh_token': 'MDEyMzQ1Njc4OTAxMjM0NTY3ODkwMTIzNDU2Nzg5MDEyMzQ1Njc4OTEyMzQ1Njc
4', 'refreshtokenexpires_in': 7776000}
The access token is ZDI3MGEyYzQtNmFlNS00NDNhLWFlNzAtZGVjNjE0MGU1OGZmZWNmZDEwN2ItYTU3
The token expires in 1209600 seconds.



{
    "access_token": "ZDI3MGEyYzQtNmFlNS00NDNhLWFlNzAtZGVjNjE0MGU1OGZmZWNmZDEwN2ItYTU3",
    "expires_in": 1209600,
    "refresh_token": "MDEyMzQ1Njc4OTAxMjM0NTY3ODkwMTIzNDU2Nzg5MDEyMzQ1Njc4OTEyMzQ1Njc4",
    "refreshtokenexpires_in": 7776000
}
devasc@labvm:~/labs/devnet-src/parsing$
```

devasc@labvm: ~/labs/devnet-src/parsing

File Edit View Search Terminal Help

GNU nano 4.8 parseyaml.py

```
import json
import yaml

with open('myfile.yaml', 'r') as yaml_file:
    ouryaml = yaml.safe_load(yaml_file)

print(ouryaml)
print("The access token is {}".format(ouryaml['access_token']))
print("The token expires in {} seconds.".format(ouryaml['expires_in']))

print("\n\n")
print(json.dumps(ouryaml, indent=4))
# Fill in this file with the code from parsing YAML exercise
```