```
curl -X GET "http://library.demo.local/api/v1/books" -H  "accept: application/json"
```

Request URL

```
http://library.demo.local/api/v1/books
```

Server response

Code	Details
200	**Response body**

```
[
  {
    "id": 0,
    "title": "string",
    "author": "string"
  },
  {
    "id": 1,
    "title": "Python for Dummies",
    "author": "Stef Maruch Aahz Maruch"
  },
  {
    "id": 2,
    "title": "Linux for Networkers",
    "author": "Cisco Systems Inc."
  },
  {
    "id": 3,
    "title": "NetAcad: 20 Years Of Online-Learning",
    "author": "Cisco Systems Inc."
  },
  {
    "id": 5,
    "title": "31 Days Before Your CCNA Exam",
    "author": "Allan Johnson"
  }
]
```

Download

Response headers

graphhopper_parse-json_1.py - graphhopper - Visual Studio Code

---

POST /books

Parameters Cancel

Name	Description
payload * required *(body)*	**Edit Value** | Model

```
{
  "id": 4,
  "title": "IPv6 Fundamentals",
  "author": "Rick Graziani"
}
```

Cancel

Parameter content type

application/json

graphhopper_parse-json_1.py - graphhopper - Visual Studio Code

---

Not Secure library.demo.local/api/v1/docs

Responses Response content type application/json

Curl

```
curl -X POST "http://library.demo.local/api/v1/books" -H  "accept: application/json" -H  "X-API-KEY:    cisco|CpA6sodr1sJCwUt3wuqq6fLK-RHoYKnTe1QK8yQbS-0" -H  "Content-Type: application/json" -d "{  \"id\": 4,  \"title\": \"IPv6 Fundamentals\",  \"author\": \"Rick Graziani\"}"
```

Request URL

```
http://library.demo.local/api/v1/books
```

Server response

Code	Details
200	**Response body**

```
{
  "id": null,
  "title": null,
  "author": null
}
```

Download

Response headers


```
access-control-allow-origin: http://library.demo.local
content-length: 58
content-type: application/json
date: Fri, 30 Oct 2026 16:31:52 GMT
server: Werkzeug/0.14.1 Python/3.8.10
vary: Origin
```


Responses


Code	Description
200	*Success*


graphhopper_parse-json_1.py - graphhopper - Visual Studio Code


devasc@labvm... devasc@labvm:~ School Library ... [devasc@labv... [sample-app] [labs] devasc@labvm... http://library.d... graphhopper_... devasc@labvm...



vary: Origin
Responses
Code
Description
200
Success
Example Value | Model
{
"id": 0,
"title": "string",
"author": "string"
}
DELETE /books/{id}
Parameters
Cancel



DELETE /books/{id}
Parameters
Cancel
Name
Description
id * required
integer
(path)
4
Execute
Clear
Responses
Response content type
application/json
Curl
curl -X DELETE "http://library.demo.local/api/v1/books/4" -H "accept: application/json" -H "X-API-KEY: cisco|CpA6sodr1sJCwUt3wuqq6fLK-RHoYKnTe1QK8yQbS-0"
Request URL
http://library.demo.local/api/v1/books/4
Server response
Code
Details
200
Response body



Responses
Response content type
application/json
Curl
curl -X DELETE "http://library.demo.local/api/v1/books/4" -H "accept: application/json" -H "X-API-KEY: cisco|CpA6sodr1sJCwUt3wuqq6fLK-RHoYKnTe1QK8yQbS-0"
Request URL
http://library.demo.local/api/v1/books/4
Server response
Code
Details
200
Response body
{
"id": 4,
"title": "IPv6 Fundamentals",
"author": "Rick Graziani"
}
Download
Response headers
access-control-allow-origin: http://library.demo.local
content-length: 81
content-type: application/json
date: Fri, 30 Oct 2026 16:33:22 GMT
server: Werkzeug/0.14.1 Python/3.8.10
vary: Origin
Responses
Code
Description
200
Success
graphhopper_parse-json_1.py - graphhopper - Visual Studio Code



about:sessionrestore
Not Secure
library.demo.local/api/v1/docs
Response headers
access-control-allow-origin: http://library.demo.local
content-length: 81
content-type: application/json
date: Fri, 30 Oct 2026 16:33:22 GMT
server: Werkzeug/0.14.1 Python/3.8.10
vary: Origin
Responses
Code
Description
200
Success
Example Value | Model
{
"id": 0,
"title": "string",
"author": "string"
}
GET /books/{id}
PUT /books/{id}
POST /loginViaBasic
POST /loginViaJSON



You are using the Lightweight API Client, sign in or create an account to work with collections, environments and unlock all free features in Postman.
History
New
Import
Today
http://library.demo.local/api/v1/books
GET
http://library.demo.local/api/v1/books?includeISBN=true&sortBy=author
Send
Params
Authorization
Headers (6)
Body
Pre-request Script
Tests
Settings
Cookies
Query Params
Key
Value
Bulk Edit
includeISBN
true
sortBy
author
Body
Cookies
Headers (5)
Test Results
Status: 200 OK
Time: 11 ms
Size: 1001 B
Save Response
Pretty
Raw
Preview
Visualize
JSON
"id": 3,
"title": "NetAcad: 20 Years Of Online-Learning",
"author": "Cisco Systems Inc.",
"isbn": "000-0000001123"
"id": 4,
"title": "IPv6 Fundamentals",
"author": "Rick Graziani",
"isbn": "978 158144778"
Create collections in Postman
Use collections to save your requests and share them with others.
Create a Collection
graphhopper_parse-json_1.py - graphhopper - Visual Studio Code



http://library.demo.local/api/v1/loginViaBasic
POST
Send
Params
Authorization
Headers (7)
Body
Pre-request Script
Tests
Settings
Cookies
Query Params
Key
Value
Bulk Edit
Body
Cookies
Headers (6)
Test Results
Status: 401 UNAUTHORIZED
Time: 43 ms
Size: 273 B
Save Response
Pretty
Raw
Preview
Visualize
HTML
1 Unauthorized Access
Today
October 30
Create collections in Postman



http://library.demo.local/api/v1/loginViaBasic - My Workspace
File Edit View Help
Home Workspaces Explore
Search Postman
Sign In
Create Account
You are using the Lightweight API Client, sign in or create an account to work with collections, environments and unlock all free features in Postman.
History
New
Import
Today
POST http://library.demo.local/api/v1/loginViaBasic
October 30
GET http://library.demo.local/api/v1/books?includeISBN=
GET http://library.demo.local/api/v1/books
POST http://library.demo.local/api/v1/books
POST http://library.demo.local/api/v1/loginViaBasic
POST http://library.demo.local/api/v1/loginViaBasic
GET http://library.demo.local/api/v1/books
http://library.demo.local/api/v1/loginViaBasic
Save
POST
http://library.demo.local/api/v1/loginViaBasic
Send
Params Authorization Headers (8) Body Pre-request Script Tests Settings
Cookies
Query Params
Key
Value
Bulk Edit
Body Cookies Headers Test Results
Status: 200 OK Time: 55 ms Size: 248 B
Save Response
Pretty Raw Preview Visualize Text
1
Create collections in Postman
Use collections to save your requests and share them with others.
Create a Collection
Console
Not connected to a Postman account
graphhopper_parse-json_1.py - graphhopper - Visual Studio Code
Menu
devasc@labvm...
devasc@labvm: ~
School Library ...
[devasc@labv...
[sample-app]
[labs]
devasc@labvm...
http://library.d...
graphhopper_...
devasc@labvm...
ove the mouse pointer inside or press Ctrl+G.
Поиск
РУС
12:06
07.11.2026



History
New
Import
Today
POST http://library.demo.local/api/v1/loginViaBasic
POST http://library.demo.local/api/v1/loginViaBasic
October 30
GET http://library.demo.local/api/v1/books?includeISBN=
GET http://library.demo.local/api/v1/books
POST http://library.demo.local/api/v1/books
POST http://library.demo.local/api/v1/loginViaBasic
POST http://library.demo.local/api/v1/loginViaBasic
GET http://library.demo.local/api/v1/books
http://library.demo.local/api/v1/loginViaBasic
Save
POST
http://library.demo.local/api/v1/loginViaBasic
Send
Params Authorization Headers (8) Body Pre-request Script Tests Settings
Cookies
Query Params
Key
Value
Bulk Edit
Body Cookies Headers (5) Test Results
Status: 200 OK Time: 8 ms Size: 248 B
Save Response
Pretty Raw Preview Visualize JSON
1 {
2 "token": "cisco|ewqGsa-pA5ly8QXl4hzwJrXn9sccjjhymyv7sp8sUsg"
3 }
Create collections in Postman
Use collections to save your requests and share them with others.



File Edit View Help
Home Workspaces Explore
Search Postman
Sign In
Create Account
You are using the Lightweight API Client, sign in or create an account to work with collections, environments and unlock all free features in Postman.
History
New
Import
Today
POST http://library.demo.local/api/v1/loginViaBasic
POST http://library.demo.local/api/v1/loginViaBasic
POST http://library.demo.local/api/v1/loginViaBasic
October 30
GET http://library.demo.local/api/v1/books?includeISBN=
GET http://library.demo.local/api/v1/books
POST http://library.demo.local/api/v1/books
POST http://library.demo.local/api/v1/loginViaBasic
POST http://library.demo.local/api/v1/loginViaBasic
GET http://library.demo.local/api/v1/books
http://library.demo.local/api/v1/loginViaBasic
Save
POST
http://library.demo.local/api/v1/loginViaBasic
Send
Params Authorization Headers (8) Body Pre-request Script Tests Settings
Cookies
Type
Basic Auth
The authorization header will be automatically generated when you send the request.
Learn more about authorization
Username
cisco
Password
Cisco123!
Body Cookies Headers (5) Test Results
Status: 200 OK Time: 10 ms Size: 248 B
Save Response
Pretty Raw Preview Visualize JSON
1 {
2 "token": "cisco|tA5CxOrpIPdPEYzy-ijOIvuAVhvJbe9-rAUHwbMtcIA"
3 }
Create collections in Postman
Use collections to save your requests and share them with others.
Create a Collection
Console
Not connected to a Postman account
Menu
devasc@labvm...
devasc@labvm: ~
School Library ...
[devasc@labv...
[sample-app]
[labs]
devasc@labvm...
http://library.d...
graphhopper_...
devasc@labvm...
ove the mouse pointer inside or press Ctrl+G.



You are using the Lightweight API Client, sign in or create an account to work with collections, environments and unlock all free features in Postman.
History
New
Import
Today
POST http://library.demo.local/api/v1/books
POST http://library.demo.local/api/v1/loginViaBasic
POST http://library.demo.local/api/v1/loginViaBasic
POST http://library.demo.local/api/v1/loginViaBasic
October 30
GET http://library.demo.local/api/v1/books?includeISBN=
GET http://library.demo.local/api/v1/books
POST http://library.demo.local/api/v1/books
POST http://library.demo.local/api/v1/loginViaBasic
POST http://library.demo.local/api/v1/loginViaBasic
GET http://library.demo.local/api/v1/books
Create collections in Postman
Use collections to save your requests and share them with others.
Create a Collection
http://library.demo.local/api/v1/books
Save
POST
http://library.demo.local/api/v1/books
Send
Params
Authorization
Headers (9)
Body
Pre-request Script
Tests
Settings
Cookies
Query Params
Key
Value
Bulk Edit
Body
Cookies
Headers (5)
Test Results
Status: 200 OK
Time: 11 ms
Size: 237 B
Save Response
Pretty
Raw
Preview
Visualize
JSON
{
"id": null,
"title": null,
"author": null
}



Home
DEVASC_VM
http://library.demo.local/api/v1/books - My Workspace
File Edit View Help
Home
Workspaces
Explore
Search Postman
Sign In
Create Account
You are using the Lightweight API Client, sign in or create an account to work with collections, environments and unlock all free features in Postman.
History
New
Import
Today
GET http://library.demo.local/api/v1/books
POST http://library.demo.local/api/v1/books
POST http://library.demo.local/api/v1/loginViaBasic
POST http://library.demo.local/api/v1/loginViaBasic
POST http://library.demo.local/api/v1/loginViaBasic
October 30
GET http://library.demo.local/api/v1/books?includeISBN=
GET http://library.demo.local/api/v1/books
POST http://library.demo.local/api/v1/books
POST http://library.demo.local/api/v1/loginViaBasic
POST http://library.demo.local/api/v1/loginViaBasic
GET http://library.demo.local/api/v1/books
Create collections in Postman
Use collections to save your requests and share them with others.
Create a Collection
http://library.demo.local/api/v1/books
Save
GET
http://library.demo.local/api/v1/books
Send
Params
Authorization
Headers (6)
Body
Pre-request Script
Tests
Settings
Cookies
Query Params
Key
Value
Bulk Edit
Body
Cookies
Headers (6)
Test Results
Status: 200 OK
Time: 13 ms
Size: 1.35 KB
Save Response
Pretty
Raw
Preview
Visualize
JSON
{
"id": 6,
"title": "Seamless zero administration adapter",
"author": "Janice Wheeler"
},
{
"id": 7,
"title": "Face-to-face 24/7 approach",
"author": "Jose Ward"
},
{
"id": 8,
"title": "Reduced stable artificial intelligence",
"author": "Veronica Wallace"
}
Console
Not connected to a Postman account
http://library.demo.local/api/v1/books - My Workspace
Menu
devasc@labvm...
devasc@labvm: ~
School Library ...
[devasc@labv...
[sample-app]
[labs]
devasc@labvm...
http://library.d...
graphhopper_...
devasc@labvm...



http://library.demo.local/api/v1/books?includeISBN=true&sortBy=author - My Workspace
File Edit View Help
Home Workspaces Explore
Search Postman
Sign In
Create Account
You are using the Lightweight API Client, sign in or create an account to work with collections, environments and unlock all free features in Postman.
History
New
Import
Today
October 30
Create collections in Postman
Use collections to save your requests and share them with others.
Create a Collection
http://library.demo.local/api/v1/books?includeISBN=true&sortBy=author
GET
Send
Params
Authorization
Headers (6)
Body
Pre-request Script
Tests
Settings
Cookies
Query Params
Key
Value
Bulk Edit
includeISBN
true
sortBy
author
Body
Cookies
Headers (6)
Test Results
Status: 200 OK
Time: 10 ms
Size: 1.69 KB
Save Response
Pretty
Raw
Preview
Visualize
JSON
"isbn": "000-0000001123"
"id": 9,
"title": "Streamlined heuristic adapter",
"author": "Jacqueline Moore",
"isbn": "978-1-349-86917-6"
"id": 6,
"title": "Seamless zero administration adapter",
"author": "Janice Wheeler",
"isbn": "978-1-72194-930-4"
graphhopper_parse-json_1.py - graphhopper - Visual Studio Code
Menu
devasc@labvm...
devasc@labvm: ~
School Library ...
[devasc@labv...
[sample-app]
[labs]
devasc@labvm...
http://library.d...
graphhopper_...
devasc@labvm...
move the mouse pointer inside or press Ctrl+G.



graphhopper_parse-json_1.py - graphhopper - Visual Studio Code
File Edit Selection View Go Run Terminal Help
EXPLORER
OPEN EDITORS
Welcome
graphhopper_par...
GRAPHHOPPER
graphhopper_parse-js...
OUTLINE
TIMELINE
Welcome
graphhopper_parse-json_1.py
graphhopper_parse-json_1.py > ...
print("==")
for each in range(len(paths_data["paths"][0]["instructions"])):
path = paths_data["paths"][0]["instructions"][each]["text"]
distance = paths_data["paths"][0]["instructions"][each]["distance"]
print("{0} ({1:.1f} km / {2:.1f} miles)".format(path, distance / 1000, distance / 1
print("==")
:
print("Error message: " + paths_data["message"])
print("**")
PROBLEMS
OUTPUT
DEBUG CONSOLE
TERMINAL
2: Python
devasc@labvm:~/labs/devnet-src/graphhopper$ python3 /home/devasc/labs/devnet-src/graphhopper/graphhopper_parse-json_1.py
{'message': 'Wrong credentials. Register and get a valid API key at https://www.graphhopper.com/developers/'}
devasc@labvm:~/labs/devnet-src/graphhopper$ python3 /home/devasc/labs/devnet-src/graphhopper/graphhopper_parse-json_1.py
{'hits': [{'point': {'lat': 38.8950982, 'lng': -77.0363849}, 'extent': [-77.1197949, 38.7916303, -76.909366, 38.995968], 'name': 'Washington', 'country': 'United States', 'countrycode': 'US', 'state': 'District of Columbia', 'osm_id': 5396194, 'osm_type': 'R', 'osm_key': 'place', 'osm_value': 'city'}], 'locale': 'default'}
devasc@labvm:~/labs/devnet-src/graphhopper$ python3 /home/devasc/labs/devnet-src/graphhopper/graphhopper_parse-json_1.py
Geocoding API URL for Washington, D.C.:
https://graphhopper.com/api/1/geocode?q=Washington
d4550d0cb3c
http://library.demo.local/api/v1/books?includeISBN=true&sortBy=author - My Workspace
Python 3.8.10 64-bit
0 0
LF
Python



EXPLORER
Welcome
graphhopper_parse-json_1.py
OPEN EDITORS
Welcome
graphhopper_par...
GRAPHHOPPER
graphhopper_parse-js...
OUTLINE
TIMELINE
graphhopper_parse-json_1.py > ...
print("==")
for each in range(len(paths_data["paths"][0]["instructions"])):
path = paths_data["paths"][0]["instructions"][each]["text"]
distance = paths_data["paths"][0]["instructions"][each]["distance"]
print("{0} ({1:.1f} km / {2:.1f} miles)".format(path, distance / 1000, distance / 1000 / 1
print("==")
:
print("Error message: " + paths_data["message"])
print("**")
PROBLEMS
OUTPUT
DEBUG CONSOLE
TERMINAL
2: Python
https://graphhopper.com/api/1/geocode?q=Washington%2C+D.C.&limit=1&key=89990cc5-a331-44d7-8142-5d4550d0cb3c
(200, 38.8950982, -77.0363849, 'Washington, District of Columbia, United States')
Destination: q
devasc@labvm:~/labs/devnet-src/graphhopper$ python3 /home/devasc/labs/devnet-src/graphhopper/graphhopper_parse-
json_1.py
Starting Location: Washington, D.C.
Geocoding API URL for Washington, District of Columbia, United States (Location Type: city)
https://graphhopper.com/api/1/geocode?q=Washington%2C+D.C.&limit=1&key=89990cc5-a331-44d7-8142-5d4550d0cb3c
(200, 38.8950982, -77.0363849, 'Washington, District of Columbia, United States')
Destination: quit
devasc@labvm:~/labs/devnet-src/graphhopper$ python3 /home/devasc/labs/devnet graphhopper_parse-
json_1.py
Python 3.8.10 64-bit
graphhopper_parse-json_1.py - graphhopper - Visual Studio Code



graphhopper_parse-json_1.py - graphhopper - Visual Studio Code
File Edit Selection View Go Run Terminal Help
EXPLORER
Welcome
graphhopper_parse-json_1.py
OPEN EDITORS
Welcome
graphhopper_par...
GRAPHHOPPER
graphhopper_parse-js...
OUTLINE
TIMELINE
graphhopper_parse-json_1.py > ...
print("==")
for each in range(len(paths_data["paths"][0]["instructions"])):
path = paths_data["paths"][0]["instructions"][each]["text"]
distance = paths_data["paths"][0]["instructions"][each]["distance"]
print("{0} ({1:.1f} km / {2:.1f} miles)".format(path, distance / 1000, distance / 1000 / 1
print("==")
:
print("Error message: " + paths_data["message"])
print("**")
PROBLEMS
OUTPUT
DEBUG CONSOLE
TERMINAL
2: Python
devasc@labvm:~/labs/devnet-src/graphhopper$ python3 /home/devasc/labs/devnet-src/graphhopper/graphhopper_parse-
json_1.py
Starting Location: Washington, D.C.
Geocoding API URL for Washington, District of Columbia, United States (Location Type: city)
https://graphhopper.com/api/1/geocode?q=Washington%2C+D.C.&limit=1&key=89990cc5-a331-44d7-8142-5d4550d0cb3c
Destination: Baltimore, Maryland
Geocoding API URL for Baltimore, Maryland, United States (Location Type: city)
https://graphhopper.com/api/1/geocode?q=Baltimore%2C+Maryland&limit=1&key=89990cc5-a331-44d7-8142-5d4550d0cb3c
==
Routing API Status: 200
Routing API URL:
https://graphhopper.com/api/1/route?key=89990cc5-a
C-77.0363849&poi
http://library.demo.local/api/v1/books?includeISBN=true&sortBy=author - My Workspace
Python 3.8.10 64-bit
LF Python



EXPLORER
OPEN EDITORS
Welcome
graphhopper_par...
GRAPHHOPPER
graphhopper_parse-js...
OUTLINE
TIMELINE
Welcome
graphhopper_parse-json_1.py
graphhopper_parse-json_1.py > ...
print("==")
for each in range(len(paths_data["paths"][0]["instructions"])):
path = paths_data["paths"][0]["instructions"][each]["text"]
distance = paths_data["paths"][0]["instructions"][each]["distance"]
print("{0} ({1:.1f} km / {2:.1f} miles)".format(path, distance / 1000, distance / 1000 / 1
print("==")
:
print("Error message: " + paths_data["message"])
print("**")
PROBLEMS
OUTPUT
DEBUG CONSOLE
TERMINAL
2: Python
==
Starting Location: Beijing, China
Geocoding API URL for 北京市, 中国 (Location Type: city)
https://graphhopper.com/api/1/geocode?q=Beijing%2C+China&limit=1&key=89990cc5-a331-44d7-8142-5d4550d0cb3c
Destination: Washington, D.C.
Geocoding API URL for Washington, District of Columbia, United States (Location Type: city)
https://graphhopper.com/api/1/geocode?q=Washington%2C+D.C.&limit=1&key=89990cc5-a331-44d7-8142-5d4550d0cb3c
==
Routing API Status: 400
Routing API URL:
https://graphhopper.com/api/1/route?key=89990cc5-a331-44d7-8142-5d4550
057136%2C116.3912972&poi
nt=38.8950982%2C-77.0363849
Python 3.8.10 64-bit
graphhopper_parse-json_1.py - graphhopper - Visual Studio Code
Python



graphhopper_parse-json_1.py - graphhopper - Visual Studio Code
File Edit Selection View Go Run Terminal Help
EXPLORER
OPEN EDITORS
Welcome
graphhopper_par...
GRAPHHOPPER
graphhopper_parse-js...
OUTLINE
TIMELINE
Welcome
graphhopper_parse-json_1.py
graphhopper_parse-json_1.py > ...
print("==")
for each in range(len(paths_data["paths"][0]["instructions"])):
path = paths_data["paths"][0]["instructions"][each]["text"]
distance = paths_data["paths"][0]["instructions"][each]["distance"]
print("{0} ({1:.1f} km / {2:.1f} miles)".format(path, distance / 1000, distance / 1000 / 1
print("==")
:
print("Error message: " + paths_data["message"])
print("**")
PROBLEMS
OUTPUT
DEBUG CONSOLE
TERMINAL
2: Python
++
Vehicle profiles available on Graphhopper:
++
car, bike, foot
++
Enter a vehicle profile from the list above: bike
Starting Location: Washington, D.C.
Geocoding API URL for Washington, District of Columbia, United States (Location Type: city)
https://graphhopper.com/api/1/geocode?q=Washington%2C+D.C.&limit=1&key=89990cc5-a331-44d7-8142-5d4550d0cb3c
Destination: Baltimore, Maryland
Geocoding API URL for Baltimore, Maryland, United States (Location Type
https://graphhopper.com/api/1/geocode?q=Baltimore%2C+Maryland&limit=1&k
-44d7-8142-5d4550d0cb3c
Python 3.8.10 64-bit
graphhopper_parse-json_1.py - graphhopper - Visual Studio Code
Python
Menu
devasc@labvm...
devasc@labvm: ~
School Library ...
[devasc@labv...
[sample-app]
[labs]
devasc@labvm...
http://library.d...
graphhopper_...
devasc@labvm...
ove the mouse pointer inside or press Ctrl+G.


graphhopper_parse-json_1.py - graphhopper - Visual Studio Code
File Edit Selection View Go Run Terminal Help
EXPLORER
OPEN EDITORS
Welcome
graphhopper_par...
GRAPHHOPPER
graphhopper_parse-js...
graphhopper_parse-json_1.py
print("==")
for each in range(len(paths_data["paths"][0]["instructions"])):
path = paths_data["paths"][0]["instructions"][each]["text"]
distance = paths_data["paths"][0]["instructions"][each]["distance"]
print("{0} ({1:.1f} km / {2:.1f} miles)".format(path, distance / 1000, distance / 1000 / 1
print("==")
:
print("Error message: " + paths_data["message"])
print("**")
PROBLEMS OUTPUT DEBUG CONSOLE TERMINAL
2: Python
Directions from Washington, District of Columbia, United States to Baltimore, Maryland, United States by bike
==
Distance Traveled: 49.5 miles / 79.7 km
Trip Duration: 04:28:22
==
Continue (0.0 km / 0.0 miles)
Turn left (0.0 km / 0.0 miles)
Turn right onto Ellipse Road Northwest (0.1 km / 0.1 miles)
Turn left (0.0 km / 0.0 miles)
Turn left (0.1 km / 0.1 miles)
Turn right (0.0 km / 0.0 miles)
Turn left (0.0 km / 0.0 miles)
OUTLINE
TIMELINE
Python 3.8.10 64-bit
graphhopper_parse-json_1.py - graphhopper - Visual Studio Code


graphhopper_parse-json_1.py - graphhopper - Visual Studio Code
File Edit Selection View Go Run Terminal Help
EXPLORER
OPEN EDITORS
Welcome
graphhopper_par...
GRAPHHOPPER
graphhopper_parse-js...
graphhopper_parse-json_1.py
print("==")
for each in range(len(paths_data["paths"][0]["instructions"])):
path = paths_data["paths"][0]["instructions"][each]["text"]
distance = paths_data["paths"][0]["instructions"][each]["distance"]
print("{0} ({1:.1f} km / {2:.1f} miles)".format(path, distance / 1000, distance / 1000 / 1
print("==")
:
print("Error message: " + paths_data["message"])
print("**")
PROBLEMS OUTPUT DEBUG CONSOLE TERMINAL
2: Python
https://graphhopper.com/api/1/route?key=89990cc5-a331-44d7-8142-5d4550d0cb3c&vehicle=car&point=38.8950982%2C-77
.0363849&point=39.2908816%2C-76.610759
==
Directions from Washington, District of Columbia, United States to Baltimore, Maryland, United States by car
==
Distance Traveled: 38.5 miles / 62.1 km
Trip Duration: 00:52:34
==
Continue onto 15th Street Northwest (0.4 km / 0.3 miles)
Turn right onto New York Avenue Northwest (0.9 km / 0.6 miles)
Turn slight right onto K Street Northwest (0.2 km / 0.1 miles)
Turn left onto 7th Street Northwest (0.1 km / 0.1
OUTLINE
TIMELINE
Python 3.8.10 64-bit
http://library.demo.local/api/v1/books?includeISBN=true&sortBy=author - My Workspace


graphhopper_parse-json_1.py - graphhopper - Visual Studio Code
File Edit Selection View Go Run Terminal Help
EXPLORER
OPEN EDITORS
Welcome
graphhopper_par...
GRAPHHOPPER
graphhopper_parse-js...
graphhopper_parse-json_1.py
print("==")
for each in range(len(paths_data["paths"][0]["instructions"])):
path = paths_data["paths"][0]["instructions"][each]["text"]
distance = paths_data["paths"][0]["instructions"][each]["distance"]
print("{0} ({1:.1f} km / {2:.1f} miles)".format(path, distance / 1000, distance / 1000 / 1
print("==")
:
print("Error message: " + paths_data["message"])
print("**")
PROBLEMS OUTPUT DEBUG CONSOLE TERMINAL
2: Python
Destination: London, England
Geocoding API URL for London, England, United Kingdom (Location Type: city)
https://graphhopper.com/api/1/geocode?q=London%2C+England&limit=1&key=89990cc5-a331-44d7-8142-5d4550d0cb3c
==
Routing API Status: 200
Routing API URL:
https://graphhopper.com/api/1/route?key=89990cc5-a331-44d7-8142-5d4550d0cb3c&vehicle=car&point=53.7974185%2C-1.
5437941&point=51.5074456%2C-0.1277653
==
Directions from Leeds, England, United Kingdom to London, England, United Kingdom by car
==
Distance Traveled: 194.4 miles / 313.1 km
OUTLINE
TIMELINE
Python 3.8.10 64-bit
graphhopper_parse-json_1.py - graphhopper - Visual Studio Code


graphhopper_parse-json_1.py - graphhopper - Visual Studio Code
EXPLORER
OPEN EDITORS
Welcome
graphhopper_par...
GRAPHHOPPER
graphhopper_parse-js...
graphhopper_parse-json_1.py
print("==")
for each in range(len(paths_data["paths"][0]["instructions"])):
path = paths_data["paths"][0]["instructions"][each]["text"]
distance = paths_data["paths"][0]["instructions"][each]["distance"]
print("{0} ({1:.1f} km / {2:.1f} miles)".format(path, distance / 1000, distance / 1000 / 1
print("==")
:
print("Error message: " + paths_data["message"])
print("**")
PROBLEMS OUTPUT DEBUG CONSOLE TERMINAL
2: Python
11.940016&point=33.4151005%2C-111.831455
==
Directions from Tempe, Arizona, United States to Mesa, Arizona, United States by foot
==
Distance Traveled: 6.7 miles / 10.7 km
Trip Duration: 02:08:57
==
Continue onto East 5th Street (0.0 km / 0.0 miles)
Turn sharp right (0.0 km / 0.0 miles)
Turn left (0.5 km / 0.3 miles)
Turn right (0.0 km / 0.0 miles)
Turn left (0.7 km / 0.4 miles)
OUTLINE
TIMELINE
Python 3.8.10 64-bit
graphhopper_parse-json_1.py - graphhopper - Visual Studio Code


graphhopper_parse-json_1.py - graphhopper - Visual Studio Code
File Edit Selection View Go Run Terminal Help
EXPLORER
OPEN EDITORS
Welcome
graphhopper_parse-json_1.py
GRAPHHOPPER
graphhopper_parse-js...
OUTLINE
TIMELINE
Welcome
graphhopper_parse-json_1.py
graphhopper_parse-json_1.py > ...
91 print("==========")
92 for each in range(len(paths_data["paths"][0]["instructions"])):
93 path = paths_data["paths"][0]["instructions"][each]["text"]
94 distance = paths_data["paths"][0]["instructions"][each]["distance"]
95 print("{0} ({1:.1f} km / {2:.1f} miles)".format(path, distance / 1000, distance / 1000 / 1
96 print("==========")
97 :
98 print("Error message: " + paths_data["message"])
99 print("**********")
PROBLEMS OUTPUT DEBUG CONSOLE TERMINAL
2: Python
Turn right (0.8 km / 0.5 miles)
Turn right onto North Center Street (0.0 km / 0.0 miles)
Arrive at destination (0.0 km / 0.0 miles)
==========
++++++++++
Vehicle profiles available on Graphhopper:
++++++++++
car, bike, foot
++++++++++
Enter a vehicle profile from the list above: q
devasc@labvm:~/labs/devnet-src/graphhopper$
Python 3.8.10 64-bit
graphhopper_parse-json_1.py - graphhopper - Visual Studio Code
Python
Поиск
РУС
12:16
07.11.2026