



VLAN 3
(dmz)
192.168.2.0/24
VLAN 2
(outside)
209.165.200.224/29
10.1.1.0/30
64.100.0.0/24
Server-PT
2960-24TT
S1
5505
FIREWALL
ISR4321
R1
Internet
Server-PT
www.example.com
64.100.0.10
10.2.2.0/30
ide: 192.168.2.3
tside: 209.165.200.227
VLAN 1
(inside)
192.168.1.0/24
2960-24TT
S2
PC-PT
PC-A
2960-24TT
S3
ISR4321
R3
172.16.3.0/24
PC-PT
PC-B
Server-PT
Corporate


Corporate
Physical
Config
Services
Desktop
Programming
Attributes
SERVICES
HTTP
DHCP
DHCPv6
TFTP
DNS
SYSLOG
AAA
NTP
EMAIL
FTP
IoT
VM Management
Radius EAP
PRP
DNS
DNS Service
On
Off
Resource Records
Name
Type
A Record
Address
Add
Save
Remove
No.
Name
Type
Detail
0
www.example.com
A Record
64.100.0.10
DNS Cache
Top


Physical
Config
Desktop
Programming
Attributes
Command Prompt
Cisco Packet Tracer PC Command Line 1.0
C:\>ping www.example.com
Pinging 64.100.0.10 with 32 bytes of data:
Request timed out.
Request timed out.
Request timed out.
Request timed out.
Ping statistics for 64.100.0.10:
Packets: Sent = 4, Received = 0, Lost = 4 (100% loss),
C:\>

```
Ping statistics for 64.100.0.10:
    Packets: Sent = 4, Received = 0, Lost = 4 (100% loss),


C:\>   ping www.example.com


Pinging 64.100.0.10 with 32 bytes of data:


Reply from 64.100.0.10: bytes=32 time<1ms TTL=125
Reply from 64.100.0.10: bytes=32 time=1ms TTL=125
Reply from 64.100.0.10: bytes=32 time=1ms TTL=125
Reply from 64.100.0.10: bytes=32 time<1ms TTL=125


Ping statistics for 64.100.0.10:
    Packets: Sent = 4, Received = 4, Lost = 0 (0% loss),
Approximate round trip times in milli-seconds:
    Minimum = 0ms, Maximum = 1ms, Average = 0ms


C:\>
```



PC-B
Physical
Config
Desktop
Programming
Attributes
GLOBAL
Settings
Algorithm Settings
INTERFACE
FastEthernet0
Bluetooth
Global Settings
Display Name
PC-B
Interfaces
FastEthernet0
Gateway/DNS IPv4
DHCP
Static
Default Gateway
172.16.3.1
DNS Server
64.100.0.10
Gateway/DNS IPv6
Automatic
Static
Default Gateway
DNS Server
Device Clock:
12:06:46 Mon Mar 1 1993 UTC
NTP
Server Ip:
Authentication
Enable
Disable
Password:
PTP
Profile
Power
Enable
Disable
Top



PC-B
Physical
Config
Desktop
Programming
Attributes
Command Prompt
X
Ping statistics for 209.165.200.227:
Packets: Sent = 4, Received = 4, Lost = 0 (0% loss),
Approximate round trip times in milli-seconds:
Minimum = 0ms, Maximum = 3ms, Average = 1ms
C:\>ping www.example.com
Pinging 64.100.0.10 with 32 bytes of data:
Reply from 64.100.0.10: bytes=32 time<1ms TTL=126
Reply from 64.100.0.10: bytes=32 time<1ms TTL=126
Reply from 64.100.0.10: bytes=32 time<1ms TTL=126
Reply from 64.100.0.10: bytes=32 time<1ms TTL=126
Ping statistics for 64.100.0.10:
Packets: Sent = 4, Received = 4, Lost = 0 (0% loss),
Approximate round trip times in milli-seconds:
Minimum = 0ms, Maximum = 0ms, Average = 0ms
C:\>ping www.example.com
Pinging 64.100.0.10 with 32 bytes of data:
Reply from 64.100.0.10: bytes=32 time<1ms TTL=126
Reply from 64.100.0.10: bytes=32 time<1ms TTL=126
Reply from 64.100.0.10: bytes=32 time<1ms TTL=126
Reply from 64.100.0.10: bytes=32 time<1ms TTL=126
Ping statistics for 64.100.0.10:
Packets: Sent = 4, Received = 4, Lost = 0 (0% loss),
Approximate round trip times in milli-seconds:
Minimum = 0ms, Maximum = 0ms, Average = 0ms
C:\>ping www.devasc-netacad.pka
Pinging 209.165.200.227 with 32 bytes of data:
Reply from 209.165.200.227: bytes=32 time=1ms TTL=124
Reply from 209.165.200.227: bytes=32 time<1ms TTL=124
Reply from 209.165.200.227: bytes=32 time=1ms TTL=124
Reply from 209.165.200.227: bytes=32 time<1ms TTL=124
Ping statistics for 209.165.200.227:
Packets: Sent = 4, Received = 4, Lost = 0 (0% loss),
Approximate round trip times in milli-seconds:
Minimum = 0ms, Maximum = 1ms, Average = 0ms
C:\>
Top



PC-B
Physical
Config
Desktop
Programming
Attributes
Web Browser
X
<
>
URL
http://www.example.com
Go
Stop
Example.com
This is an example website
Top


Physical
Config
Desktop
Programming
Attributes
Web Browser
X
<
>
URL
http://www.devasc-netacad.pka
Go
Stop
Request Timeout
Top


FIREWALL
Physical
Config
CLI
Attributes
IOS Command Line Interface
!
object network dmz-server
 host 192.168.2.3
 nat (dmz,outside) static 209.165.200.227
object network inside-net
 subnet 192.168.1.0 255.255.255.0
 nat (inside,outside) dynamic interface
!
route outside 0.0.0.0 0.0.0.0 209.165.200.225 1
!
access-list OUTSIDE-DMZ extended permit icmp any host 192.168.2.3
access-list OUTSIDE-DMZ extended permit tcp any host 192.168.2.3 eq 443
!
!
access-group OUTSIDE-DMZ in interface outside
aaa authentication ssh console LOCAL
!
ntp server 192.168.1.3
username admin password .vMR4ts6hGyvBErZ encrypted
!
class-map inspection_default
 match default-inspection-traffic
!
policy-map global_policy
 class inspection_default
  inspect icmp
!
service-policy global_policy global
!
telnet timeout 5
ssh 192.168.1.0 255.255.255.0 inside
ssh 172.16.3.3 255.255.255.255 outside
ssh timeout 10
!
dhcpd auto_config outside
!
!
!
!
!
!
FIREWALL#configure terminal
FIREWALL(config)#access-list OUTSIDE-DMZ extended permit tcp any host 192.168.2.3 eq www
FIREWALL(config)#exit
FIREWALL#
Copy
Paste
Top


PC-B
Physical
Config
Desktop
Programming
Attributes
Web Browser
X
<
>
URL
http://209.165.200.227
Go
Stop
DevNet Associate
Welcome to NetAcad DEVASC course!
Top


Corporate
Physical
Config
Services
Desktop
Programming
Attributes
SERVICES
HTTP
DHCP
DHCPv6
TFTP
DNS
SYSLOG
AAA
NTP
EMAIL
FTP
IoT
VM Management
Radius EAP
PRP
DHCP
Interface
FastEthernet0
Service
On
Off
Pool Name
serverPool
Default Gateway
192.168.1.1
DNS Server
192.168.1.3
Start IP Address :
192
168
1
10
Subnet Mask:
255
255
255
0
Maximum Number of Users :
245
TFTP Server:
0.0.0.0
WLC Address:
0.0.0.0
Add
Save
Remove
Pool Name
Default Gateway
DNS Server
Start IP Address
Subnet Mask
Max User
TFTP Server
WLC Address
serverPool
192.168.1.1
192.168.1.3
192.168.1...
255.255.2...
245
0.0.0.0
0.0.0.0
Top




```
S2>enable
Password:
S2#configure terminal
Enter configuration commands, one per line.  End with CNTL/Z.
S2(config)#ntp server 192.168.1.3
S2(config)#exit
S2#show clock detail
%SYS-5-CONFIG_I: Configured from console by console

12:35:37.617 UTC Mon Mar 1 1993
Time source is NTP
S2#
```

```
C:\>telnet 192.168.1.4
Trying 192.168.1.4 ...Open

[Connection to 192.168.1.4 closed by foreign host]
C:\>
```

```
C:\>telnet 192.168.1.4
Trying 192.168.1.4 ...Open

[Connection to 192.168.1.4 closed by foreign host]
C:\>ssh
Cisco Packet Tracer PC SSH

Usage: SSH -l username target


C:\>ssh -l administrator 192.168.1.4


Password:





S2>enable
Password:
S2#exit


[Connection to 192.168.1.4 closed by foreign host]
C:\>
```



PC-B
Physical
Config
Desktop
Programming
Attributes
MIB Browser
X
Address:
172.16.3.1
OID:
.1.3.6.1.2.1.2.2.1.8
Advanced...
Operations:
Get
GO
SNMP MIBs
.system
.sysDescr
.sysObjectID
.sysUpTime
.sysContact
.sysName
.sysLocation
.interfaces
.ifNumber
.ifTable
.ifEntry
.ifIn...
.ifD...
.ifTy...
.ifMtu
.ifSp...
.ifPh...
.ifA...
.ifO...
.ip
.ospf
.rip2
.private
router_advip MIBs
switch_L2 MIBs
Result Table
Name/OID
Value
Type
.1.3.6.1.2.1.2.2.1.8....
up
Integer
.1.3.6.1.2.1.2.2.1.8....
up
Integer
.1.3.6.1.2.1.2.2.1.8....
down
Integer
Name :
.ifOperStatus
OID :
.1.3.6.1.2.1.2.2.1.8
Syntax :
Access :
Description :
.iso.org.dod.internet.mgmt.mib-2.interfaces.ifTable.ifEntry.ifOperStatus
Top



PC-B
Physical
Config
Desktop
Programming
Attributes
Web Browser
X
<
>
URL
http://www.devasc-netacad.pka
Go
Stop
DevNet Associate
Welcome to NetAcad DEVASC course!
Top



Physical
Config
CLI
Attributes
IOS Command Line Interface
nat (dmz,outside) static 209.165.200.227
object network inside-net
subnet 192.168.1.0 255.255.255.0
nat (inside,outside) dynamic interface
!
route outside 0.0.0.0 0.0.0.0 209.165.200.225 1
!
access-list OUTSIDE-DMZ extended permit icmp any host 192.168.2.3
access-list OUTSIDE-DMZ extended permit tcp any host 192.168.2.3 eq 443
!
!
access-group OUTSIDE-DMZ in interface outside
aaa authentication ssh console LOCAL
!
ntp server 192.168.1.3
username admin password .vMR4ts6hGyvBErZ encrypted
!
class-map inspection_default
match default-inspection-traffic
!
policy-map global_policy
class inspection_default
inspect icmp
!
service-policy global_policy global
!
telnet timeout 5
ssh 192.168.1.0 255.255.255.0 inside
ssh 172.16.3.3 255.255.255.255 outside
ssh timeout 10
!
dhcpd auto_config outside
!
!
!
!
!
!
FIREWALL#configure terminal
FIREWALL(config)#access-list OUTSIDE-DMZ extended permit tcp any host 192.168.2.3 eq www
FIREWALL(config)#exit
FIREWALL#configure terminal
FIREWALL(config)#no access-list OUTSIDE-DMZ extended permit tcp any host 192.168.2.3 eq www
FIREWALL(config)#exit
FIREWALL#
Copy
Paste
Top



www.devasc-netacad.pka
Physical
Config
Services
Desktop
Programming
Attributes
SERVICES
HTTP
DHCP
DHCPv6
TFTP
DNS
SYSLOG
AAA
NTP
EMAIL
FTP
IoT
VM Management
Radius EAP
PRP
HTTP
HTTP
On
Off
HTTPS
On
Off
File Manager
File Name
Edit
Delete
1
index.html
(edit)
(delete)
New File
Import
Top



PC-B
Physical
Config
Desktop
Programming
Attributes
Web Browser
X
<
>
URL
http://www.devasc-netacad.pka
Go
Stop
Request Timeout
Top



PC-B
Physical
Config
Desktop
Programming
Attributes
Web Browser
X
<
>
URL
https://www.devasc-netacad.pka
Go
Stop
DevNet Associate
Welcome to NetAcad DEVASC course!
Top



www.example.com
Physical
Config
Services
Desktop
Programming
Attributes
SERVICES
HTTP
DHCP
DHCPv6
TFTP
DNS
SYSLOG
AAA
NTP
EMAIL
FTP
IoT
VM Management
Radius EAP
PRP
EMAIL
SMTP Service
ON
OFF
POP3 Service
ON
OFF
Domain Name:
www.example.com
Set
User Setup
User
Password
Student1
Student2
+
-
Change
Password
Top


PC-A
Physical
Config
Desktop
Programming
Attributes
Configure Mail
X
User Information
Your Name:
Student1
Email Address
Student1@www.example.com
Server Information
Incoming Mail Server
64.100.0.10
Outgoing Mail Server
64.100.0.10
Logon Information
User Name:
Student1
Password:
Save
Remove
Clear
Reset
Top


PC-B
Physical
Config
Desktop
Programming
Attributes
Configure Mail
X
User Information
Your Name:
Student2
Email Address
Student2@www.example.com
Server Information
Incoming Mail Server
64.100.0.10
Outgoing Mail Server
64.100.0.10
Logon Information
User Name:
Student2
Password:
Save
Remove
Clear
Reset
Top


PC-B
Physical
Config
Desktop
Programming
Attributes
Compose Mail
X
Send
To:
Student1@www.example.com
Subject:
Email
Hi
Top


PC-A
Physical
Config
Desktop
Programming
Attributes
MAIL BROWSER
X
Mails
Compose
Reply
Receive
Delete
Configure Mail
From
Subject
Received
1
Student2@www.example.com
Email
Thu Apr 30 2020 03:09:57
Email
Student2@www.example.com
Sent : Thu Apr 30 2020 03:09:57
Hi
Receiving mail from POP3 Server 64.100.0.10
Receive Mail Success.
Cancel
Send/Receive
Top


Corporate
Physical
Config
Services
Desktop
Programming
Attributes
SERVICES
HTTP
DHCP
DHCPv6
TFTP
DNS
SYSLOG
AAA
NTP
EMAIL
FTP
IoT
VM Management
Radius EAP
PRP
FTP
Service
On
Off
User Setup
Username
Password
Write
Read
Delete
Rename
List
Username
Password
Permission
1 cisco cisco RWDNL
2 Student class RWDNL
Add
Save
Remove
File
1 asa842-k8.bin
2 asa923-k8.bin
3 c1841-advipservicesk9-mz.124-15.T1.bin
4 c1841-ipbase-mz.123-14.T7.bin
5 c1841-ipbasek9-mz.124-12.bin
6 c1900-universalk9-mz.SPA.155-3.M4a.bin
7 c2600-advipservicesk9-mz.124-15.T1.bin
Remove
Top

```
[Connection to 192.168.1.4 closed by foreign host]
C:\>dir

 Volume in drive C has no label.
 Volume Serial Number is 5E12-4AF3
 Directory of C:\

2/7/2106    12:28 PM           26        sampleFile.txt
               26 bytes            1 File(s)
C:\>ftp 192.168.1.3
Trying to connect...192.168.1.3
Connected to 192.168.1.3
220- Welcome to PT Ftp server
Username:Student
331- Username ok, need password
Password:*****
230- Logged in
(passive mode On)
ftp>?
         ?
         cd
         delete
         dir
         get
         help
         passive
         put
         pwd
         quit
         rename
ftp>dir

Listing /ftp directory from 192.168.1.3:
0    : asa842-k8.bin                                  5571584
1    : asa923-k8.bin                                  30468096
2    : c1841-advipservicesk9-mz.124-15.T1.bin         33591768
3    : c1841-ipbase-mz.123-14.T7.bin                  13832032
4    : c1841-ipbasek9-mz.124-12.bin                   16599160
5    : c1900-universalk9-mz.SPA.155-3.M4a.bin         33591768
6    : c2600-advipservicesk9-mz.124-15.T1.bin         33591768
7    : c2600-i-mz.122-28.bin                          5571584
8    : c2600-ipbasek9-mz.124-8.bin                    13169700
```

```
ftp>dir

Listing /ftp directory from 192.168.1.3:
0    : asa842-k8.bin                                    5571584
1    : asa923-k8.bin                                    30468096
2    : c1841-advipservicesk9-mz.124-15.T1.bin           33591768
3    : c1841-ipbase-mz.123-14.T7.bin                    13832032
4    : c1841-ipbasek9-mz.124-12.bin                     16599160
5    : c1900-universalk9-mz.SPA.155-3.M4a.bin           33591768
6    : c2600-advipservicesk9-mz.124-15.T1.bin           33591768
7    : c2600-i-mz.122-28.bin                            5571584
8    : c2600-ipbasek9-mz.124-8.bin                      13169700
9    : c2800nm-advipservicesk9-mz.124-15.T1.bin         50938004
10   : c2800nm-advipservicesk9-mz.151-4.M4.bin          33591768
11   : c2800nm-ipbase-mz.123-14.T7.bin                  5571584
12   : c2800nm-ipbasek9-mz.124-8.bin                    15522644
13   : c2900-universalk9-mz.SPA.155-3.M4a.bin           33591768
14   : c2950-i6q4l2-mz.121-22.EA4.bin                   3058048
15   : c2950-i6q4l2-mz.121-22.EA8.bin                   3117390
16   : c2960-lanbase-mz.122-25.FX.bin                   4414921
17   : c2960-lanbase-mz.122-25.SEE1.bin                 4670455
18   : c2960-lanbasek9-mz.150-2.SE4.bin                 4670455
19   : c3560-advipservicesk9-mz.122-37.SE1.bin          8662192
20   : c3560-advipservicesk9-mz.122-46.SE.bin           10713279
21   : c800-universalk9-mz.SPA.152-4.M4.bin             33591768
22   : c800-universalk9-mz.SPA.154-3.M6a.bin            83029236
23   : cat3k_caa-universalk9.16.03.02.SPA.bin           505532849
24   : cgr1000-universalk9-mz.SPA.154-2.CG              159487552
25   : cgr1000-universalk9-mz.SPA.156-3.CG              184530138
26   : ir800-universalk9-bundle.SPA.156-3.M.bin         160968869
27   : ir800-universalk9-mz.SPA.155-3.M                 61750062
28   : ir800-universalk9-mz.SPA.156-3.M                 63753767
29   : ir800_yocto-1.7.2.tar                            2877440
30   : ir800_yocto-1.7.2_python-2.7.3.tar               6912000
31   : pt1000-i-mz.122-28.bin                           5571584
32   : pt3000-i6q4l2-mz.121-22.EA4.bin                  3117390
ftp>put sampleFile.txt

Writing file sampleFile.txt to 192.168.1.3:
File transfer in progress...

[Transfer complete - 26 bytes]

26 bytes copied in 0.047 secs (553 bytes/sec)
ftp>dir

Listing /ftp directory from 192.168.1.3:
```

```
26 bytes copied in 0.047 secs (553 bytes/sec)
ftp>dir

Listing /ftp directory from 192.168.1.3:
0    : asa842-k8.bin                                    5571584
1    : asa923-k8.bin                                    30468096
2    : c1841-advipservicesk9-mz.124-15.T1.bin           33591768
3    : c1841-ipbase-mz.123-14.T7.bin                    13832032
4    : c1841-ipbasek9-mz.124-12.bin                     16599160
5    : c1900-universalk9-mz.SPA.155-3.M4a.bin           33591768
6    : c2600-advipservicesk9-mz.124-15.T1.bin           33591768
7    : c2600-i-mz.122-28.bin                            5571584
8    : c2600-ipbasek9-mz.124-8.bin                      13169700
9    : c2800nm-advipservicesk9-mz.124-15.T1.bin         50938004
10   : c2800nm-advipservicesk9-mz.151-4.M4.bin          33591768
11   : c2800nm-ipbase-mz.123-14.T7.bin                  5571584
12   : c2800nm-ipbasek9-mz.124-8.bin                    15522644
13   : c2900-universalk9-mz.SPA.155-3.M4a.bin           33591768
14   : c2950-i6q4l2-mz.121-22.EA4.bin                   3058048
15   : c2950-i6q4l2-mz.121-22.EA8.bin                   3117390
16   : c2960-lanbase-mz.122-25.FX.bin                   4414921
17   : c2960-lanbase-mz.122-25.SEE1.bin                 4670455
18   : c2960-lanbasek9-mz.150-2.SE4.bin                 4670455
19   : c3560-advipservicesk9-mz.122-37.SE1.bin          8662192
20   : c3560-advipservicesk9-mz.122-46.SE.bin           10713279
21   : c800-universalk9-mz.SPA.152-4.M4.bin             33591768
22   : c800-universalk9-mz.SPA.154-3.M6a.bin            83029236
23   : cat3k_caa-universalk9.16.03.02.SPA.bin           505532849
24   : cgr1000-universalk9-mz.SPA.154-2.CG              159487552
25   : cgr1000-universalk9-mz.SPA.156-3.CG              184530138
26   : ir800-universalk9-bundle.SPA.156-3.M.bin         160968869
27   : ir800-universalk9-mz.SPA.155-3.M                 61750062
28   : ir800-universalk9-mz.SPA.156-3.M                 63753767
29   : ir800_yocto-1.7.2.tar                            2877440
30   : ir800_yocto-1.7.2_python-2.7.3.tar               6912000
31   : pt1000-i-mz.122-28.bin                           5571584
32   : pt3000-i6q4l2-mz.121-22.EA4.bin                  3117390
33   : sampleFile.txt                                   26
ftp>get asa842-k8.bin

Reading file asa842-k8.bin from 192.168.1.3:
File transfer in progress...
```

```
33   : sampleFile.txt                                   26
ftp>get asa842-k8.bin

Reading file asa842-k8.bin from 192.168.1.3:
File transfer in progress...

[Transfer complete - 5571584 bytes]

5571584 bytes copied in 46.13 secs (27674 bytes/sec)
ftp>delete sampleFile.txt


Deleting file sampleFile.txt from 192.168.1.3: ftp>
[Deleted file sampleFile.txt successfully ]
ftp>quit


221- Service closing control connection.
C:\>dir

 Volume in drive C has no label.
 Volume Serial Number is 5E12-4AF3
 Directory of C:\

1/1/1970    6:0 PM            5571584   asa842-k8.bin
2/7/2106    12:28 PM          26        sampleFile.txt
               5571610 bytes       2 File(s)
C:\>
```

Top


Cisco Packet Tracer - C:\Users\Amin\Downloads\Telegram Desktop\5.5.7-packet-tracer---explore-network-protocols.pka - Guest - 2026-10-31 00:07:10
File Edit Options View Tools Extensions Window Help
Activity Results
Time Elapsed: 01:00:10
Congratulations Guest! You completed the activity.
Overall Feedback Assessment Items Connectivity Tests
Expand/Collapse All Show Incorrect Items
Assessment Items Status Points Component(s) Feedback
Network
Corporate
DHCP Server List
DHCP Server (FastEthernet0)
DHCP Enable Correct 1 Ip
Pools
Pool serverPool
Default Gateway Correct 1 Ip
DNS server IP Correct 1 Ip
Domain Name Correct 1 Ip
Max User Correct 1 Ip
Name Correct 1 Ip
Network Address Correct 1 Ip
Pool IPs Correct 1 Ip
Start IP address Correct 1 Ip
Subnet mask Correct 1 Ip
TFTP Server Correct 1 Ip
WLC Address Correct 1 Ip
Subscriber Id Correct 1 Ip
DNS Server
DNS Enable Correct 1 Ip
Resource Records
www.devasc-netacad.pka 1 Ip
A Records 0 Ip
Address Correct 1 Ip
www.example.com 1 Ip
A Records 0 Ip
Address Correct 1 Ip
FTP Server
FTP Enable Correct 1 Ip
User Accounts
Score : 32/32
Item Count : 32/32
Component Items/Total Score
Ip 28/28 28/28
Other 4/4 4/4
Close
6°C
Mostly cloudy
Поиск
ENG
1:08
31.10.2026


File Edit Options View Tools Extensions Window Help
Activity Results
Time Elapsed: 01:02:24
Congratulations Guest! You completed the activity.
Overall Feedback Assessment Items Connectivity Tests
Expand/Collapse All Show Incorrect Items
Assessment Items Status Points Component(s) Feedback
Address Correct 1 Ip
www.example.com 1 Ip
A Records 0 Ip
Address Correct 1 Ip
FTP Server
FTP Enable Correct 1 Ip
User Accounts
Account Student
User Name Correct 1 Ip
User Password Correct 1 Ip
User Permission Correct 1 Ip
NTP
Master Correct 1 Other
NTP Authenticate Correct 1 Other
Trusted Keys 0 Other
Key Correct 1 Other
Update Calendar Correct 1 Other
www.example.com
Email Server
Domain Name Correct 1 Ip
POP3 Service Enabled Correct 1 Ip
SMTP Service Enabled Correct 1 Ip
Users
User Student1
User Name Correct 1 Ip
User Password Correct 1 Ip
User Student2
User Name Correct 1 Ip
User Password Correct 1 Ip
HTTPS Server 0 Ip
HTTPS Enable Correct 1 Ip
Score : 32/32
Item Count : 32/32
Component Items/Total Score
Ip 28/28 28/28
Other 4/4 4/4
Close
6°C
Mostly cloudy
Поиск
ENG
1:28
31.10.2026

PT Activity: 01:00:21

Packet Tracer - Explore Network Protocols (Instructor Version)

Instructor Note: Red font color or gray highlights indicate text that appears in the instructor copy only.

Addressing Table

Device	Interface	IPv4 Address	Subnet Mask	Default Gateway
R1	G0/0/0	209.165.200.225	255.255.255.248	
	G0/0/1	10.1.1.2	255.255.255.252	
R3	G0/0/0	10.2.2.2	255.255.255.252	
	G0/0/1	172.16.3.1	255.255.255.0	
FIREWALL	VLAN1	192.168.1.1	255.255.255.0	
	VLAN2	209.165.200.226	255.255.255.248	
	VLAN3	192.168.2.1	255.255.255.0	
DEVASC Server	NIC	IN: 192.168.2.3	255.255.255.0	192.168.1.1
	VLAN1	OUT: 209.165.200.227	255.255.255.248	209.165.200.225
Example Server	NIC	64.100.0.10	255.255.255.0	64.100.0.1
PC-A	NIC	DHCP Assigned	255.255.255.0	192.168.1.1
PC-B	NIC	172.16.3.2	255.255.255.0	172.16.3.1

Objectives

Part 1: Configure DNS

Part 2: Configure DHCP

Part 3: Configure NTP

Part 4: Use SSH to Configure a Switch

Part 5: Use SNMP

Part 6: Configure HTTPS

Part 7: Configure EMAIL

Part 8: Configure FTP

Background / Scenario

Time Elapsed: 01:00:21 Completion: 100%

Top Dock Check Results Back 1/1 Next

6°C Mostly cloudy Поиск ENG 1:08 31.10.2026