



ASTREABLUE ENTERPRISE ITSM

Complete System Module Diagram Pack

Print-ready architecture, workflows, role handoffs, data movement, and module relationships

WHAT THIS PACK CONTAINS

One enterprise overview followed by dedicated diagrams for Service Desk, Assets, CMDB, Replacement, Endpoint Monitoring, Consent, Employee Lifecycle, Integrations, Analytics, and Administration.

Prepared from the implemented AstreaBlue codebase

01

Enterprise System Map

Roles, frontend, API, data, storage, and external systems

03

Asset Management

Hardware, software, discovery, finance, and history

05

Replacement Management

Assessment, repair path, and replacement path

07

Consent Governance

General consent, device assignment, effective policy, and enforcement

09

Employee Offboarding

Access, assets, licenses, classification, notification, and closure

11

Reporting and Administration

Dashboards, exports, users, branches, settings, and audit

02

Service Desk

Incidents, service requests, knowledge, calendar, and SLA

04

Configuration Management

Configuration items, dependency map, and change impact

06

Endpoint Management

Enrollment, identity, heartbeat, inventory, activity, screenshots, USB/DLP

08

Employee Onboarding

Pre-hire case, invitation, consent, asset, and evidence gate

10


External Ticket Gateway


System registration, API key, ticket submission, and SuperAdmin queue

12

End-to-End Demonstration


Recommended presentation sequence and acceptance evidence






RBAC BOUNDARY

Employees see their own tickets. Technicians see eligible work in their branch but not lifecycle, privacy, consent-change, role-change, or centralized external tickets. Admin is branch-scoped; SuperAdmin is company-wide.




IMPORTANT DISTINCTION

A hardware asset is the owned physical record. A monitored device is its persistent endpoint identity. Linking or replacing an asset must not silently delete the device UUID, credential, monitoring history, or consent evidence.




REFERENCE DEPENDENCY




HOW TO EXPLAIN THE SCORE

The selected CI is the impact source. The backend follows downstream and upstream relationships, counts affected and Production CIs, identifies dependent applications and branches, and converts that evidence into an impact score, risk label, and recommended action.




AUTOMATIC DATA EFFECTS

Request status, asset status, employee assignment, condition, responsible actor, timestamps, and asset history are updated together. Endpoint identity and historical monitoring records remain intact.




THREE REQUIRED GATES

Privacy-sensitive monitoring runs only when all three are true: approved employee consent, enabled effective endpoint policy, and the device is assigned to that employee. Heartbeat and operational inventory remain baseline management functions.






NO MONITORING BY LABEL ALONE


A UI label does not authorize collection. The backend revalidates assignment, approved consent, enabled feature flag, policy version, and device credential before accepting privacy-sensitive telemetry.



ROLE HANDOFF

HR owns pre-hire details and oversight. Admin/SuperAdmin owns privileged account invitation and consent approval. IT evidence comes from real system records; automatically verifiable items cannot be falsely completed by manually checking a box.





CURRENT SYSTEM BOUNDARY

Offboarding automates only AstreaBlue records. It does not pretend to deactivate Google Workspace, Microsoft 365, VPN, HRIS, or other external accounts unless a future authorized integration is implemented.

PRESERVED


Device UUID, credential history, telemetry history, asset history, consent documents, and audit events.

CHANGED

User active state, asset assignment, license assignment, lifecycle tasks, and linked ticket state.




BLOCKED UNTIL COMPLETE


The lifecycle case cannot close while any required checklist or evidence item remains pending.




WHAT THE OTHER DEVELOPER RECEIVES

API URL, unique API key, request headers, JSON contract, priority mapping, idempotent external_reference rule, and response format. They call the API from their backend, not directly from the Help form browser.





SYSTEM ADMINISTRATION




EXPORT STANDARD

Filtered reports use the current authorized scope and produce consistent Excel, TXT, or PDF output with AstreaBlue branding, report title, branch/company context, and generation timestamp.

Recommended End-to-End Demonstration

A presentation sequence that proves connected data instead of isolated screens.



ACCEPTANCE EVIDENCE

For every step, show the originating action, resulting database-backed status, responsible actor and timestamp, RBAC restriction from another role, and the corresponding history or audit event.

LIVE PROOF

Heartbeat, inventory timestamps, Socket.IO refresh, ticket state transitions, and current effective policy.

SECURITY PROOF

Branch isolation, SuperAdmin-only external queue, consent enforcement, and unique device credentials.

AUDIT PROOF

History entries, SLA changes, lifecycle evidence, integration logs, and branded exports.