


> Master degree mutatis mutandis. UE Custom project

>>>

liftr With custom french template

Nan Xiao, Nicolas Roelandt 22 octobre 2017



Université Paris 8
Département de géographie
1er étage Bâtiment D
2, rue de la Liberté
93256 Saint-Denis Cedex
France

Tél. +33 (0)1 49 40 72 70 http://www.geographie.univ-paris8.fr Pr.Charles Xavier

liftr With custom french template

liftr With custom french template

Sommaire

Hitre			ı
Sommaire			3
1	section		4
	1.1	subsection	4
		1.1.1 subsubsection	4
2	Images	and footnotes	4
3	code .		5
4	r code		
	4.1	$tibble \ \dots $	5
	4.2	ggplot2	6
	4.3	purrr	
	4.4	dplyr	7
5	Session	information	9
Liste	des figi	ıres	10
Liste des tables			

pdf_document customisation :

http://rmarkdown.rstudio.com/pdf_document_format.html

1 section

1.1 subsection

1.1.1 subsubsection

1.1.1.1 paragraph

1.1.1.1.1 subparagraph

subsubparagraph (What? You wanted more?)

An ionocraft ¹ or ion-propelled aircraft (commonly known as a lifter or hexalifter) is a device that uses an electrical electrohydrodynamic (EHD) phenomenon to produce thrust in the air without requiring any combustion or moving parts.

2 Images and footnotes




Fig. 1. Flying Lifter $v2^2$

^{1.} https://en.wikipedia.org/wiki/lonocraft

^{2.} Anonymous59 CC-BY-SA Creative Commons https://commons.wikimedia.org/wiki/File:FlyingLifterv2.png

3 code

```
import sys
print sys.version

## 2.7.13 (default, Jan 19 2017, 14 :48 :08)
## [GCC 6.3.0 20170118]
```

4 r code

4.1 tibble

The examples are from: https://github.com/tidyverse/tibble.

```
library("tibble")
as_tibble(iris)
```

```
## # A tibble : 150 x 5
      Sepal.Length Sepal.Width Petal.Length Petal.Width Species
##
##
             <dbl>
                         <dbl>
                                      <dbl>
                                                   <dbl>
                                                          <fctr>
##
               5.1
                           3.5
                                                     0.2
                                         1.4
                                                          setosa
   1
## 2
               4.9
                           3.0
                                                     0.2
                                         1.4
                                                          setosa
##
    3
               4.7
                           3.2
                                         1.3
                                                     0.2
                                                          setosa
## 4
               4.6
                           3.1
                                         1.5
                                                     0.2
                                                          setosa
## 5
               5.0
                           3.6
                                         1.4
                                                     0.2
                                                          setosa
## 6
               5.4
                           3.9
                                         1.7
                                                     0.4 setosa
## 7
               4.6
                           3.4
                                         1.4
                                                     0.3 setosa
## 8
               5.0
                           3.4
                                         1.5
                                                     0.2
                                                          setosa
## 9
               4.4
                           2.9
                                         1.4
                                                     0.2 setosa
## 10
               4.9
                                                     0.1 setosa
                           3.1
                                         1.5
## # ... with 140 more rows
```

tibble(x = 1:5, y = 1, z = $x^2 + y$)

```
## # A tibble : 5 x 3
##
                У
         Х
     <int> <dbl> <dbl>
## 1
         1
                1
## 2
         2
                1
                       5
## 3
         3
                1
                      10
## 4
         4
                1
                     17
## 5
         5
                      26
                1
```

```
tribble(
    "x, "y, "z,
    "a", 2, 3.6,
    "b", 1, 8.5)
```

```
## # A tibble : 2 x 3
## x y z
## <chr> <dbl> <dbl>
```

```
## 1 a 2 3.6
## 2 b 1 8.5
```

4.2 ggplot2

 $The\ example\ is\ from: https://github.com/tidyverse/ggplot2.$

```
library("ggplot2")

ggplot(mpg, aes(displ, hwy, colour = class)) +
   geom_point()
```




Fig. 2. Engine displacement and Consumption

4.3 purrr

The example is from : https://github.com/tidyverse/purrr.

```
library("purrr")
mtcars %>%
```

```
split(.$cyl) %>% # from base R
  map(\sim lm(mpg \sim wt, data = .)) \%
  map(summary) %>%
  map_dbl("r.squared")
                                 8
## 0.5086326 0.4645102 0.4229655
4.4 dplyr
The examples are from: https://cran.rstudio.com/web/packages/dplyr/vignettes/introduction.html.
library("dplyr")
##
## Attaching package : 'dplyr'
## The following objects are masked from 'package :stats':
##
##
       filter, lag
## The following objects are masked from 'package :base':
##
##
       intersect, setdiff, setequal, union
library("nycflights13")
filter(flights, month == 1, day == 1)
## # A tibble : 842 x 19
##
       year month
                     day dep_time sched_dep_time dep_delay arr_time
##
      <int> <int> <int>
                             <int>
                                             <int>
                                                        <dbl>
                                                                  <int>
##
    1 2013
                 1
                       1
                               517
                                               515
                                                            2
                                                                    830
       2013
                                                            4
                                                                   850
##
    2
                               533
                                               529
                 1
                       1
##
    3
       2013
                               542
                                               540
                                                            2
                                                                   923
                 1
                       1
##
   4
       2013
                 1
                       1
                               544
                                               545
                                                           -1
                                                                   1004
    5
       2013
                                               600
                                                           -6
                                                                   812
##
                 1
                       1
                               554
##
    6
       2013
                 1
                       1
                               554
                                               558
                                                           -4
                                                                   740
    7
       2013
                       1
                                               600
                                                           -5
                                                                   913
##
                 1
                               555
##
    8
       2013
                 1
                       1
                               557
                                               600
                                                           -3
                                                                   709
##
   9
       2013
                 1
                       1
                               557
                                               600
                                                           -3
                                                                   838
## 10 2013
                 1
                       1
                               558
                                                           -2
                                                                    753
                                               600
## # ... with 832 more rows, and 12 more variables : sched_arr_time <int>,
       arr_delay <dbl>, carrier <chr>, flight <int>, tailnum <chr>,
## #
       origin <chr>, dest <chr>, air_time <dbl>, distance <dbl>, hour <dbl>,
## #
       minute <dbl>, time_hour <dttm>
slice(flights, 1:10)
## # A tibble : 10 x 19
##
                     day dep_time sched_dep_time dep_delay arr_time
       year month
##
      <int> <int> <int>
                             <int>
                                             <int>
                                                        <dbl>
                                                                  <int>
                               517
                                               515
                                                            2
                                                                   830
##
    1
       2013
                 1
                       1
    2
       2013
                 1
                       1
                               533
                                               529
                                                            4
                                                                   850
##
```

```
##
    3
       2013
                 1
                        1
                               542
                                               540
                                                            2
                                                                    923
##
    4
       2013
                               544
                                               545
                                                           -1
                                                                   1004
                 1
                        1
    5
##
       2013
                 1
                        1
                               554
                                               600
                                                           -6
                                                                    812
    6
                                                           -4
                                                                    740
##
       2013
                 1
                        1
                               554
                                               558
##
    7
       2013
                 1
                        1
                               555
                                               600
                                                           -5
                                                                    913
##
    8
       2013
                 1
                        1
                               557
                                               600
                                                           -3
                                                                    709
                                                           -3
##
    9
       2013
                 1
                        1
                               557
                                               600
                                                                    838
                                                           -2
                                                                    753
## 10
       2013
                 1
                        1
                               558
                                               600
## # ... with 12 more variables : sched_arr_time <int>, arr_delay <dbl>,
       carrier <chr>, flight <int>, tailnum <chr>, origin <chr>, dest <chr>,
## #
## #
       air_time <dbl>, distance <dbl>, hour <dbl>, minute <dbl>,
       time hour <dttm>
arrange(flights, year, month, day)
## # A tibble : 336,776 x 19
                     day dep_time sched_dep_time dep_delay arr_time
##
       year month
##
      <int> <int> <int>
                             <int>
                                                        <dbl>
                                             <int>
                                                                  <int>
##
       2013
                        1
                               517
                                               515
                                                            2
                                                                    830
    1
                 1
##
    2
       2013
                 1
                        1
                               533
                                               529
                                                            4
                                                                    850
                                                            2
##
    3
       2013
                 1
                        1
                               542
                                               540
                                                                    923
##
    4
       2013
                        1
                                               545
                                                                   1004
                 1
                               544
                                                           -1
    5
                                                           -6
##
       2013
                 1
                        1
                               554
                                               600
                                                                    812
##
    6
       2013
                 1
                        1
                               554
                                               558
                                                           -4
                                                                    740
##
    7
       2013
                 1
                        1
                               555
                                               600
                                                           -5
                                                                    913
##
    8
       2013
                 1
                        1
                                               600
                                                           -3
                                                                    709
                               557
    9
                                                           -3
                                                                    838
##
       2013
                 1
                        1
                               557
                                               600
                               558
                                                           -2
                                                                    753
## 10 2013
                 1
                        1
                                               600
## # ... with 336,766 more rows, and 12 more variables : sched_arr_time <int>,
       arr_delay <dbl>, carrier <chr>, flight <int>, tailnum <chr>,
## #
## #
       origin <chr>, dest <chr>, air_time <dbl>, distance <dbl>, hour <dbl>,
## #
       minute <dbl>, time_hour <dttm>
select(flights, year, month, day)
## # A tibble : 336,776 x 3
##
       year month
                     day
##
      <int> <int> <int>
##
    1
       2013
                 1
##
    2
       2013
                 1
    3
       2013
##
                 1
                        1
##
    4
       2013
                 1
       2013
##
    5
                 1
                        1
##
    6
       2013
                 1
                        1
    7
       2013
                 1
##
                        1
##
    8
       2013
                 1
                        1
##
    9
       2013
                 1
                        1
## 10 2013
                 1
                        1
## # ... with 336,766 more rows
mutate(flights,
  gain = arr_delay - dep_delay,
  speed = distance / air_time * 60)
```

```
## # A tibble : 336,776 x 21
##
       year month
                    day dep_time sched_dep_time dep_delay arr_time
                                                       <dbl>
##
      <int> <int> <int>
                            <int>
                                            <int>
                                                                <int>
##
    1
      2013
                1
                       1
                              517
                                              515
                                                           2
                                                                  830
##
    2
       2013
                       1
                              533
                                              529
                                                           4
                                                                  850
                1
##
    3
       2013
                1
                       1
                              542
                                              540
                                                           2
                                                                  923
##
   4 2013
                1
                              544
                                              545
                                                          -1
                                                                 1004
   5
       2013
##
                1
                       1
                              554
                                              600
                                                          -6
                                                                  812
                                                          -4
##
   6
      2013
                1
                       1
                              554
                                              558
                                                                  740
       2013
##
   7
                1
                       1
                              555
                                              600
                                                          -5
                                                                  913
##
   8
       2013
                1
                       1
                              557
                                              600
                                                          -3
                                                                  709
##
   9
       2013
                1
                       1
                                              600
                                                          -3
                                                                  838
                              557
                                                          -2
## 10
      2013
                1
                       1
                              558
                                              600
                                                                  753
## # ... with 336,766 more rows, and 14 more variables : sched_arr_time <int>,
       arr_delay <dbl>, carrier <chr>, flight <int>, tailnum <chr>,
## #
       origin <chr>, dest <chr>, air_time <dbl>, distance <dbl>, hour <dbl>,
## #
       minute <dbl>, time_hour <dttm>, gain <dbl>, speed <dbl>
summarise(flights,
 delay = mean(dep_delay, na.rm = TRUE))
## # A tibble : 1 x 1
##
        delay
##
        <dbl>
## 1 12.63907
```

5 Session information

The R session information for compiling this document is shown below.

sessionInfo()

```
## R version 3.4.2 (2017-09-28)
## Platform : x86 64-pc-linux-gnu (64-bit)
## Running under : Debian GNU/Linux 9 (stretch)
##
## Matrix products : default
## BLAS/LAPACK : /usr/lib/libopenblasp-r0.2.19.so
##
## locale :
    [1] LC_CTYPE=en_US.UTF-8
                                   LC_NUMERIC=C
##
    [3] LC TIME=en US.UTF-8
##
                                   LC_COLLATE=en_US.UTF-8
    [5] LC_MONETARY=en_US.UTF-8
                                   LC_MESSAGES=C
##
##
    [7] LC_PAPER=en_US.UTF-8
                                   LC_NAME=C
    [9] LC ADDRESS=C
                                   LC TELEPHONE=C
## [11] LC_MEASUREMENT=en_US.UTF-8 LC_IDENTIFICATION=C
##
## attached base packages :
## [1] methods
                 stats
                           graphics grDevices utils
                                                          datasets base
## other attached packages :
## [1] bindrcpp_0.2
                          nycflights13_0.2.2 dplyr_0.7.4
```

liftr With custom french template

```
tibble_1.3.4
## [4] purrr_0.2.4
                          ggplot2_2.2.1
## [7] shiny_1.0.5
                          rmarkdown_1.6
                                             knitr_1.17
##
## loaded via a namespace (and not attached) :
    [1] Rcpp_0.12.13
                         compiler_3.4.2
                                          plyr_1.8.4
                                                            highr_0.6
##
##
    [5] bindr_0.1
                         tools_3.4.2
                                           digest_0.6.12
                                                            evaluate_0.10.1
    [9] gtable_0.2.0
                         pkgconfig_2.0.1
                                          rlang_0.1.2
                                                            yaml_2.1.14
## [13] stringr_1.2.0
                         rprojroot_1.2
                                           grid_3.4.2
                                                            glue_1.1.1
## [17] R6_2.2.2
                         magrittr_1.5
                                           backports_1.1.1
                                                            scales_0.5.0
## [21] htmltools_0.3.6
                         assertthat_0.2.0 mime_0.5
                                                            xtable_1.8-2
## [25] colorspace_1.3-2 httpuv_1.3.5
                                           labeling_0.3
                                                            stringi_1.1.5
## [29] lazyeval_0.2.0
                         munsell_0.4.3
```

Table des figures

1	Flying Lifter v2	4
2	Engine displacement and Consumption	6

Liste des tableaux