

AVALIN LABORATORIES PVT LTD

Excellence in Pharmaceuticals • Guwahati, Assam

OFFICIAL PRODUCT FORMULARY 2026

Clinical Monograph Compendium & Institutional Reference Directory

Institutional & Clinical Notice

This formulary compendium is published strictly for registered medical practitioners, hospital clinical pharmacy departments, healthcare institutions, and authorized procurement authorities. It provides certified salt compositions, therapeutic classifications, clinical usage guidance, and validated storage specifications for formulations marketed by Avalin Laboratories Pvt Ltd.

Corporate & Regulatory Headquarters:

Avalin Laboratories Pvt Ltd
ASEB Road, Opp. ASTC Workshop, Ulubari, Guwahati, Assam 781007, India
FSSAI Licence No: 10324025000034
Official Inquiries: avalin.laboratories@gmail.com
Pharmacovigilance Reporting: avalin.laboratories@gmail.com

Table of Contents — Active Formulations

PRODUCT BRAND	TYPE	THERAPEUTIC AREA	ACTIVE FORMULATION
Lisium K2 Soft Gelatin Capsule	Rx	Vitamins, Minerals & Nutrition	Calcitriol 0.25 mcg, Calcium Citrate...
Lisium Tablet	Rx	Vitamins, Minerals & Nutrition	Calcium 500 mg, Vitamin D3 250 IU
Vitacomin Capsule	OTC	Vitamins, Minerals & Nutrition	Lycopene, Ginseng Extract, Vitamin A...
Adezyme Syrup	OTC	Gastrointestinal	Fungal Diastase IP (1:1200), Pepsin I...
Avaco 60K Softgel Capsule	Rx	Vitamins, Minerals & Nutrition	Vitamin D3 (Cholecalciferol) 60,000 IU
Emopraz-D Capsule SR	Rx	Gastrointestinal	Domperidone 30 mg, Esomeprazole 4...
Provilin Capsule	Rx	Probiotics	Lactobacillus Acidophilus 2 Billion CF...
XLP IV Infusion	Rx	Pain Management & Neuro-CNS	Paracetamol (Acetaminophen) 1% w/v...
Neuron-M Tablet	Rx	Pain Management & Neuro-CNS	Methylcobalamin 1500 mcg,...
Niltaz 4.5 Injection	Rx	Anti-infective	Piperacillin 4000 mg, Tazobactam 500...
Nilaxone-S Injection	Rx	Anti-infective	Ceftriaxone 1000 mg, Sulbactam 500...
Rezopraz D Capsule SR	Rx	Gastrointestinal	Domperidone 30 mg, Rabeprazole 20...
Ursentin 300 Tablet	Rx	Hepatoprotective	Ursodeoxycholic Acid (Ursodiol) 300 mg

Lisium K2 Soft Gelatin Capsule

PRESCRIPTION ONLY MEDICINE (Rx) • Vitamins, Minerals & Nutrition

1. ACTIVE COMPOSITION & INGREDIENTS

- **Calcitriol** (0.25 mcg)
- **Calcium Citrate Malate** (500 mg)
- **Magnesium** (40 mg)
- **Vitamin K2-7** (45 mcg)

2. THERAPEUTIC INDICATIONS & CLINICAL USES

- Treatment of Nutritional deficiencies

3. ADMINISTRATION & DIRECTIONS FOR USE

Swallow the capsule whole with or without food. Do not chew, crush, or break. Take as directed by your doctor.

4. STORAGE & HANDLING SPECIFICATIONS

Store below 25°C in a cool, dry place away from direct sunlight. Keep out of reach of children.

5. CLINICAL SAFETY MATRIX

PARAMETER	RATING	CLINICAL ADVISORY NOTE
Alcohol	caution	Use with caution; avoid excessive alcohol intake as it may affect calcium absorption.
Pregnancy	consult-doctor	Safety during pregnancy has not been fully established. Use only if your doctor has prescribed it.
Breastfeeding	consult-doctor	No adequate data available. Consult your doctor before using while breastfeeding.
Driving / Machinery	consult-doctor	The effect on driving ability is not known. Exercise caution until you know how this medicine...
Kidney Function	caution	Use with caution in patients with severe kidney disease. Dose adjustment may be required.
Liver Function	consult-doctor	Limited data available. Consult your doctor if you have a liver condition.

Marketed by:

Avalin Laboratories Pvt Ltd, ASEB Road, Opp. ASTC Workshop,
Ulubari, Guwahati, Assam 781007

External Online Monograph Reference:

<https://www.1mg.com/drugs/lisium-k2-soft-gelatin-capsule-954672>

Tata 1mg is a trademark of its respective owner. Avalin Laboratories is not affiliated with Tata 1mg.

Lisium Tablet

PRESCRIPTION ONLY MEDICINE (Rx) • Vitamins, Minerals & Nutrition

1. ACTIVE COMPOSITION & INGREDIENTS

- **Calcium** (500 mg)
- **Vitamin D3** (250 IU)

2. THERAPEUTIC INDICATIONS & CLINICAL USES

- Treatment and prevention of Calcium deficiency

3. ADMINISTRATION & DIRECTIONS FOR USE

Swallow the tablet whole with or without food. Do not chew, crush, or break. Follow your doctor's prescribed dose and schedule.

4. STORAGE & HANDLING SPECIFICATIONS

Store below 25°C in a cool, dry place. Keep out of reach of children.

5. CLINICAL SAFETY MATRIX

PARAMETER	RATING	CLINICAL ADVISORY NOTE
Alcohol	consult-doctor	Safety with alcohol is not established. Consult your doctor.
Pregnancy	consult-doctor	Animal studies show positive evidence of fetal risk. Use only if prescribed by your doctor.
Breastfeeding	safe-if-prescribed	Low or no adverse effects seen in animal studies. Likely safe when prescribed.
Driving / Machinery	safe	Lisium Tablet does not usually affect the ability to drive.
Kidney Function	unsafe	Avoid in kidney disease. High calcium can worsen kidney function or cause kidney stones.
Liver Function	safe-if-prescribed	No dose adjustment required for liver disease when used as prescribed.

Marketed by:

Avalin Laboratories Pvt Ltd, ASEB Road, Opp. ASTC Workshop,
Ulubari, Guwahati, Assam 781007

External Online Monograph Reference:

<https://www.1mg.com/drugs/lisium-tablet-954374>

Tata 1mg is a trademark of its respective owner. Avalin Laboratories is not affiliated with Tata 1mg.

Vitacomin Capsule

OVER-THE-COUNTER PRODUCT (OTC) • Vitamins, Minerals & Nutrition

1. ACTIVE COMPOSITION & INGREDIENTS

Key Ingredients: Lycopene, Ginseng Extract, Vitamin A, Vitamin B1 (Mononitrate), Vitamin B2 (Riboflavin), Niacinamide, Vitamin B6, Cyanocobalamin (Vitamin B12), Vitamin D3, Calcium Pantothenate, Folic Acid, Dibasic Calcium Phosphate (Elemental Calcium & Phosphorus), Dried Ferrous Sulphate (Elemental Iron), Magnesium Sulphate, Zinc Sulphate Monohydrate

2. THERAPEUTIC INDICATIONS & CLINICAL USES

- Restores decreased levels of essential vitamins and minerals
- Provides energy for daily activities and supports immune function
- Essential for overall growth, development, and cellular health

3. ADMINISTRATION & DIRECTIONS FOR USE

As mentioned on the label or as advised by a healthcare professional.

4. STORAGE & HANDLING SPECIFICATIONS

Store in a cool, dry place away from sunlight.

Marketed by:

Avalin Laboratories Pvt Ltd, ASEB Road, Opp. ASTC Workshop,
Ulubari, Guwahati, Assam 781007

External Online Monograph Reference:

<https://www.1mg.com/otc/vitacomin-capsule-otc954370>

Tata 1mg is a trademark of its respective owner. Avalin Laboratories is not affiliated with Tata 1mg.

Adezyme Syrup

OVER-THE-COUNTER PRODUCT (OTC) • Gastrointestinal

1. ACTIVE COMPOSITION & INGREDIENTS

Key Ingredients: Fungal Diastase IP (1:1200), Pepsin IP (1:3000), Sorbitol Solution

2. THERAPEUTIC INDICATIONS & CLINICAL USES

- Pepsin breaks down proteins into smaller peptides, supporting protein digestion
- Fungal Diastase assists in carbohydrate and starch digestion
- Aids digestion of starch, carbohydrates, fats, and proteins
- Relieves loss of appetite, stomach fullness, and indigestion

3. ADMINISTRATION & DIRECTIONS FOR USE

As mentioned on the label or as advised by a healthcare professional.

4. STORAGE & HANDLING SPECIFICATIONS

Store in a cool, dry place away from sunlight.

Marketed by:

Avalin Laboratories Pvt Ltd, ASEB Road, Opp. ASTC Workshop,
Ulubari, Guwahati, Assam 781007

External Online Monograph Reference:

<https://www.1mg.com/otc/adezyme-syrup-otc954332>

Tata 1mg is a trademark of its respective owner. Avalin Laboratories is not affiliated with Tata 1mg.

Avaco 60K Softgel Capsule

PRESCRIPTION ONLY MEDICINE (Rx) • Vitamins, Minerals & Nutrition

1. ACTIVE COMPOSITION & INGREDIENTS

- **Vitamin D3 (Cholecalciferol)** (60,000 IU)

2. THERAPEUTIC INDICATIONS & CLINICAL USES

- Treatment of Vitamin D deficiency
- Treatment of Osteoporosis

3. ADMINISTRATION & DIRECTIONS FOR USE

Swallow the capsule whole with or after food. Take as directed by your doctor — typically once weekly or as prescribed.

4. STORAGE & HANDLING SPECIFICATIONS

Store below 25°C in a cool, dry place away from direct sunlight. Keep out of reach of children.

5. CLINICAL SAFETY MATRIX

PARAMETER	RATING	CLINICAL ADVISORY NOTE
Alcohol	consult-doctor	Effect of alcohol on this medicine is not known. Consult your doctor.
Pregnancy	safe-if-prescribed	No harmful effects observed in animal studies. Generally considered safe when prescribed.
Breastfeeding	safe-if-prescribed	Low or no adverse effects. Likely safe when taken at prescribed doses.
Driving / Machinery	safe	Avaco 60K does not usually affect the ability to drive.
Kidney Function	safe-if-prescribed	Use with caution. Contraindicated in severe renal impairment or a history of kidney stones.
Liver Function	safe-if-prescribed	No dose adjustment required for liver disease.

Marketed by:

Avalin Laboratories Pvt Ltd, ASEB Road, Opp. ASTC Workshop,
Ulubari, Guwahati, Assam 781007

External Online Monograph Reference:

<https://www.1mg.com/drugs/avaco-60k-softgel-capsule-954383>

Tata 1mg is a trademark of its respective owner. Avalin Laboratories is not affiliated with Tata 1mg.

Emopraz-D Capsule SR

PRESCRIPTION ONLY MEDICINE (Rx) • Gastrointestinal

1. ACTIVE COMPOSITION & INGREDIENTS

- Domperidone (30 mg)
- Esomeprazole (40 mg)

2. THERAPEUTIC INDICATIONS & CLINICAL USES

- Treatment of Gastroesophageal reflux disease (GERD / acid reflux)

3. ADMINISTRATION & DIRECTIONS FOR USE

Swallow the capsule whole on an empty stomach, 30 minutes to 1 hour before a meal. Do not chew, crush, or open the capsule.

4. STORAGE & HANDLING SPECIFICATIONS

Store below 25°C in a cool, dry place. Keep out of reach of children.

5. CLINICAL SAFETY MATRIX

PARAMETER	RATING	CLINICAL ADVISORY NOTE
Alcohol	consult-doctor	Effect of alcohol on this medicine is not known. Consult your doctor.
Pregnancy	consult-doctor	Animal studies show positive evidence of fetal risk. Use only if prescribed by your doctor.
Breastfeeding	unsafe	May cause toxicity to the nursing infant. Avoid use while breastfeeding.
Driving / Machinery	unsafe	May decrease alertness and cause sleepiness or dizziness. Do not drive until you know how th...
Kidney Function	caution	Dose adjustment may be needed in patients with kidney disease. Consult your doctor.
Liver Function	unsafe	Avoid in patients with liver disease. Consult your doctor.

Marketed by:

Avalin Laboratories Pvt Ltd, ASEB Road, Opp. ASTC Workshop,
Ulubari, Guwahati, Assam 781007

External Online Monograph Reference:

<https://www.1mg.com/drugs/emopraz-d-capsule-sr-962811>

Tata 1mg is a trademark of its respective owner. Avalin Laboratories is not affiliated with Tata 1mg.

Provilin Capsule

PRESCRIPTION ONLY MEDICINE (Rx) • Probiotics

1. ACTIVE COMPOSITION & INGREDIENTS

- **Lactobacillus Acidophilus** (2 Billion CFU)
- **Lactobacillus rhamnosus** (2 Billion CFU)
- **Lactobacillus reuteri** (2 Billion CFU)
- **Lactobacillus Plantarum** (1 Billion CFU)
- **Lactobacillus casei** (1 Billion CFU)
- **Lactobacillus fermentum** (1 Billion CFU)
- **Bifidobacterium bifidum** (1 Billion CFU)
- **Fructo Oligosaccharide (FOS)** (100 mg)

2. THERAPEUTIC INDICATIONS & CLINICAL USES

- Nutritional deficiencies
- Support for digestive health and gut microbiome balance

3. ADMINISTRATION & DIRECTIONS FOR USE

Take the capsule with or after food. Store in the refrigerator (2–8°C). Do not freeze. Keep out of reach of children.

4. STORAGE & HANDLING SPECIFICATIONS

Store in refrigerator (2–8°C). Do not freeze. Keep out of reach of children.

5. CLINICAL SAFETY MATRIX

PARAMETER	RATING	CLINICAL ADVISORY NOTE
Alcohol	consult-doctor	Effect of alcohol on this medicine is not known. Consult your doctor.
Pregnancy	consult-doctor	Adequate safety data during pregnancy is not available. Use only under medical supervision.
Breastfeeding	consult-doctor	Data on use during breastfeeding is unavailable. Consult your doctor.
Driving / Machinery	consult-doctor	Effect on driving ability is not known. Exercise caution.
Kidney Function	consult-doctor	Limited data available in patients with kidney disease. Consult your doctor.
Liver Function	consult-doctor	Limited data available in patients with liver disease. Consult your doctor.

Marketed by:

Avalin Laboratories Pvt Ltd, ASEB Road, Opp. ASTC Workshop,
Ulubari, Guwahati, Assam 781007

External Online Monograph Reference:

<https://www.1mg.com/drugs/provilin-capsule-1082671>

Tata 1mg is a trademark of its respective owner. Avalin Laboratories is not affiliated with Tata 1mg.

XLP IV Infusion

PRESCRIPTION ONLY MEDICINE (Rx) • Pain Management & Neuro-CNS

1. ACTIVE COMPOSITION & INGREDIENTS

- **Paracetamol (Acetaminophen)** (1% w/v (10 mg/mL))

2. THERAPEUTIC INDICATIONS & CLINICAL USES

- Relief of moderate to severe pain
- Treatment of Fever

3. ADMINISTRATION & DIRECTIONS FOR USE

Administered by a healthcare professional only. Do not self-administer. Given as an intravenous infusion over 15 minutes.

4. STORAGE & HANDLING SPECIFICATIONS

Store below 25°C. Do not refrigerate. Keep out of reach of children.

5. CLINICAL SAFETY MATRIX

PARAMETER	RATING	CLINICAL ADVISORY NOTE
Alcohol	caution	Use with caution. Alcohol increases the risk of liver damage when combined with paracetamol.
Pregnancy	consult-doctor	Safety during pregnancy has not been clearly established. Use only if prescribed.
Breastfeeding	caution	Small amounts may pass into breast milk. Hold breastfeeding until the drug is eliminated....
Driving / Machinery	consult-doctor	Effect on driving ability is unknown for IV paracetamol. Not relevant during inpatient use.
Kidney Function	caution	Considered the safest analgesic option for patients with kidney disease, but dose adjustment...
Liver Function	consult-doctor	Not recommended in severe or active liver disease. Consult your doctor.

Marketed by:

Avalin Laboratories Pvt Ltd, ASEB Road, Opp. ASTC Workshop,
Ulubari, Guwahati, Assam 781007

External Online Monograph Reference:

<https://www.1mg.com/drugs/xlp-iv-infusion-1082681>

Tata 1mg is a trademark of its respective owner. Avalin Laboratories is not affiliated with Tata 1mg.

Neuron-M Tablet

PRESCRIPTION ONLY MEDICINE (Rx) • Pain Management & Neuro-CNS

1. ACTIVE COMPOSITION & INGREDIENTS

- **Methylcobalamin** (1500 mcg)
- **Nortriptyline** (10 mg)
- **Pregabalin** (75 mg)

2. THERAPEUTIC INDICATIONS & CLINICAL USES

- Treatment of Neuropathic pain

3. ADMINISTRATION & DIRECTIONS FOR USE

Swallow the tablet whole with or without food. Take at the same time each day as prescribed. Do not stop without consulting your doctor.

4. STORAGE & HANDLING SPECIFICATIONS

Store below 30°C in a cool, dry place away from direct sunlight. Keep out of reach of children.

5. CLINICAL SAFETY MATRIX

PARAMETER	RATING	CLINICAL ADVISORY NOTE
Alcohol	consult-doctor	Effect of alcohol with this medicine is not known. Avoid alcohol during treatment.
Pregnancy	consult-doctor	Animal studies show positive evidence of fetal risk. Use only if strictly prescribed by your doctor.
Breastfeeding	consult-doctor	May pass into breast milk. Consult your doctor before breastfeeding.
Driving / Machinery	unsafe	May significantly decrease alertness, cause dizziness and drowsiness. Do not drive or operate...
Kidney Function	caution	Pregabalin is renally excreted. Dose adjustment is required in patients with kidney disease.
Liver Function	caution	Nortriptyline is hepatically metabolised. Dose adjustment may be needed in liver disease.

Marketed by:

Avalin Laboratories Pvt Ltd, ASEB Road, Opp. ASTC Workshop,
Ulubari, Guwahati, Assam 781007

External Online Monograph Reference:

<https://www.1mg.com/drugs/neuron-m-tablet-1082662>

Tata 1mg is a trademark of its respective owner. Avalin Laboratories is not affiliated with Tata 1mg.

Niltaz 4.5 Injection

PRESCRIPTION ONLY MEDICINE (Rx) • Anti-infective

1. ACTIVE COMPOSITION & INGREDIENTS

- **Piperacillin** (4000 mg)
- **Tazobactam** (500 mg)

2. THERAPEUTIC INDICATIONS & CLINICAL USES

- Bacterial infections of the ear, sinuses, and throat
- Respiratory tract infections (pneumonia)
- Urinary tract infections
- Skin and soft tissue infections
- Bone and joint infections

3. ADMINISTRATION & DIRECTIONS FOR USE

Administered by a healthcare professional only as an intravenous infusion. Do not self-administer. Complete the full prescribed course even if you feel better.

4. STORAGE & HANDLING SPECIFICATIONS

Store below 30°C in a cool, dry place. Keep out of reach of children.

5. CLINICAL SAFETY MATRIX

PARAMETER	RATING	CLINICAL ADVISORY NOTE
Alcohol	safe	No usual harmful interaction with alcohol at recommended doses.
Pregnancy	safe-if-prescribed	No harmful effects observed in animal studies. Use only if prescribed by your doctor.
Breastfeeding	safe-if-prescribed	Unlikely to cause harm to the nursing infant at prescribed doses.
Driving / Machinery	consult-doctor	Effect on driving ability is not fully established. Exercise caution.
Kidney Function	caution	Dose adjustment may be needed in patients with kidney disease as piperacillin is renally...
Liver Function	safe-if-prescribed	Dose adjustment is generally not required in patients with liver disease.

Marketed by:

Avalin Laboratories Pvt Ltd, ASEB Road, Opp. ASTC Workshop,
Ulubari, Guwahati, Assam 781007

External Online Monograph Reference:

<https://www.1mg.com/drugs/niltaz-4.5-injection-1082686>

Tata 1mg is a trademark of its respective owner. Avalin Laboratories is not affiliated with Tata 1mg.

Nilaxone-S Injection

PRESCRIPTION ONLY MEDICINE (Rx) • Anti-infective

1. ACTIVE COMPOSITION & INGREDIENTS

- Ceftriaxone (1000 mg)
- Sulbactam (500 mg)

2. THERAPEUTIC INDICATIONS & CLINICAL USES

- Bacterial infections of the ear, sinuses, and throat
- Respiratory tract infections (pneumonia)
- Urinary tract infections
- Skin and soft tissue infections

3. ADMINISTRATION & DIRECTIONS FOR USE

Administered by a healthcare professional only as an intravenous or intramuscular injection. Do not self-administer. Complete the full prescribed course.

4. STORAGE & HANDLING SPECIFICATIONS

Store below 25°C in a cool, dry place. Keep out of reach of children.

5. CLINICAL SAFETY MATRIX

PARAMETER	RATING	CLINICAL ADVISORY NOTE
Alcohol	caution	Use with caution during antibiotic therapy. Avoid excessive alcohol.
Pregnancy	consult-doctor	Safety during pregnancy has not been clearly established. Use only if prescribed.
Breastfeeding	caution	Small amounts may pass into breast milk. Consult your doctor before breastfeeding.
Driving / Machinery	safe	Nilaxone-S does not usually affect the ability to drive.
Kidney Function	caution	Dose adjustment may be needed in severe kidney disease.
Liver Function	consult-doctor	Generally no dose adjustment needed for mild-to-moderate liver disease. Consult your doctor.

Marketed by:

Avalin Laboratories Pvt Ltd, ASEB Road, Opp. ASTC Workshop,
Ulubari, Guwahati, Assam 781007

External Online Monograph Reference:

<https://www.1mg.com/drugs/nilaxone-s-injection-1082656>

Tata 1mg is a trademark of its respective owner. Avalin Laboratories is not affiliated with Tata 1mg.

Rezopraz D Capsule SR

PRESCRIPTION ONLY MEDICINE (Rx) • Gastrointestinal

1. ACTIVE COMPOSITION & INGREDIENTS

- Domperidone (30 mg)
- Rabeprazole (20 mg)

2. THERAPEUTIC INDICATIONS & CLINICAL USES

- Treatment of Gastroesophageal reflux disease (GERD / acid reflux)

3. ADMINISTRATION & DIRECTIONS FOR USE

Swallow the capsule whole on an empty stomach, preferably in the morning, 1 hour before breakfast. Do not chew, crush, or open the capsule.

4. STORAGE & HANDLING SPECIFICATIONS

Store below 25°C in a cool, dry place. Keep out of reach of children.

5. CLINICAL SAFETY MATRIX

PARAMETER	RATING	CLINICAL ADVISORY NOTE
Alcohol	consult-doctor	Effect of alcohol with this medicine is not known. Consult your doctor.
Pregnancy	unsafe	Can cause serious harm including birth defects and pregnancy loss. Do not use during...
Breastfeeding	unsafe	May cause toxicity to the nursing infant. Do not use while breastfeeding.
Driving / Machinery	unsafe	May decrease alertness and affect driving ability. Do not drive or operate machinery.
Kidney Function	caution	Dose adjustment may be required in kidney disease. Consult your doctor.
Liver Function	unsafe	Not recommended in patients with moderate to severe liver disease.

Marketed by:

Avalin Laboratories Pvt Ltd, ASEB Road, Opp. ASTC Workshop,
Ulubari, Guwahati, Assam 781007

External Online Monograph Reference:

<https://www.1mg.com/drugs/rezopraz-d-capsule-sr-962814>

Tata 1mg is a trademark of its respective owner. Avalin Laboratories is not affiliated with Tata 1mg.

Ursentin 300 Tablet

PRESCRIPTION ONLY MEDICINE (Rx) • Hepatoprotective

1. ACTIVE COMPOSITION & INGREDIENTS

- Ursodeoxycholic Acid (Ursodiol) (300 mg)

2. THERAPEUTIC INDICATIONS & CLINICAL USES

- Gallbladder stones (cholesterol gallstones)
- Primary biliary cirrhosis
- Cystic fibrosis (liver involvement)
- Primary Sclerosing Cholangitis

3. ADMINISTRATION & DIRECTIONS FOR USE

Swallow the tablet whole with or after food, with milk or water, for better absorption. Take at the same time each day. Works gradually — continue the full course as prescribed.

4. STORAGE & HANDLING SPECIFICATIONS

Store below 30°C in a cool, dry place away from direct sunlight. Keep out of reach of children.

5. CLINICAL SAFETY MATRIX

PARAMETER	RATING	CLINICAL ADVISORY NOTE
Alcohol	consult-doctor	Effect of alcohol is not known, and alcohol can worsen liver and gallbladder disease. Consult...
Pregnancy	consult-doctor	Safety during pregnancy has not been clearly established. Use only if prescribed.
Breastfeeding	consult-doctor	Adequate data during breastfeeding is unavailable. Consult your doctor.
Driving / Machinery	safe	Ursentin 300 does not usually affect the ability to drive.
Kidney Function	consult-doctor	Limited data available in patients with kidney disease. Consult your doctor.
Liver Function	safe-if-prescribed	No dose adjustment required. This medicine is specifically used to treat liver conditions.

Marketed by:

Avalin Laboratories Pvt Ltd, ASEB Road, Opp. ASTC Workshop,
Ulubari, Guwahati, Assam 781007

External Online Monograph Reference:

<https://www.1mg.com/drugs/ursentin-300-tablet-1082652>

Tata 1mg is a trademark of its respective owner. Avalin Laboratories is not affiliated with Tata 1mg.

CLINICAL GOVERNANCE & PHARMACOVIGILANCE

Avalin Laboratories Pvt Ltd — Commitment to Quality and Safety

1. Statutory Medical Information Disclaimer

The product information presented in this formulary is intended solely for registered healthcare professionals and institutional hospital personnel. It is compiled from validated regulatory dossiers and approved product monographs. It is not intended for direct consumer interpretation, nor as a substitute for professional clinical diagnosis, advice, or treatment.

Prescription-only (Rx) medications must be dispensed and administered strictly in accordance with the written instructions of a registered medical practitioner. Injectable formulations (XLP IV Infusion, Niltaz 4.5 Injection, Nilaxone-S Injection) must be administered by a qualified healthcare professional only under institutional clinical supervision.

2. Pharmacovigilance & Adverse Drug Reaction Reporting

Avalin Laboratories maintains a systematic pharmacovigilance program to monitor and evaluate the real-world safety profile of all manufactured and marketed products. Healthcare professionals, clinical investigators, and institutional pharmacists are urged to report any suspected adverse drug reaction, therapeutic failure, or product quality issue immediately to our dedicated Pharmacovigilance Unit.

Pharmacovigilance Reporting Channels:

- Dedicated PV Email: avalin.laboratories@gmail.com
- Corporate Inquiries: avalin.laboratories@gmail.com
- Postal Address: Pharmacovigilance Unit, Avalin Laboratories Pvt Ltd, ASEB Road, Opp. ASTC Workshop, Ulubari, Guwahati, Assam 781007, India

3. Commercial & Institutional Procurement Scope

Avalin Laboratories Pvt Ltd does not sell medications directly to retail consumers, does not publish commercial rate cards or retail pricing within this clinical compendium, and does not operate an online pharmacy. All distribution is conducted strictly through licensed clinical distributors, government and private institutional hospital tenders, and authorized supply chains.