

CYBER SECURITY COURSE

Controlled Exploitation Methodology

Professional Case Report 12

Author	Balsa Klikovac
Report date	24. septembar 2026
Case ID	CSC-2026-12
Discipline	Penetration testing
Overall risk	Critical
Evidence status	Laboratory methodology documented

Purpose

Convert vulnerability information into a controlled proof of concept while preserving scope, evidence and target stability.

Scope note

This report documents work performed in an authorized training environment. Confirmed findings are separated from methodology and expected laboratory behavior.

Executive Summary

The exploitation module demonstrated how discovered weaknesses are researched, selected and validated with Metasploit and supporting command-line tools. Professional exploitation is a controlled verification activity. The quality of the report depends on precise prerequisites, limited proof and complete cleanup documentation.

Case Profile

Scenario	The exploitation module demonstrated how discovered weaknesses are researched, selected and validated with Metasploit and supporting command-line tools.
Environment	Isolated Kali Linux attacker and intentionally vulnerable Windows and Linux targets.
Tools	Metasploit Framework, Exploit Database, Searchsploit, Netcat, Nmap

Methodology

I used the following sequence to keep the analysis repeatable and to separate observation from interpretation.

1. Verified target service and version before selecting an exploit.
2. Reviewed exploit requirements, payload behavior and known side effects.
3. Configured target and callback parameters inside the isolated network.
4. Captured proof of access without unnecessary data collection.
5. Closed sessions and documented cleanup actions.

Technical Findings

ID	Finding	Risk	Evidence and analysis
F01	Version matching is essential	High	An exploit should not be attempted until target conditions match documented prerequisites.
F02	Proof must be minimal	High	A successful shell is sufficient validation; destructive actions add risk without improving the finding.
F03	Local privilege escalation	Critical	Post-exploitation flaws can convert limited access into full system control.

Representative Commands and Actions

The following commands or analysis actions represent the core of the practical workflow.

```
searchsploit <service and version>
msfconsole
show options
```

```
set RHOSTS <target_ip>  
run
```

Risk Assessment

Risk	Level	Operational impact
Service interruption	High	Unstable exploits can crash a target
Unauthorized data access	Critical	A shell may expose all data available to the compromised account

Recommendations

1. Require written authorization and a defined stop condition.
2. Use snapshots and isolated networking for exploit validation.
3. Capture exact module, options, timestamps and output.
4. Remove payloads and revert the target after the exercise.

Knowledge Demonstrated

- Exploit selection
- Payload configuration
- Scope discipline
- Evidence capture

Conclusion

Professional exploitation is a controlled verification activity. The quality of the report depends on precise prerequisites, limited proof and complete cleanup documentation.

Hands On Lab Practical 12

Completed as part of the authorized cyber security course practical work.