

Passkeys



The Good, the Bad, and the Ugly





Thank you Sponsors

robopack



 **AvePoint®**

Gold

control 

inforcer 

Recast

Silver



Technical Partners

CONSULT 

PROXSYS*




Secure At Work



About me

JAN BAKKER

Solution Architect IAM & Security

Microsoft MVP



Security



Entrepreneur

Dutch Microsoft Entra Community



Hates password

Loves passkeys

Socials

<https://aka.ms/janbakker>


Blogpost **JANBAKKER.TECH**
 sharing is caring

<https://janbakker.tech>



Passkey Billy

This is Billy






Passkey Billy

This is Billy


Billy has
limited
brain
capacity





Passkey Billy


So, Billy
uses the
same
password
for
everything





Passkey Billy


Billy is
confident
that
nobody
will ever
guess his
password





Passkey Billy


Billy's
work
account
needs to
be
changed
every year





Passkey Billy


So, Billy
came up
with a
system





Passkey Billy


Billy adds
numbers
to his very
secret
password





Passkey Billy


The
numbers
of the
current
year






Passkey Billy

Don't be
like Billy





The journey





Passkeys!



Passkey
pass,kee noun






Passkeys!



- **AiTM resistant**
- **Passwordless**
- **Fast and easy**



Types of passkey




Device-bound



Synced



Device bound passkey



**FIDO 2
security key**




**Windows Hello
for Business /TPM**



**Authenticator
App**



Device bound passkey



Can store
multiple
passkeys



Can store one Entra
passkey + multiple
3rd party passkeys



Can store
multiple
passkeys



Passkey support in Windows 10/11

← Settings

Jan Bakker

Find a setting

System

Bluetooth & devices

Network & internet

Personalization

Apps

Accounts

Time & language

Gaming

Accessibility

Privacy & security

Windows Update

Accounts > Passkeys

Use the passkeys saved on this device to sign in to apps and websites without a password. Instead, your passkeys allow you to sign in using your face, fingerprint, or PIN through Windows Hello.

Saved passkeys

Search passkeys

9 apps and websites found

Sort by: Name (Z to A)

passkey.org	Jan	...
login.microsoft.com		...
login.microsoft.com		...
login.microsoft.com		...
login.microsoft.com		...
login.microsoft.com		...
google.com		...




Comparison device bound passkeys



Most secure



Supports attestation



Hardware backed



Recommended for privileged
or high target accounts



No cross-device sync



Higher operational
costs



Complex account
recovery



User friction





Synced passkeys






Comparison synced passkeys



Sync across devices



Still phishing resistant



Low cost



Easy recovery



No attestation



Private key somewhere
in the cloud



Dependency risk




Still in preview






Synced passkey in Windows





Advanced options for passkeys



<https://janbakker.tech/kb-windows-11-advanced-passkey-settings/>



Synced passkey using browser extension

The screenshot shows a web browser window with two tabs: "Search | M365 Copilot" and "Sign in to your account". The address bar displays the URL `login.microsoft.com/f43cfd98-c931-4d4c-95f3-9616cc2bee83/fido/create?cid=2391ba93-def9-4764-aa64-f6da43c6741d`. The main content area is a Microsoft login page with a "Setting up your passkey..." dialog box. The dialog box contains the Microsoft logo, the title "Setting up your passkey...", and the text "Your device is opening a security window. Follow the instructions to finish setting up your passkey." Below this text are two dots indicating progress and two buttons: "Cancel" and "Next".

On the right side of the browser window, a "Save passkey" extension popup is visible. It has a title bar with an information icon, the text "Save passkey", and a close button. Below the title bar are two buttons: "New Item" and "Update Existing". The main content of the popup shows a Microsoft account entry for "Daniel.Lee@entrasec.onmicrosoft.com" with a user icon. Below this is a dropdown menu showing "EntraSec" with a blue icon. At the bottom of the popup is a blue "Save" button.

At the bottom right of the browser window, there are links for "Terms of use" and "Privacy & cookies".




Passkeys Authenticator AAGUID Explorer


Passkeys Authenticator AAGUID Explorer			
Include MDS authenticators			
AAGUID	Name	Icon light	Icon dark
	Filter by name...		
a11a5faa-9f32-4b8c-8c5d-2f7d13e8c942	AliasVault		
ea9b8d66-4d01-1d21-3ce4-b6b48cb575d4	Google Password Manager		
adce0002-35bc-c60a-648b-0b25f1f05503	Chrome on Mac		
08987058-cadc-4b81-b6e1-30de50dcbe96	Windows Hello		
9ddd1817-af5a-4672-a2b9-3e3dd95000a9	Windows Hello		
6028b017-b1d4-4c02-b4b3-afcdafc96bb2	Windows Hello		
dd4ec289-e01d-41c9-bb89-70fa845d4bf2	iCloud Keychain (Managed)		
531126d6-e717-415c-9320-3d9aa6981239	Dashlane		
bada5566-a7aa-401f-bd96-45619a55120d	1Password		
b84e4048-15dc-4dd0-8640-f4f60813c8af	NordPass		
0ea242b4-43c4-4a1b-8b17-dd6d0b6baec6	Keeper		




Passkey profiles



Office workers



Admins



Home > Authentication methods | Policies

Passkey (FIDO2) settings

Paskeys (FIDO2) Authentication Methods (Preview)

ⓘ

Your organization has opted into public preview for synced passkeys and passkey profiles. Your previous passkey settings have been moved into the default passkey profile. Up to 10 pass...

Opt-out of public preview

Paskeys are a phishing-resistant, standards-based passwordless authentication method that can be stored on a variety of security key models or passkey providers. Paskeys are not usable in the self-service password reset flow. [Learn more](#)

Enable and target

Configure

Enable

On

Include

Exclude

+ Add target

Name	Type	Paskey profiles (preview)	
All users	Group	Default passkey profile	
SyncedPasskeys	Group	Synced Passkeys	

Save

Discard

Home > Authentication methods | Policies

Passkey (FIDO2) settings

Passkeys (FIDO2) Authentication Methods (Preview)

Enable and targetConfigure

General

Allow self-service set-up

Passkey profiles

At least one passkey profile must be applied to each target in this policy. The default passkey profile cannot be deleted or disabled.

+ Add profile (preview)

Name	Enforce attestation	Type	Key
		Device-bound	No
		Synced (preview)	No
		Device-bound	Yes
		Device-bound	Yes
		Device-bound	Yes
		Device-bound	Yes
		Device-bound	Yes
		Device-bound	Yes
		Synced (preview)	Yes

SaveDiscard

Edit passkey profile

Certain combinations of these settings could target passkeys that may not exist. This can prevent your users from registering and signing in with a passkey.
[View compatibility documentation](#)

NameApproved Synced Passkey providers

Enforce attestation

Target typesSynced (preview)

Target specific AAGUIDs

BehaviorAllowBlock

Model/Provider AAGUIDs

+ Add AAGUID

a11a5faa-9f32-4b8c-8c5d-2f7d13e8c942

adce0002-35bc-c60a-648b-0b25f1f05503

531126d6-e717-415c-9320-3d9aa6981239

bada5566-a7aa-401f-bd96-45619a55120d

b84e4048-15dc-4dd0-8640-f4f60813c8af

0ea242h4-43c4-4a1h-8h17-dd6d0h6haec6

This profile configuration includes type and AAGUID restrictions but attestation is not enforced, so we cannot guarantee the syncability or authenticity of the security key model or passkey provider. [Learn more](#)

SaveDiscard



CALL TO ACTION!

MC1221452 - Microsoft Entra ID: Auto-enabling passkey profiles

Message ID

MC1221452

View in Message Center

Service

Microsoft Entra

Published

Jan 23, 2026

Tag

Major change

New feature

User impact

Admin impact

Summary

Starting March 2026, Microsoft Entra ID will auto-enable passkey profiles with a new passkeyType property for device-bound and synced passkeys. Tenants not opting in will be migrated automatically, with existing settings preserved. Microsoft-managed registration campaigns will update targeting to passkeys. Preparation and configuration before rollout are recommended.

More information

Introduction

Starting in **March 2026**, Microsoft Entra ID will introduce **passkey profiles** and **synced passkeys** to General Availability (GA). This update allows administrators to opt in to a new passkey profiles experience that supports group-based passkey configurations and introduces a new **passkeyType** property.

The **passkeyType** property enables admins to configure:

- Device-bound passkeys
- Synced passkeys
- Both

- Enterprise apps
- App registrations
- Roles & admins
- Delegated admin partners
- Domain services
- Conditional Access
- Multifactor authentication
- Identity Secure Score
- Authentication methods
- Account recovery (Preview)
- Password reset
- Custom security attributes
- Certificate authorities
- External Identities
- Cross-tenant synchronization
- Entra Connect
- Domain names
- Custom branding
- Mobility
- Monitoring & health

Home > Users > Authentication methods | Policies

Passkey (FIDO2) settings

Synced passkeys and passkey profiles are now available in public preview. [Begin opting-in to public preview](#)

Passkeys are a phishing-resistant, standards-based passwordless authentication method available from a variety of vendors. [Learn more](#).
Passkeys are not usable in the Self-Service Password Reset flow.

Enable and Target

Configure

GENERAL

Allow self-service set up

Yes No

Enforce attestation

Yes No

KEY RESTRICTION POLICY

Enforce key restrictions

Yes No

Restrict specific keys

Allow Block

☐ Microsoft Authenticator ⓘ

[Add AAGUID](#)

No AAGuids have been added.



Save

Discard



How to setup Conditional Access?

It depends.....



Don't do this

Microsoft Entra admin center

Search resources, services, and docs (G+/)

Copilot

8

admin@entrasesc.onmic...
ENTRASEC LABS (ENTRASEC.ON...

Overview

Users

Groups

Devices

Agent ID (Preview)

Enterprise apps

App registrations

Roles & admins

Delegated admin partners

Domain services

Conditional Access

Multifactor authentication

Identity Secure Score

Authentication methods

Account recovery (Preview)

Password reset

Custom security attributes

Certificate authorities

External Identities

Cross-tenant synchronization

Entra Connect

Home > Authentication methods | Policies > Passkey (FIDO2) settings > Authentication methods | Policies > Conditional Access | Policies

New

Conditional Access policy

Control access based on Conditional Access policy to bring signals together, to make decisions, and enforce organizational policies.
[Learn more](#)

Name *

Passkeys for everyone. Period. ✓

Assignments

Users or agents (Preview) ⓘ
[All users](#)

Target resources ⓘ
[All resources \(formerly 'All cloud apps'\)](#)

Network **NEW** ⓘ
[Not configured](#)

Conditions ⓘ
[0 conditions selected](#)

Access controls

Grant ⓘ

1 control selected

Session ⓘ

[0 controls selected](#)

Enable policy

Report-only

On

Off

Create

Grant

Control access enforcement to block or grant access. [Learn more](#)

☐ Block access

☒ Grant access

☐ Require multifactor authentication ⓘ

⚠️ "Require authentication strength" cannot be used with "Require multifactor authentication".
[Learn more](#)

☒ Require authentication strength ⓘ

Phishing-resistant MFA ▾

ⓘ To require phishing-resistant authentication for external users, configure cross-tenant access settings to accept claims from Microsoft Entra tenants. [Learn more](#)

☐ Require device to be marked as compliant ⓘ

☐ Require Microsoft Entra hybrid joined device ⓘ

☐ Require approved client app ⓘ
[See list of approved client apps](#)

Select



If you don't know how to start, start here

Policy	Target	Device Platforms	Grant control – Custom Authentication Strength	AAGUIDS
.[POC] Bootstrap & Recovery policy	Register security information	N/A.	Password + Microsoft Authenticator (Push Notification) OR Temporary Access Pass (One-time use) OR Temporary Access Pass (Multi-use)	N/A.
.[POC] Secure Desktop Apps	All resources	Exclude: iOS Android	Passkeys (FIDO2)*	Microsoft Authenticator (iOS) Microsoft Authenticator (Android)
.[POC] Secure Mobile Apps	All resources	Include: iOS Android	Passkeys (FIDO2) OR Temporary Access Pass (One-time use) OR Temporary Access Pass (Multi-use)	Microsoft Authenticator (iOS) Microsoft Authenticator (Android)

**Optionally, allow any phishing-resistant method you prefer, like Windows Hello for Business*

<https://janbakker.tech/you-shall-not-passkey-updated/>



Conditional Access setup

Policy name	Created by	State	Alert
.[Passkeys] Bootstrap & Recovery	USER	On	
.[Passkeys] Secure Desktop Apps	USER	On	
.[Passkeys] Secure Mobile Apps	USER	On	



Authentication strengths

[+](#) New authentication strength

[↺](#) Refresh

Authentication strengths determine the combination of authentication methods that can be used.

[Learn more](#) [↗](#)

Type: Custom

Authentication methods: Passkeys (FIDO2)

[🗑️](#) Reset filters

Authentication strength	Type ↑	Authentication methods	Conditional access policies
Bootstrap & Recovery	Custom	Windows Hello For Business / Platform Credential and 4 more	.[Passkeys] Bootstrap & Recovery
Desktop Apps	Custom	Passkeys (FIDO2)	.[Passkeys] Secure Desktop Apps
Mobile Apps	Custom	Passkeys (FIDO2) and 2 more	.[Passkeys] Secure Mobile Apps



Using MAM or Require Compliant device?


<https://janbakker.tech/you-shall-not-passkey-updated/>

<https://nathanmcnulty.com/blog/2025/09/improving-passkey-registration-experiences/>

User		
Adriana Mendez	✓ Matched	▼
Resource		
Microsoft Graph	✓ Matched	▲
All resources included		
Audience ⓘ	Application Id	
Azure Credential Configuration Endpoint Service	ea890292-c8c8-4433-b5ea-b09d0668e1a6	
Windows Azure Active Directory	00000002-0000-0000-c000-000000000000	
Conditions		
Sign-in risk		
None	● Not configured	
Device platform		
Android	✓ Matched	▼
Network (formerly location)		
Soldotna, US 206.174.124.114 ⓘ	● Not configured	▼
Client app		
Mobile Apps and Desktop clients	● Not configured	
Device		
d61643bf-dfc0-4bee-af5d-d093f917e1e8	● Not configured	
User risk		
	● Not configured	
Insider risk ⓘ		
	● Not configured	
Authentication flows		
	● Not configured	
Access controls		
Grant Controls	✗ Not satisfied	▲
Require compliant device		



Eat your own dogfood





Test all scenarios

- Onboarding for new joiners
- Upgrade from legacy MFA method
- Recovery using Temporary Access Pass
- Interrupt wizard from desktop/browser
- Interrupt wizard from application
- Interrupt wizard from mobile phone



**Register first
Then enforce.....**



The pretty-please-method





Opt-in for early adopters

My Groups

← Go back

Become a passkey warrior!

Details

Members

Owners

Actions:

Edit

Leave

Delete

Group type:

Security

Membership type:

Assigned

Description:

By joining this group, you will never ever need to type your password again!

Members:

1

Owners:

1

Policy:

This group requires owner approval



Opt-in for early adopters



Microsoft Forms




Power Automate



Entra ID group

Microsoft Entra end-user rollout templates and materials



 | [Download Center](#) [Windows](#) [Office](#) [Web browsers](#) [Developer tools](#) [Xbox](#) [All Microsoft](#)   

Bring the world closer with Bing Wallpaper

Download the free app and enjoy breathtaking views with a new background each day.

[Get Bing Wallpaper](#)

Microsoft Entra end-user rollout templates and materials

Use these customizable posters, training, stickers, and email templates to roll out Azure Active Directory features in your organization

Important! Selecting a language below will dynamically change the complete page content to that language.

[Select language](#)

English 

[Download](#)



Where to register?

Synced passkey

OR

FIDO 2 security
key

Add a sign-in method



Passkey in Microsoft Authenticator

Sign in with your face, fingerprint, PIN



Passkey

Sign in with your face, fingerprint, PIN or security key



Microsoft Authenticator

Approve sign-in requests or use one-time codes



Hardware token

Sign in with a code from a hardware token



Phone

Get a call or text to sign in with a code



Email

Receive a code to reset your password


Learn more about each method [to help you choose](#).

<https://mysignins.microsoft.com/security-info>




Where to register?

Passkey in Authenticator app




Register passkey in Authenticator App with Temporary Access Pass







All the methods!



Cross-device registration of passkeys





Security info

These are the methods you use to sign into your account or reset your password.

You're using the most advisable sign-in method where it applies.

Sign-in method when most advisable is unavailable: Microsoft Authenticator - notification [Change](#)

+ Add sign-in method

...	Password	Last updated: a year ago	Change
🔍	Microsoft Authenticator Passwordless sign-in		
123	Hardware token		

Lost device? [Sign out](#)

Passkey not accepted



Delete this passkey in your Microsoft Authenticator app, then return here to create a new one. You'll need to sign in to Authenticator again with your admin@M365x341716.onmicrosoft.com account.

[Having trouble?](#)

OK

Attestation not supported
using the WebAuthN flow



Unpopular opinion

Cross-device
registration and
sign-in should be
avoided where
possible





Use this for cross-device




Also handy when having multiple accounts



Passkey provisioning

(only supported for hardware security keys)



Learn how! 






Enforce PIN complexity and change on first use

```
PowerShell
Do you want to proceed with the above configuration? [y/N]: y
YubiKey will be factory reset. ANY EXISTING CREDENTIALS WILL BE LOST!
Remove the YubiKey from the USB port...
Re-insert the YubiKey...
Touch the YubiKey...
The YubiKey has been reset.
Creating credential on YubiKey...
Touch the YubiKey...
Credential created on YubiKey!
Registering credential with identity provider...
New credential registered!

YubiKey configuration summary:
Serial number: 33073988
Temporary PIN: 208624
NOTE: The PIN needs to be changed before it can be used!
PS C:\Program Files\Yubico\YubiEnroll>
```





Keep your account secure

Microsoft Authenticator



Start by getting the app

On your phone, install the Microsoft Authenticator app. [Download now](#)

After you install the Microsoft Authenticator app on your device, choose "Next".

Next

Skip setup

SelfServicePasswordReset



Self Service Password Reset

Method	Primary authentication	Secondary authentication
Windows Hello for Business	Yes	MFA ¹
Microsoft Authenticator push	No	MFA and SSPR
Microsoft Authenticator passwordless	Yes	No ²
Microsoft Authenticator passkey	Yes	MFA
Authenticator Lite	No	MFA
Passkey (FIDO2)	Yes	MFA
Certificate-based authentication (CBA)	Yes	MFA
Hardware OATH tokens (preview)	No	MFA and SSPR
Software OATH tokens	No	MFA and SSPR
External authentication methods (preview)	No	MFA
Temporary Access Pass (TAP)	Yes	MFA
Text	Yes	MFA and SSPR
Voice call	No	MFA and SSPR
QR code	Yes	No
Password	Yes	No



Android struggles

I'm on an Android 14 device, and I followed all the steps. Why can't I register passkeys in the Authenticator app?

The Authenticator app uses [Android APIs](#) on Android 14 or higher to use passkeys. Manufacturers choose whether or not to implement these APIs for each device they make. If your device doesn't support these APIs, the Authenticator app might not work for your device on Android 14. For the best experience, we recommend that you upgrade to Android 15.

Store passkeys in Android profiles

Passkeys on Android are used only from the profile where they're stored. If a passkey is stored in a profile, it's used from that profile. If a passkey is stored in an Android Personal profile, it's used sure that users can access and use the passkey they need, users with both an Android Personal Work profile should **create their passkeys in Authenticator for each profile.**

Why do I get prompted for PIN instead of biometric sign-in on my Android device?

If biometric sign-in fails on an Android device, the Authenticator app will prompt you to enter your PIN instead. The next time you sign in with the passkey, Authenticator continues to request the PIN rather than biometric sign-in. Authenticator periodically retries biometric sign-in. If biometric sign-in succeeds, it will be used for subsequent sign-ins.

What happens to my passkey after I change my PIN or biometric sign-in on my Android device?

Your passkey is invalidated if you change your PIN, or if you change your biometric sign in from thumbprint to face, or vice-versa. If your passkey is invalidated, you need to sign-in by using a different method, and then create a new passkey.



What happened to Linked device?

Windows Security

Choose where to save this passkey

This Windows device

More choices

Pixel

iPhone, iPad, or Android device

Security key

This Windows device

Next

Cancel

A large green arrow pointing from the right towards the 'Pixel' option in the Windows Security dialog.

KV

Koen van der Eijken • Follow

5

Dec 7, 2025, 12:31 PM

I also have exactly this problem, my linked Android 16 device has disappeared and I have not been able to get it back.

1 vote

RK

Reto Krucker • Follow

5

Dec 10, 2025, 4:45 PM

Same here. I couldn't find a way to get my device linked again.

1 vote

JH

Jordy Hoebergen • Follow

0

Dec 23, 2025, 9:16 AM

Same for me since a recent update, also Android 16 and Windows 11 25H2 26200.7462

0 votes



Support for B2B guest accounts

Authentication method	Home tenant	Resource tenant
Text message as second factor	✓	✓
Voice call	✓	✓
Microsoft Authenticator push notification	✓	✓
Microsoft Authenticator phone sign-in	✓	
OATH software token	✓	✓
OATH hardware token	✓	
FIDO2 security key	✓	
Windows Hello for Business	✓	
Certificate-based authentication	✓	



Support for B2B guest accounts

The screenshot shows the Microsoft Entra admin center interface. The left sidebar contains a navigation menu with various options. The main content area displays the 'Inbound access settings - Contoso' page, specifically the 'Trust settings' tab. The 'Trust settings' tab is selected, and the 'Trust multifactor authentication from Microsoft Entra tenants' checkbox is checked and highlighted with a red box. Other settings include 'Default settings', 'Customize settings', 'Trust compliant devices', and 'Trust Microsoft Entra hybrid joined devices'. The 'Automatic redemption' section is also visible, with a note about redeeming invitations and a checkbox for 'Automatically redeem invitations with the tenant Contoso'.

Microsoft Entra admin center

Search resources, services, and docs (G+)

Copilot

admin@entrsec.onmic...
ENTRASEC LABS (ENTRASEC.ON...

Home > Agent ID | Overview (Preview) > Conditional Access | Policies > Require MFA for B2B Collaboration Guest Users > External Identities | Cross-tenant access settings >

Inbound access settings - Contoso

B2B collaboration B2B direct connect **Trust settings** Cross-tenant sync

Configure whether your Conditional Access policies will accept claims from other Microsoft Entra tenants when external users access your resources. The default settings apply to all external Microsoft Entra tenants except those with organization-specific settings.

You'll first need to configure Conditional Access for guest users on all cloud apps if you want to require multifactor authentication or require a device to be compliant or Microsoft Entra hybrid joined.
[Learn more](#)

☐ Default settings

☒ Customize settings

☒ Trust multifactor authentication from Microsoft Entra tenants

☐ Trust compliant devices

☐ Trust Microsoft Entra hybrid joined devices

Automatic redemption

i Check this setting if you want to automatically redeem invitations. If so, users from the specified tenant won't have to accept the consent prompt the first time they access this tenant using cross-tenant synchronization, B2B collaboration, or B2B direct connect. This setting will only suppress the consent prompt if the specified tenant checks this setting for outbound access as well.
[Learn more](#)




☐ Automatically redeem invitations with the tenant Contoso.


Save Discard

<https://janbakker.tech/how-to-enable-passkeys-for-guest-users-in-entra-id/>



Guidance needed!



A scenic photograph of a beach at dusk or dawn. The sky is a deep blue with scattered white clouds. The ocean is a vibrant turquoise, with white foam from breaking waves visible. In the foreground, a sandy beach is dotted with dark, wet rocks. A prominent red flag on a thin pole stands on the right side of the frame. The text 'Inform end-users of changes in authentication methods' is overlaid on the left side of the image, with 'Inform end-users' in red and the rest in white.

Inform end-users
of changes in
authentication
methods



New passkey added to your account




If you didn't add a passkey, someone might be using your account. Check and secure your account now.

[Check activity](#)

You can also see security activity at
<https://myaccount.google.com/notifications>

You received this email to let you know about important changes to your Google Account and services.

© 2025 Google Ireland Ltd., Gordon House, Barrow Street, Dublin 4, Ireland



<https://janbakker.tech/microsoft-365-end-user-notifications-for-changes-in-authentication-methods/>

Inbox

 **Contoso | Alerts**
Security notification for A... 8:06 AM
You recently changed your authentic...

 Drafts

Add favorite

 Inbox 1

 Drafts

➤ Sent Items

Deleted Items 1

 Junk Email

Archive

 Notes

Conversation History

Create new folder

New group

Discover groups

Manage groups

CA Contoso | Alerts
To: Adele Vance
Cc: Miriam Graham


 Reply
  Reply all
  Forward
 




Thu 2/22/2024 8:06 AM

You recently changed your authentication methods

We have been notified of the following action: **Admin registered security info** on **2/22/2024 7:01 AM**.

If you initiated this, no action is required.

If this event does not look familiar, please report it now.

Activity: Admin registered security info

Details: Admin registered temporary access pass method for user

Time: 2/22/2024 7:01 AM

InitiatorUPN: admin@M365x341716.onmicrosoft.com

IP-Address: 3

Instructions

1. Review your account activity in [Microsoft Security Info](#).
2. If you do not recognize this action, report it immediately and take action:
 - Inform your manager (reply in cc)
 - Delete any authentication method you don't know.

Information and Support

- Technical Assistance - Contact Helpdesk support services

Do NOT reply to this email. This is an unmonitored mailbox.


For more help, contact [The A-Team](#)

Facilitated by

JANBAKKER.TECH
sharing is caring



Unsupported apps? PIM for groups!





Don't fall asleep!

- Downgrade attacks
- Device code phishing
- Abuse onboarding and recovery process
- Malware stealing tokens
- Synced passkey providers?





Temporary Access Pass


Onboarding and recovery of passkeys will be the next *“password reset”* tasks for IT staff.

Make sure you have a good process in place for handing out *Temporary Access Passes*.



Passkey Billy

This is Billy






Passkey Billy

Billy did
not give
one single


that day.







Passkey Billy

Be like Billy





Questions?





Thank You

