





	PART NAME : 4034-387_Combined		December 18, 2025	18:59
	REV NUMBER : E	SER NUMBER : 00	STATS COUNT : 1	






TRACEFIELD TECHNICIAN =
TRACEFIELD CMM # =
TRACEFIELD WO =
TRACEFIELD SN =

B_1		IN			DEFAULT	ASME Y14.5
Feature	MEAS	NOMINAL	+TOL	-TOL	DEV	OUTTOL
DAT_D1	0.00000	0.00000	0.01000		0.00000	0.00000
	IN	B_2 - DAT_D1 TO DAT_A1 (YAXIS)				
AX	MEAS	NOMINAL	+TOL	-TOL	DEV	OUTTOL
M	4.09350	4.09350	0.03150	0.03150	0.00000	0.00000
	IN	B_3 - DAT_A1 TO DAT_A2 (YAXIS)				
AX	MEAS	NOMINAL	+TOL	-TOL	DEV	OUTTOL
M	0.50000	0.50000	0.03000	0.03000	0.00000	0.00000
	IN	B_4_1 - DAT_C TO PNT_A2 (XAXIS)				
AX	MEAS	NOMINAL	+TOL	-TOL	DEV	OUTTOL
M	6.56200	6.56200	0.03000	0.03000	0.00000	0.00000
	IN	B_4_2 - DAT_C TO PNT_B2 (XAXIS)				
AX	MEAS	NOMINAL	+TOL	-TOL	DEV	OUTTOL
M	6.56200	6.56200	0.03000	0.03000	0.00000	0.00000
	IN	B_5 - DAT_C TO PNT_A1 (XAXIS)				
AX	MEAS	NOMINAL	+TOL	-TOL	DEV	OUTTOL
M	2.31200	2.31200	0.03000	0.03000	0.00000	0.00000
	IN	B_6 - DAT_E1 TO LIN_7 (XAXIS)				
AX	MEAS	NOMINAL	+TOL	-TOL	DEV	OUTTOL
M	7.75000	7.76000	0.01000	0.01000	-0.01000	0.00000
	IN	B_9 - DAT_F1 TO LIN_8 (ZAXIS)				
AX	MEAS	NOMINAL	+TOL	-TOL	DEV	OUTTOL
M	8.20000	8.21000	0.01000	0.01000	-0.01000	0.00000
	IN	B_10 - PNT_A1 TO PNT_A3 (YAXIS)				
AX	MEAS	NOMINAL	+TOL	-TOL	DEV	OUTTOL
M	0.50000	0.50000	0.03000	0.03000	0.00000	0.00000
	IN	B_11_1 - DAT_A2 TO PNT_B1 (YAXIS)				
AX	MEAS	NOMINAL	+TOL	-TOL	DEV	OUTTOL
M	1.71900	1.71900	0.03000	0.03000	0.00000	0.00000
	IN	B_11_2 - DAT_A2 TO PNT_B2 (YAXIS)				
AX	MEAS	NOMINAL	+TOL	-TOL	DEV	OUTTOL
M	1.71900	1.71900	0.03000	0.03000	0.00000	0.00000
	IN	B_12 - DAT_A2 TO PNT_C (YAXIS)				
AX	MEAS	NOMINAL	+TOL	-TOL	DEV	OUTTOL
M	0.84400	0.84400	0.03000	0.03000	0.00000	0.00000

↔	IN	B_13 - PLN_15 TO LIN_14 (XAXIS)					
AX		MEAS	NOMINAL	+TOL	-TOL	DEV	OUTTOL
M		0.91400	0.91400	0.01000	0.01000	0.00000	0.00000 
↔	IN	B_14 - PLN_15 TO LIN_15 (XAXIS)					
AX		MEAS	NOMINAL	+TOL	-TOL	DEV	OUTTOL
M		0.41400	0.41400	0.01000	0.01000	0.00000	0.00000 
↔	IN	B_15 - PNT_C TO PNT_A2 (XAXIS)					
AX		MEAS	NOMINAL	+TOL	-TOL	DEV	OUTTOL
M		6.56200	6.56200	0.03000	0.03000	0.00000	0.00000 
↔	IN	B_16 - DAT_B TO LIN_17 (ZAXIS)					
AX		MEAS	NOMINAL	+TOL	-TOL	DEV	OUTTOL
M		1.14350	1.10600	0.01000	0.01000	0.03750	0.02750 
↔	IN	B_17 - DAT_B TO PNT_C (ZAXIS)					
AX		MEAS	NOMINAL	+TOL	-TOL	DEV	OUTTOL
M		1.56200	1.56200	0.03000	0.03000	0.00000	0.00000 
↔	IN	B_18 - DAT_B TO LIN_16 (ZAXIS)					
AX		MEAS	NOMINAL	+TOL	-TOL	DEV	OUTTOL
M		1.64350	1.60600	0.01000	0.01000	0.03750	0.02750 
↔	IN	B_19 - PNT_A2 TO PNT_C (ZAXIS)					
AX		MEAS	NOMINAL	+TOL	-TOL	DEV	OUTTOL
M		0.78100	0.78100	0.03000	0.03000	0.00000	0.00000 
↔	IN	B_20 - DAT_B TO PNT_A3 (ZAXIS)					
AX		MEAS	NOMINAL	+TOL	-TOL	DEV	OUTTOL
M		9.55000	9.55000	0.03000	0.03000	0.00000	0.00000 
↔	IN	B_21 - DAT_B TO DAT_F1 (ZAXIS)					
AX		MEAS	NOMINAL	+TOL	-TOL	DEV	OUTTOL
M		9.97500	9.93750	0.03150	0.03150	0.03750	0.00600 
⊞	IN	B_22 - CIR_105					
AX		MEAS	NOMINAL	+TOL	-TOL	DEV	OUTTOL
R		0.26000	0.25000	0.01000	0.01000	0.01000	0.00000 
↔	IN	B_23 - PNT_C TO PNT_A2 (XAXIS)					
AX		MEAS	NOMINAL	+TOL	-TOL	DEV	OUTTOL
M		6.56200	6.56200	0.03000	0.03000	0.00000	0.00000 
↔	IN	B_24 - PNT_C TO PNT_A3 (XAXIS)					
AX		MEAS	NOMINAL	+TOL	-TOL	DEV	OUTTOL
M		0.21000	0.21000	0.03000	0.03000	0.00000	0.00000 
↔	IN	B_25 - PNT_C TO PNT_B1 (XAXIS)					
AX		MEAS	NOMINAL	+TOL	-TOL	DEV	OUTTOL
M		2.31200	2.31200	0.03000	0.03000	0.00000	0.00000 

↔	IN	B_26 - DAT_C TO DAT_E1 (XAXIS)						
AX	MEAS	NOMINAL	+TOL	-TOL	DEV	OUTTOL		
M	2.76500	2.78100	0.03100	0.03100	-0.01600	0.00000		
B_27		IN	0.03		DEFAULT		ASME Y14.5	
Feature	MEAS	NOMINAL	+TOL	-TOL	DEV	OUTTOL		
DAT_E1	0.00000	0.00000	0.03000		0.00000	0.00000		
↔	IN	B_40 - PLN_9 TO DAT_E1 (XAXIS)						
AX	MEAS	NOMINAL	+TOL	-TOL	DEV	OUTTOL		
M	0.62500	0.62500	0.01000	0.01000	0.00000	0.00000		
B_41_45 Size		IN	∅ 0.14875 +0.00395/-0.00395 CIRCULAR ELEME		DEFAULT		ASME Y14.5	
Feature	MEAS	NOMINAL	+TOL	-TOL	DEV	OUTTOL		
CYL_11	0.14875	0.14875	0.00395	0.00395	0.00000	0.00000		
CYL_11 - LS	0.14875	0.14875	0.00395	0.00395	0.00000	0.00000		
CYL_12	0.14875	0.14875	0.00395	0.00395	0.00000	0.00000		
CYL_12 - LS	0.14875	0.14875	0.00395	0.00395	0.00000	0.00000		
B_41_45		IN	∅0.02ⓂD1E1F1		DEFAULT		ASME Y14.5	
Feature	AX	MEAS	NOMINAL	+TOL	-TOL	DEV	OUTTOL	BONUS
CYL_11 (START PT)	X	-1.08800	-1.08800			0.00000		
	Z	7.45600	7.45600			0.00000		
	TP	0.00000	0.00000	0.02000	0.00000	0.00000	0.00000	
CYL_12 (START PT)	X	-1.41300	-1.41300			0.00000		
	Z	7.45600	7.45600			0.00000		
	TP	0.00000	0.00000	0.02000	0.00000	0.00000	0.00000	
B_46_48 Size		IN	∅ 0.4075 +0.0085/-0.0085 CIRCULAR ELEMENTS		DEFAULT		ASME Y14.5	
Feature	MEAS	NOMINAL	+TOL	-TOL	DEV	OUTTOL		
CYL_58	0.40750	0.40750	0.00850	0.00850	0.00000	0.00000		
CYL_58 - LS	0.40750	0.40750	0.00850	0.00850	0.00000	0.00000		
CYL_59	0.40750	0.40750	0.00850	0.00850	0.00000	0.00000		
CYL_59 - LS	0.40750	0.40750	0.00850	0.00850	0.00000	0.00000		
B_46_48		IN	∅0.01ⓂD1E1F1		DEFAULT		ASME Y14.5	
Feature	AX	MEAS	NOMINAL	+TOL	-TOL	DEV	OUTTOL	BONUS
CYL_58 (START PT)	X	-1.55500	-1.55500			0.00000		
	Z	6.60600	6.60600			-0.00000		
	TP	0.00000	0.00000	0.01000	0.00000	0.00000	0.00000	
CYL_59 (START PT)	X	-0.94500	-0.94500			0.00000		
	Z	6.60600	6.60600			-0.00000		
	TP	0.00000	0.00000	0.01000	0.00000	0.00000	0.00000	
↔	IN	B_49_1 - CIR_18 TO CYL_12 (ZAXIS)						
AX	MEAS	NOMINAL	+TOL	-TOL	DEV	OUTTOL		
M	0.85000	0.85000	0.01000	0.01000	0.00000	0.00000		
↔	IN	B_49_2 - CIR_18 TO CYL_11 (ZAXIS)						
AX	MEAS	NOMINAL	+TOL	-TOL	DEV	OUTTOL		
M	0.85000	0.85000	0.01000	0.01000	0.00000	0.00000		

↔	IN	B_50_1 - CIR_18 TO CYL_20 (ZAXIS)						
AX		MEAS	NOMINAL	+TOL	-TOL	DEV	OUTTOL	
M		0.90000	0.90000	0.01000	0.01000	0.00000	0.00000	
↔	IN	B_50_2 - CIR_18 TO CYL_21 (ZAXIS)						
AX		MEAS	NOMINAL	+TOL	-TOL	DEV	OUTTOL	
M		0.90000	0.90000	0.01000	0.01000	0.00000	0.00000	
B_51_55 Size		IN	Ø 0.14875 +0.00395/-0.00395 CIRCULAR ELEME			DEFAULT	ASME Y14.5	
Feature		AX	MEAS	NOMINAL	+TOL	-TOL	DEV	OUTTOL
CYL_20			0.14875	0.14875	0.00395	0.00395	0.00000	0.00000
CYL_20 - LS			0.14875	0.14875	0.00395	0.00395	0.00000	0.00000
CYL_21			0.14875	0.14875	0.00395	0.00395	0.00000	0.00000
CYL_21 - LS			0.14875	0.14875	0.00395	0.00395	0.00000	0.00000
B_51_55		IN	⊕ Ø0.02ⓂD1E1F1			DEFAULT	ASME Y14.5	
Feature	AX	MEAS	NOMINAL	+TOL	-TOL	DEV	OUTTOL	BONUS
CYL_20 (START PT)	X	-1.41300	-1.41300			0.00000		
	Z	5.70600	5.70600			0.00000		
	TP	0.00000	0.00000	0.02000	0.00000	0.00000	0.00000	
CYL_21 (END PT)	X	-1.08800	-1.08800			0.00000		
	Z	5.70600	5.70600			0.00000		
	TP	0.00000	0.00000	0.02000	0.00000	0.00000	0.00000	
B_87_645 Size		IN	Ø 0.20045 +0.00365/-0.00365 CIRCULAR ELEME			DEFAULT	ASME Y14.5	
Feature		AX	MEAS	NOMINAL	+TOL	-TOL	DEV	OUTTOL
CYL_7			0.20045	0.20045	0.00365	0.00365	0.00000	0.00000
CYL_7 - LS			0.20045	0.20045	0.00365	0.00365	0.00000	0.00000
CYL_8			0.20045	0.20045	0.00365	0.00365	0.00000	0.00000
CYL_8 - LS			0.20045	0.20045	0.00365	0.00365	0.00000	0.00000
CYL_4			0.20045	0.20045	0.00365	0.00365	0.00000	0.00000
CYL_4 - LS			0.20045	0.20045	0.00365	0.00365	0.00000	0.00000
CYL_27			0.20045	0.20045	0.00365	0.00365	0.00000	0.00000
CYL_27 - LS			0.20045	0.20045	0.00365	0.00365	0.00000	0.00000
CYL_43			0.20045	0.20045	0.00365	0.00365	0.00000	0.00000
CYL_43 - LS			0.20045	0.20045	0.00365	0.00365	0.00000	0.00000
CYL_44			0.20045	0.20045	0.00365	0.00365	0.00000	0.00000
CYL_44 - LS			0.20045	0.20045	0.00365	0.00365	0.00000	0.00000
CYL_40			0.20045	0.20045	0.00365	0.00365	0.00000	0.00000
CYL_40 - LS			0.20045	0.20045	0.00365	0.00365	0.00000	0.00000
B_87_645		IN	⊕ Ø0.012ⓂD1E1F1			DEFAULT	ASME Y14.5	
Feature	AX	MEAS	NOMINAL	+TOL	-TOL	DEV	OUTTOL	BONUS
CYL_7 (START PT)	X	-5.87500	-5.87500			0.00000		
	Z	9.90600	9.90600			0.00000		
	TP	0.00000	0.00000	0.01200	0.00000	0.00000	0.00000	
CYL_8 (END PT)	X	-7.03100	-7.03100			0.00000		
	Z	9.37500	9.37500			0.00000		
	TP	0.00000	0.00000	0.01200	0.00000	0.00000	0.00000	



CYL_4 (START PT)	X Z TP	-1.59400 9.90600 0.00000	-1.59400 9.90600 0.00000	0.01200	0.00000	0.00000 0.00000 0.00000	0.00000 0.00000 0.00000	0.00365	
CYL_27 (START PT)	X Z TP	-7.03100 4.75000 0.00000	-7.03100 4.75000 0.00000	0.01200	0.00000	0.00000 0.00000 0.00000	0.00000 0.00000 0.00000	0.00365	
CYL_43 (END PT)	X Z TP	-7.03100 0.78100 0.00000	-7.03100 0.78100 0.00000	0.01200	0.00000	-0.00000 0.00000 0.00000	0.00000 0.00000 0.00000	0.00365	
CYL_44 (START PT)	X Z TP	-5.87500 0.21900 0.00000	-5.87500 0.21900 0.00000	0.01200	0.00000	0.00000 0.00000 0.00000	0.00000 0.00000 0.00000	0.00365	
CYL_40 (START PT)	X Z TP	-1.40600 0.21900 0.00000	-1.40600 0.21900 0.00000	0.01200	0.00000	0.00000 -0.00000 0.00000	0.00000 0.00000 0.00000	0.00365	
↔ IN B_91 - DAT_A-A TO DAT_F1 (ZAXIS)									
AX	MEAS	NOMINAL	+TOL	-TOL	DEV	OUTTOL			
M	10.12500	10.12500	0.01000	0.01000	0.00000	0.00000			
B_95_97 Size		IN	Ø 0.5955 +0.0085/-0.0085 CIRCULAR ELEMENTS				DEFAULT	ASME Y14.5	
Feature	AX	MEAS	NOMINAL	+TOL	-TOL	DEV	OUTTOL		
CYL_121		0.59550	0.59550	0.00850	0.00850	0.00000	0.00000		
CYL_121 - LS		0.59550	0.59550	0.00850	0.00850	0.00000	0.00000		
B_95_97		IN	⊕ Ø0.02 Ⓜ D1 E1 F1				DEFAULT	ASME Y14.5	
Feature	AX	MEAS	NOMINAL	+TOL	-TOL	DEV	OUTTOL	BONUS	
CYL_121 (START PT)	X Z TP	-8.20000 7.36200 0.00000	-8.20000 7.36200 0.00000	0.02000	0.00000	0.00000 0.00000 0.00000	0.00000 0.00000 0.00000	0.00850	
B_98_100 Size		IN	Ø 0.5955 +0.0085/-0.0085 CIRCULAR ELEMENTS				DEFAULT	ASME Y14.5	
Feature	AX	MEAS	NOMINAL	+TOL	-TOL	DEV	OUTTOL		
CYL_49		0.59550	0.59550	0.00850	0.00850	0.00000	0.00000		
CYL_49 - LS		0.59550	0.59550	0.00850	0.00850	0.00000	0.00000		
B_98_100		IN	⊕ Ø0.02 Ⓜ D1 E1 F1				DEFAULT	ASME Y14.5	
Feature	AX	MEAS	NOMINAL	+TOL	-TOL	DEV	OUTTOL	BONUS	
CYL_49 (START PT)	X Z TP	-7.09300 8.56200 0.00000	-7.09300 8.56200 0.00000	0.02000	0.00000	0.00000 0.00000 0.00000	0.00000 0.00000 0.00000	0.00850	
B_101_103 Size		IN	Ø 0.5955 +0.0085/-0.0085 CIRCULAR ELEMENTS				DEFAULT	ASME Y14.5	
Feature	AX	MEAS	NOMINAL	+TOL	-TOL	DEV	OUTTOL		
CYL_51		0.59550	0.59550	0.00850	0.00850	0.00000	0.00000		
CYL_51 - LS		0.59550	0.59550	0.00850	0.00850	0.00000	0.00000		
B_101_103		IN	⊕ Ø0.002 Ⓜ D1 E1 F1				DEFAULT	ASME Y14.5	
Feature	AX	MEAS	NOMINAL	+TOL	-TOL	DEV	OUTTOL	BONUS	
CYL_51 (END PT)	X Z TP	-4.23000 8.37500 0.00000	-4.23000 8.37500 0.00000	0.00200	0.00000	-0.00000 -0.00000 0.00000	0.00000 0.00000 0.00000	0.00850	

B_113_115_116 Size		IN	Ø 0.0875 +0.0035/-0.0035 CIRCULAR ELEMENTS				DEFAULT	ASME Y14.5
Feature	AX	MEAS	NOMINAL	+TOL	-TOL	DEV	OUTTOL	
CYL_99		0.08750	0.08750	0.00350	0.00350	0.00000	0.00000	
CYL_99 - LS		0.08750	0.08750	0.00350	0.00350	0.00000	0.00000	
CYL_100		0.08750	0.08750	0.00350	0.00350	0.00000	0.00000	
CYL_100 - LS		0.08750	0.08750	0.00350	0.00350	0.00000	0.00000	
B_113_115_116		IN	⊕ Ø0.06 Ⓜ D1 E1 F1				DEFAULT	ASME Y14.5
Feature	AX	MEAS	NOMINAL	+TOL	-TOL	DEV	OUTTOL	BONUS
CYL_99 (START PT)	X	-2.46900	-2.46900			0.00000		
	Y	1.40600	1.40600			-0.00000		
	TP	0.00000	0.00000	0.06000	0.00000	0.00000	0.00000	0.00350
CYL_100 (START PT)	X	-4.50000	-4.50000			0.00000		
	Y	1.40600	1.40600			0.00000		
	TP	0.00000	0.00000	0.06000	0.00000	0.00000	0.00000	0.00350
B_113_115_116		IN	⊕ Ø0.02 Ⓜ				DEFAULT	ASME Y14.5
Feature	AX	MEAS	NOMINAL	+TOL	-TOL	DEV	OUTTOL	BONUS
CYL_99 (START PT)	X	-2.46900	-2.46900			0.00000		
	Y	1.40600	1.40600			-0.00000		
	TP	0.00000	0.00000	0.02000	0.00000	0.00000	0.00000	0.00350
CYL_100 (START PT)	X	-4.50000	-4.50000			0.00000		
	Y	1.40600	1.40600			0.00000		
	TP	0.00000	0.00000	0.02000	0.00000	0.00000	0.00000	0.00350
B_122_124 Size		IN	Ø 0.4855 +0.0085/-0.0085 CIRCULAR ELEMENTS				DEFAULT	ASME Y14.5
Feature	AX	MEAS	NOMINAL	+TOL	-TOL	DEV	OUTTOL	
CYL_106		0.48550	0.48550	0.00850	0.00850	0.00000	0.00000	
CYL_106 - LS		0.48550	0.48550	0.00850	0.00850	0.00000	0.00000	
B_122_124		IN	⊕ Ø0.03 Ⓜ D1 E1 F1				DEFAULT	ASME Y14.5
Feature	AX	MEAS	NOMINAL	+TOL	-TOL	DEV	OUTTOL	BONUS
CYL_106 (START PT)	X	-1.25000	-1.25000			0.00000		
	Y	0.72500	0.72500			0.00000		
	TP	0.00000	0.00000	0.03000	0.00000	0.00000	0.00000	0.00850
B_125_127 Size		IN	Ø 0.625 +0.01/-0.01 CIRCULAR ELEMENTS				DEFAULT	ASME Y14.5
Feature	AX	MEAS	NOMINAL	+TOL	-TOL	DEV	OUTTOL	
CYL_112		0.62500	0.62500	0.01000	0.01000	0.00000	0.00000	
CYL_112 - LS		0.62500	0.62500	0.01000	0.01000	0.00000	0.00000	
B_125_127		IN	⊕ Ø0.03 Ⓜ D1 E1 F1				DEFAULT	ASME Y14.5
Feature	AX	MEAS	NOMINAL	+TOL	-TOL	DEV	OUTTOL	BONUS
CYL_112 (START PT)	X	-5.62500	-5.62500			0.00000		
	Y	2.44100	2.44100			0.00000		
	TP	0.00000	0.00000	0.03000	0.00000	0.00000	0.00000	0.01000
B_128-CYL_101			IN	Ø 0.76 +0.01/-0.01 CIRCULAR ELEMENTS				
MODIFIER	AX	MEAS	NOMINAL	+TOL	-TOL	DEV	OUTTOL	
UAME		0.77000	0.76000	0.01000	0.01000	0.01000	0.00000	
Local Size		0.77000	0.76000	0.01000	0.01000	0.01000	0.00000	

B_130_132 Size		IN	Ø 0.2055 +0.0075/-0.0075 CIRCULAR ELEMENTS				DEFAULT	ASME Y14.5
Feature	AX	MEAS	NOMINAL	+TOL	-TOL	DEV	OUTTOL	
CYL_110		0.20550	0.20550	0.00750	0.00750	0.00000	0.00000	
CYL_110 - LS		0.20550	0.20550	0.00750	0.00750	0.00000	0.00000	
B_130_132		IN	⌀ 0.02 Ⓜ D1 E1 F1				DEFAULT	ASME Y14.5
Feature	AX	MEAS	NOMINAL	+TOL	-TOL	DEV	OUTTOL	BONUS
CYL_110 (START PT)	X	-3.50000	-3.50000			0.00000		
	Y	0.37500	0.37500			0.00000		
	TP	0.00000	0.00000	0.02000	0.00000	0.00000	0.00000	0.00750
B_133-CYL_109		IN	Ø 0.25125 +0.00125/-0.00125 CIRCULAR ELEMENTS					
MODIFIER		MEAS	NOMINAL	+TOL	-TOL	DEV	OUTTOL	
UAME		0.25125	0.25125	0.00125	0.00125	0.00000	0.00000	
Local Size		0.25125	0.25125	0.00125	0.00125	0.00000	0.00000	
B_137-CYL_108		IN	Ø 0.2695 +0.0085/-0.0085 CIRCULAR ELEMENTS					
MODIFIER		MEAS	NOMINAL	+TOL	-TOL	DEV	OUTTOL	
UAME		0.26950	0.26950	0.00850	0.00850	0.00000	0.00000	
Local Size		0.26950	0.26950	0.00850	0.00850	0.00000	0.00000	
B_139-CYL_107		IN	Ø 0.40745 +0.00125/-0.00125 CIRCULAR ELEMENTS					
MODIFIER		MEAS	NOMINAL	+TOL	-TOL	DEV	OUTTOL	
UAME		0.40745	0.40745	0.00125	0.00125	0.00000	0.00000	
Local Size		0.40745	0.40745	0.00125	0.00125	0.00000	0.00000	
Ⓜ	IN	B_143_1 - CIR_24						
AX		MEAS	NOMINAL	+TOL	-TOL	DEV	OUTTOL	
R		0.12750	0.12750	0.01250	0.01250	0.00000	0.00000	
Ⓜ	IN	B_143_2 - CIR_25						
AX		MEAS	NOMINAL	+TOL	-TOL	DEV	OUTTOL	
R		0.12750	0.12750	0.01250	0.01250	0.00000	0.00000	
Ⓜ	IN	B_160 - CIR_106						
AX		MEAS	NOMINAL	+TOL	-TOL	DEV	OUTTOL	
R		0.14000	0.13900	0.01000	0.01000	0.00100	0.00000	
B_254_259 Size		IN	Ø 0.69345 +0.00425/-0.00425 CIRCULAR ELEME				DEFAULT	ASME Y14.5
Feature	AX	MEAS	NOMINAL	+TOL	-TOL	DEV	OUTTOL	
DAT_U		0.69345	0.69345	0.00425	0.00425	0.00000	0.00000	
DAT_U - LS		0.69345	0.69345	0.00425	0.00425	0.00000	0.00000	
B_254_259		IN	⌀ 0.02 Ⓜ D1 E1 F1				DEFAULT	ASME Y14.5
Feature	AX	MEAS	NOMINAL	+TOL	-TOL	DEV	OUTTOL	BONUS
DAT_U (START PT)	X	-3.78100	-3.78100			0.00000		
	Z	8.37500	8.37500			0.00000		
	TP	0.00000	0.00000	0.02000	0.00000	0.00000	0.00000	0.00425
B_267_272 Size		IN	Ø 0.69345 +0.00425/-0.00425 CIRCULAR ELEME				DEFAULT	ASME Y14.5
Feature	AX	MEAS	NOMINAL	+TOL	-TOL	DEV	OUTTOL	
DAT_X		0.69345	0.69345	0.00425	0.00425	0.00000	0.00000	
DAT_X - LS		0.69345	0.69345	0.00425	0.00425	0.00000	0.00000	

B_267_272		IN	$\varnothing$ 0.02 $\text{\textcircled{M}}$ D1 E1 F1				DEFAULT	ASME Y14.5
Feature	AX	MEAS	NOMINAL	+TOL	-TOL	DEV	OUTTOL	BONUS
DAT_X	X	-7.43800	-7.43800			0.00000		
	Z	8.56200	8.56200			0.00000		
(START PT)	TP	0.00000	0.00000	0.02000	0.00000	0.00000	0.00000	0.00425
B_272_278 Size		IN	$\varnothing$ 0.20045 +0.00365/-0.00365 CIRCULAR ELEME				DEFAULT	ASME Y14.5
Feature	AX	MEAS	NOMINAL	+TOL	-TOL	DEV	OUTTOL	
CYL_83		0.20045	0.20045	0.00365	0.00365	0.00000	0.00000	
CYL_83 - LS		0.20045	0.20045	0.00365	0.00365	0.00000	0.00000	
CYL_84		0.20045	0.20045	0.00365	0.00365	0.00000	0.00000	
CYL_84 - LS		0.20045	0.20045	0.00365	0.00365	0.00000	0.00000	
CYL_85		0.20045	0.20045	0.00365	0.00365	0.00000	0.00000	
CYL_85 - LS		0.20045	0.20045	0.00365	0.00365	0.00000	0.00000	
CYL_86		0.20045	0.20045	0.00365	0.00365	0.00000	0.00000	
CYL_86 - LS		0.20045	0.20045	0.00365	0.00365	0.00000	0.00000	
B_272_278		IN	$\varnothing$ 0.016 $\text{\textcircled{M}}$ D1 X $\text{\textcircled{M}}$ E1				DEFAULT	ASME Y14.5
Feature	AX	MEAS	NOMINAL	+TOL	-TOL	DEV	OUTTOL	BONUS
CYL_83	X	0.65600	0.65600			0.00000		
	Z	0.65600	0.65600			0.00000		
(START PT)	TP	0.00000	0.00000	0.01600	0.00000	0.00000	0.00000	0.00365
CYL_84	X	-0.65600	-0.65600			0.00000		
	Z	0.65600	0.65600			0.00000		
(START PT)	TP	0.00000	0.00000	0.01600	0.00000	0.00000	0.00000	0.00365
CYL_85	X	-0.65600	-0.65600			0.00000		
	Z	-0.65600	-0.65600			0.00000		
(START PT)	TP	0.00000	0.00000	0.01600	0.00000	0.00000	0.00000	0.00365
CYL_86	X	0.65600	0.65600			-0.00000		
	Z	-0.65600	-0.65600			0.00000		
(START PT)	TP	0.00000	0.00000	0.01600	0.00000	0.00000	0.00000	0.00365
$\longleftrightarrow$ IN		B_285 - PLN_3 TO DAT_F1 (ZAXIS)						
AX	MEAS	NOMINAL	+TOL	-TOL	DEV	OUTTOL		
M	9.87500	9.88500	0.01000	0.01000	-0.01000	0.00000		
B_293_295 Size		IN	$\varnothing$ 0.3695 +0.0085/-0.0085 CIRCULAR ELEMENTS				DEFAULT	ASME Y14.5
Feature	AX	MEAS	NOMINAL	+TOL	-TOL	DEV	OUTTOL	
CYL_94		0.36950	0.36950	0.00850	0.00850	0.00000	0.00000	
CYL_94 - LS		0.36950	0.36950	0.00850	0.00850	0.00000	0.00000	
CYL_96		0.36950	0.36950	0.00850	0.00850	0.00000	0.00000	
CYL_96 - LS		0.36950	0.36950	0.00850	0.00850	0.00000	0.00000	
CYL_54		0.36950	0.36950	0.00850	0.00850	0.00000	0.00000	
CYL_54 - LS		0.36950	0.36950	0.00850	0.00850	0.00000	0.00000	

B_293_295		IN	⊕ ∅0.02 Ⓜ D1 E1 F1				DEFAULT	ASME Y14.5
Feature	AX	MEAS	NOMINAL	+TOL	-TOL	DEV	OUTTOL	BONUS
CYL_94 (END PT)	X	-4.40000	-4.40000			0.00000		0.00850
	Z	1.06200	1.06200			-0.00000		
	TP	0.00000	0.00000	0.02000	0.00000	0.00000	0.00000	
CYL_96 (END PT)	X	-4.40000	-4.40000			0.00000		0.00850
	Z	3.06200	3.06200			0.00000		
	TP	0.00000	0.00000	0.02000	0.00000	0.00000	0.00000	
CYL_54 (END PT)	X	-4.40000	-4.40000			0.00000		0.00850
	Z	5.06200	5.06200			-0.00000		
	TP	0.00000	0.00000	0.02000	0.00000	0.00000	0.00000	
B_300_301 Size		IN	∅ 0.69345 +0.00425/-0.00425 CIRCULAR ELEME				DEFAULT	ASME Y14.5
Feature	AX	MEAS	NOMINAL	+TOL	-TOL	DEV	OUTTOL	
CYL_97		0.69345	0.69345	0.00425	0.00425	0.00000	0.00000	
CYL_97 - LS		0.69345	0.69345	0.00425	0.00425	0.00000	0.00000	
CYL_95		0.69345	0.69345	0.00425	0.00425	0.00000	0.00000	
CYL_95 - LS		0.69345	0.69345	0.00425	0.00425	0.00000	0.00000	
CYL_93		0.69345	0.69345	0.00425	0.00425	0.00000	0.00000	
CYL_93 - LS		0.69345	0.69345	0.00425	0.00425	0.00000	0.00000	
B_300_301		IN	⊕ ∅0.02 Ⓜ D1 E1 F1				DEFAULT	ASME Y14.5
Feature	AX	MEAS	NOMINAL	+TOL	-TOL	DEV	OUTTOL	BONUS
CYL_97 (START PT)	X	-4.40000	-4.40000			0.00000		0.00425
	Z	5.06200	5.06200			-0.00000		
	TP	0.00000	0.00000	0.02000	0.00000	0.00000	0.00000	
CYL_95 (START PT)	X	-4.40000	-4.40000			0.00000		0.00425
	Z	3.06200	3.06200			0.00000		
	TP	0.00000	0.00000	0.02000	0.00000	0.00000	0.00000	
CYL_93 (START PT)	X	-4.40000	-4.40000			0.00000		0.00425
	Z	1.06200	1.06200			0.00000		
	TP	0.00000	0.00000	0.02000	0.00000	0.00000	0.00000	
B_305_307 Size		IN	∅ 0.3695 +0.0085/-0.0085 CIRCULAR ELEMENTS				DEFAULT	ASME Y14.5
Feature	AX	MEAS	NOMINAL	+TOL	-TOL	DEV	OUTTOL	
CIR_19		0.36950	0.36950	0.00850	0.00850	0.00000	0.00000	
CIR_19 - LS		0.36950	0.36950	0.00850	0.00850	0.00000	0.00000	
CIR_20		0.36950	0.36950	0.00850	0.00850	0.00000	0.00000	
CIR_20 - LS		0.36950	0.36950	0.00850	0.00850	0.00000	0.00000	
CIR_21		0.36950	0.36950	0.00850	0.00850	0.00000	0.00000	
CIR_21 - LS		0.36950	0.36950	0.00850	0.00850	0.00000	0.00000	

B_305_307		IN	$\oplus$ $\emptyset$ 0.02 $\textcircled{M}$ D1 E1 F1				DEFAULT	ASME Y14.5
Feature	AX	MEAS	NOMINAL	+TOL	-TOL	DEV	OUTTOL	BONUS
CIR_19	X	-3.05000	-3.05000			0.00000		
	Z	5.75000	5.75000			0.00000		
	TP	0.00000	0.00000	0.02000	0.00000	0.00000	0.00000	0.00850
CIR_20	X	-3.05000	-3.05000			0.00000		
	Z	3.75000	3.75000			0.00000		
	TP	0.00000	0.00000	0.02000	0.00000	0.00000	0.00000	0.00850
CIR_21	X	-3.05000	-3.05000			0.00000		
	Z	1.75000	1.75000			0.00000		
	TP	0.00000	0.00000	0.02000	0.00000	0.00000	0.00000	0.00850
B_308_1-CYL_88			IN	$\emptyset$ 0.69345 +0.00425/-0.00425 CIRCULAR ELEMENTS				
MODIFIER		MEAS	NOMINAL	+TOL	-TOL	DEV	OUTTOL	
UAME		0.69345	0.69345	0.00425	0.00425	0.00000	0.00000	
Local Size		0.69345	0.69345	0.00425	0.00425	0.00000	0.00000	
B_308_2-CYL_90			IN	$\emptyset$ 0.69345 +0.00425/-0.00425 CIRCULAR ELEMENTS				
MODIFIER		MEAS	NOMINAL	+TOL	-TOL	DEV	OUTTOL	
UAME		0.69345	0.69345	0.00425	0.00425	0.00000	0.00000	
Local Size		0.69345	0.69345	0.00425	0.00425	0.00000	0.00000	
B_308_3-CYL_92			IN	$\emptyset$ 0.69345 +0.00425/-0.00425 CIRCULAR ELEMENTS				
MODIFIER		MEAS	NOMINAL	+TOL	-TOL	DEV	OUTTOL	
UAME		0.69345	0.69345	0.00425	0.00425	0.00000	0.00000	
Local Size		0.69345	0.69345	0.00425	0.00425	0.00000	0.00000	
B_313_318 Size		IN	$\emptyset$ 0.81035 +0.00485/-0.00485 CIRCULAR ELEME				DEFAULT	ASME Y14.5
Feature	AX	MEAS	NOMINAL	+TOL	-TOL	DEV	OUTTOL	
CYL_87		0.81035	0.81035	0.00485	0.00485	0.00000	0.00000	
CYL_87 - LS		0.81035	0.81035	0.00485	0.00485	0.00000	0.00000	
CYL_89		0.81035	0.81035	0.00485	0.00485	0.00000	0.00000	
CYL_89 - LS		0.81035	0.81035	0.00485	0.00485	0.00000	0.00000	
CYL_91		0.81035	0.81035	0.00485	0.00485	0.00000	0.00000	
CYL_91 - LS		0.81035	0.81035	0.00485	0.00485	0.00000	0.00000	
B_313_318		IN	$\oplus$ $\emptyset$ 0.02 $\textcircled{M}$ D1 E1 F1				DEFAULT	ASME Y14.5
Feature	AX	MEAS	NOMINAL	+TOL	-TOL	DEV	OUTTOL	BONUS
CYL_87 (START PT)	X	-3.05000	-3.05000			0.00000		
	Z	5.75000	5.75000			0.00000		
	TP	0.00000	0.00000	0.02000	0.00000	0.00000	0.00000	0.00485
CYL_89 (START PT)	X	-3.05000	-3.05000			0.00000		
	Z	3.75000	3.75000			-0.00000		
	TP	0.00000	0.00000	0.02000	0.00000	0.00000	0.00000	0.00485
CYL_91 (START PT)	X	-3.05000	-3.05000			0.00000		
	Z	1.75000	1.75000			0.00000		
	TP	0.00000	0.00000	0.02000	0.00000	0.00000	0.00000	0.00485

B_329_334 Size		IN	Ø 0.20045 +0.00365/-0.00365 CIRCULAR ELEME				DEFAULT	ASME Y14.5	
Feature	MEAS	NOMINAL	+TOL	-TOL	DEV	OUTTOL			
CYL_79	0.20045	0.20045	0.00365	0.00365	0.00000	0.00000			
CYL_79 - LS	0.20045	0.20045	0.00365	0.00365	0.00000	0.00000			
CYL_80	0.20045	0.20045	0.00365	0.00365	0.00000	0.00000			
CYL_80 - LS	0.20045	0.20045	0.00365	0.00365	0.00000	0.00000			
CYL_81	0.20045	0.20045	0.00365	0.00365	0.00000	0.00000			
CYL_81 - LS	0.20045	0.20045	0.00365	0.00365	0.00000	0.00000			
CYL_82	0.20045	0.20045	0.00365	0.00365	0.00000	0.00000			
CYL_82 - LS	0.20045	0.20045	0.00365	0.00365	0.00000	0.00000			
B_329_334		IN	⊕ Ø0.016ⓂD1UⓂE1				DEFAULT	ASME Y14.5	
Feature	AX	MEAS	NOMINAL	+TOL	-TOL	DEV	OUTTOL	BONUS	
CYL_79 (START PT)	X	0.57800	0.57800			0.00000			
	Z	0.57800	0.57800			0.00000			
	TP	0.00000	0.00000	0.01600	0.00000	0.00000	0.00000	0.00365	
CYL_80 (START PT)	X	-0.57800	-0.57800			0.00000			
	Z	0.57800	0.57800			0.00000			
	TP	0.00000	0.00000	0.01600	0.00000	0.00000	0.00000	0.00365	
CYL_81 (END PT)	X	-0.57800	-0.57800			0.00000			
	Z	-0.57800	-0.57800			0.00000			
	TP	0.00000	0.00000	0.01600	0.00000	0.00000	0.00000	0.00365	
CYL_82 (START PT)	X	0.57800	0.57800			0.00000			
	Z	-0.57800	-0.57800			0.00000			
	TP	0.00000	0.00000	0.01600	0.00000	0.00000	0.00000	0.00365	

B_515_645_3 Size		IN	Ø 0.20045 +0.00365/-0.00365 CIRCULAR ELEME				DEFAULT	ASME Y14.5
Feature	MEAS	NOMINAL	+TOL	-TOL	DEV	OUTTOL		
CYL_22	0.20045	0.20045	0.00365	0.00365	0.00000	0.00000		
CYL_22 - LS	0.20045	0.20045	0.00365	0.00365	0.00000	0.00000		
CYL_31	0.20045	0.20045	0.00365	0.00365	0.00000	0.00000		
CYL_31 - LS	0.20045	0.20045	0.00365	0.00365	0.00000	0.00000		
CYL_32	0.20045	0.20045	0.00365	0.00365	0.00000	0.00000		
CYL_32 - LS	0.20045	0.20045	0.00365	0.00365	0.00000	0.00000		
CYL_24	0.20045	0.20045	0.00365	0.00365	0.00000	0.00000		
CYL_24 - LS	0.20045	0.20045	0.00365	0.00365	0.00000	0.00000		
B_515_645_3		IN	⊕ Ø0.02 Ⓜ D1 Ⓜ E1				DEFAULT	ASME Y14.5
Feature	AX	MEAS	NOMINAL	+TOL	-TOL	DEV	OUTTOL	BONUS
CYL_22 (END PT)	X	0.93800	0.93800			0.00000		
	Z	0.93800	0.93800			-0.00000		
	TP	0.00000	0.00000	0.02000	0.00000	0.00000	0.00000	0.00365
CYL_31 (END PT)	X	0.93800	0.93800			0.00000		
	Z	-0.93800	-0.93800			-0.00000		
	TP	0.00000	0.00000	0.02000	0.00000	0.00000	0.00000	0.00365
CYL_32 (START PT)	X	-0.93800	-0.93800			0.00000		
	Z	-0.93800	-0.93800			0.00000		
	TP	0.00000	0.00000	0.02000	0.00000	0.00000	0.00000	0.00365
CYL_24 (START PT)	X	-0.93800	-0.93800			0.00000		
	Z	0.93800	0.93800			0.00000		
	TP	0.00000	0.00000	0.02000	0.00000	0.00000	0.00000	0.00365
B_519_521 Size		IN	Ø 0.2055 +0.0075/-0.0075 CIRCULAR ELEMENTS				DEFAULT	ASME Y14.5
Feature	MEAS	NOMINAL	+TOL	-TOL	DEV	OUTTOL		
CYL_30	0.20550	0.20550	0.00750	0.00750	0.00000	0.00000		
CYL_30 - LS	0.20550	0.20550	0.00750	0.00750	0.00000	0.00000		
B_519_521		IN	⊕ Ø0.02 Ⓜ D1 Ⓜ E1				DEFAULT	ASME Y14.5
Feature	AX	MEAS	NOMINAL	+TOL	-TOL	DEV	OUTTOL	BONUS
CYL_30 (START PT)	X	0.72000	0.72000			0.00000		
	Z	-0.12500	-0.12500			0.00000		
	TP	0.00000	0.00000	0.02000	0.00000	0.00000	0.00000	0.00750
B_522_523 Size		IN	Ø 0.3695 +0.0085/-0.0085 CIRCULAR ELEMENTS				DEFAULT	ASME Y14.5
Feature	MEAS	NOMINAL	+TOL	-TOL	DEV	OUTTOL		
CYL_66	0.36950	0.36950	0.00850	0.00850	0.00000	0.00000		
CYL_66 - LS	0.36950	0.36950	0.00850	0.00850	0.00000	0.00000		
B_522_523		IN	⊕ Ø0.01 Ⓜ D1 Ⓜ E1				DEFAULT	ASME Y14.5
Feature	AX	MEAS	NOMINAL	+TOL	-TOL	DEV	OUTTOL	BONUS
CYL_66 (START PT)	X	-0.00000	-0.00000			0.00000		
	Z	-0.72000	-0.72000			0.00000		
	TP	0.00000	0.00000	0.01000	0.00000	0.00000	0.00000	0.00850
B_525_527 Size		IN	Ø 0.4855 +0.0085/-0.0085 CIRCULAR ELEMENTS				DEFAULT	ASME Y14.5
Feature	MEAS	NOMINAL	+TOL	-TOL	DEV	OUTTOL		
DAT_G	0.48550	0.48550	0.00850	0.00850	0.00000	0.00000		
DAT_G - LS	0.48550	0.48550	0.00850	0.00850	0.00000	0.00000		






B_525_527		IN	$\oplus$ $\varnothing$ 0.03 $\textcircled{M}$ D1 E1 F1				DEFAULT	ASME Y14.5
Feature	AX	MEAS	NOMINAL	+TOL	-TOL	DEV	OUTTOL	BONUS
DAT_G	X	-2.31200	-2.31200			0.00000		
	Z	3.75000	3.75000			0.00000		
(START PT)	TP	0.00000	0.00000	0.03000	0.00000	0.00000	0.00000	0.00850
B_533		IN	$\square$ 0.005				DEFAULT	ASME Y14.5
Feature		MEAS	NOMINAL	+TOL	-TOL	DEV	OUTTOL	
PLN_17		0.00000	0.00000	0.00500		0.00000	0.00000	
B_534_536 Size		IN	$\varnothing$ 0.2055 +0.0075/-0.0075 CIRCULAR ELEMENTS				DEFAULT	ASME Y14.5
Feature		MEAS	NOMINAL	+TOL	-TOL	DEV	OUTTOL	
CYL_23		0.20550	0.20550	0.00750	0.00750	0.00000	0.00000	
CYL_23 - LS		0.20550	0.20550	0.00750	0.00750	0.00000	0.00000	
CYL_29		0.20550	0.20550	0.00750	0.00750	0.00000	0.00000	
CYL_29 - LS		0.20550	0.20550	0.00750	0.00750	0.00000	0.00000	
B_534_536		IN	$\oplus$ $\varnothing$ 0.03 $\textcircled{M}$ D1 $\textcircled{G}$ $\textcircled{M}$ E1				DEFAULT	ASME Y14.5
Feature	AX	MEAS	NOMINAL	+TOL	-TOL	DEV	OUTTOL	BONUS
CYL_23	X	0.00000	0.00000			0.00000		
	Z	0.93800	0.93800			0.00000		
(START PT)	TP	0.00000	0.00000	0.03000	0.00000	0.00000	0.00000	0.00750
CYL_29	X	-0.72000	-0.72000			0.00000		
	Z	-0.12500	-0.12500			-0.00000		
(END PT)	TP	0.00000	0.00000	0.03000	0.00000	0.00000	0.00000	0.00750
B_537_645_1 Size		IN	$\varnothing$ 0.20045 +0.00365/-0.00365 CIRCULAR ELCME				DEFAULT	ASME Y14.5
Feature		MEAS	NOMINAL	+TOL	-TOL	DEV	OUTTOL	
CYL_17		0.20045	0.20045	0.00365	0.00365	0.00000	0.00000	
CYL_17 - LS		0.20045	0.20045	0.00365	0.00365	0.00000	0.00000	
CYL_25		0.20045	0.20045	0.00365	0.00365	0.00000	0.00000	
CYL_25 - LS		0.20045	0.20045	0.00365	0.00365	0.00000	0.00000	
CYL_26		0.20045	0.20045	0.00365	0.00365	0.00000	0.00000	
CYL_26 - LS		0.20045	0.20045	0.00365	0.00365	0.00000	0.00000	
CYL_15		0.20045	0.20045	0.00365	0.00365	0.00000	0.00000	
CYL_15 - LS		0.20045	0.20045	0.00365	0.00365	0.00000	0.00000	
B_537_645_1		IN	$\oplus$ $\varnothing$ 0.02 $\textcircled{M}$ D1 H1 $\textcircled{M}$ E1				DEFAULT	ASME Y14.5
Feature	AX	MEAS	NOMINAL	+TOL	-TOL	DEV	OUTTOL	BONUS
CYL_17	X	0.93800	0.93800			0.00000		
	Z	0.93800	0.93800			-0.00000		
(END PT)	TP	0.00000	0.00000	0.02000	0.00000	0.00000	0.00000	0.00365
CYL_25	X	0.93800	0.93800			0.00000		
	Z	-0.93800	-0.93800			0.00000		
(START PT)	TP	0.00000	0.00000	0.02000	0.00000	0.00000	0.00000	0.00365
CYL_26	X	-0.93800	-0.93800			0.00000		
	Z	-0.93800	-0.93800			0.00000		
(START PT)	TP	0.00000	0.00000	0.02000	0.00000	0.00000	0.00000	0.00365
CYL_15	X	-0.93800	-0.93800			0.00000		
	Z	0.93800	0.93800			0.00000		
(START PT)	TP	0.00000	0.00000	0.02000	0.00000	0.00000	0.00000	0.00365

B_541_543_1 Size		IN	Ø 0.3695 +0.0085/-0.0085 CIRCULAR ELEMENTS				DEFAULT	ASME Y14.5
Feature	MEAS	NOMINAL	+TOL	-TOL	DEV	OUTTOL		
CYL_60	0.36950	0.36950	0.00850	0.00850	0.00000	0.00000		
CYL_60 - LS	0.36950	0.36950	0.00850	0.00850	0.00000	0.00000		
B_541_543_1		IN	⊕ Ø0.01Ⓜ D1 H1Ⓜ E1				DEFAULT	ASME Y14.5
Feature	AX	MEAS	NOMINAL	+TOL	-TOL	DEV	OUTTOL	BONUS
CYL_60 (START PT)	X	-0.00000	-0.00000			0.00000		
	Z	-0.72000	-0.72000			0.00000		
	TP	0.00000	0.00000	0.01000	0.00000	0.00000	0.00000	
B_545_548_1 Size		IN	Ø 0.4855 +0.0085/-0.0085 CIRCULAR ELEMENTS				DEFAULT	ASME Y14.5
Feature	MEAS	NOMINAL	+TOL	-TOL	DEV	OUTTOL		
DAT_H1	0.48550	0.48550	0.00850	0.00850	0.00000	0.00000		
DAT_H1 - LS	0.48550	0.48550	0.00850	0.00850	0.00000	0.00000		
B_545_548_1		IN	⊕ Ø0.03Ⓜ D1 E1 F1				DEFAULT	ASME Y14.5
Feature	AX	MEAS	NOMINAL	+TOL	-TOL	DEV	OUTTOL	BONUS
DAT_H1 (START PT)	X	-5.06200	-5.06200			0.00000		
	Z	5.75000	5.75000			0.00000		
	TP	0.00000	0.00000	0.03000	0.00000	0.00000	0.00000	
B_551_553_1 Size		IN	Ø 0.2055 +0.0075/-0.0075 CIRCULAR ELEMENTS				DEFAULT	ASME Y14.5
Feature	MEAS	NOMINAL	+TOL	-TOL	DEV	OUTTOL		
CYL_18	0.20550	0.20550	0.00750	0.00750	0.00000	0.00000		
CYL_18 - LS	0.20550	0.20550	0.00750	0.00750	0.00000	0.00000		
B_551_553_1		IN	⊕ Ø0.02Ⓜ D1 H1Ⓜ E1				DEFAULT	ASME Y14.5
Feature	AX	MEAS	NOMINAL	+TOL	-TOL	DEV	OUTTOL	BONUS
CYL_18 (START PT)	X	-0.72000	-0.72000			0.00000		
	Z	0.00000	0.00000			0.00000		
	TP	0.00000	0.00000	0.02000	0.00000	0.00000	0.00000	
B_557_1		IN	▱ 0.005				DEFAULT	ASME Y14.5
Feature	MEAS	NOMINAL	+TOL	-TOL	DEV	OUTTOL		
PLN_19	0.00000	0.00000	0.00500		0.00000	0.00000		
B_558_560_1 Size		IN	Ø 0.2055 +0.0075/-0.0075 CIRCULAR ELEMENTS				DEFAULT	ASME Y14.5
Feature	MEAS	NOMINAL	+TOL	-TOL	DEV	OUTTOL		
CYL_16	0.20550	0.20550	0.00750	0.00750	0.00000	0.00000		
CYL_16 - LS	0.20550	0.20550	0.00750	0.00750	0.00000	0.00000		
CYL_19	0.20550	0.20550	0.00750	0.00750	0.00000	0.00000		
CYL_19 - LS	0.20550	0.20550	0.00750	0.00750	0.00000	0.00000		
B_558_560_1		IN	⊕ Ø0.03Ⓜ D1 H1Ⓜ E1				DEFAULT	ASME Y14.5
Feature	AX	MEAS	NOMINAL	+TOL	-TOL	DEV	OUTTOL	BONUS
CYL_16 (START PT)	X	0.00000	0.00000			0.00000		
	Z	0.93800	0.93800			0.00000		
	TP	0.00000	0.00000	0.03000	0.00000	0.00000	0.00000	
CYL_19 (START PT)	X	0.72000	0.72000			0.00000		
	Z	-0.12500	-0.12500			0.00000		
	TP	0.00000	0.00000	0.03000	0.00000	0.00000	0.00000	

B_537_645_2 Size		IN	Ø 0.20045 +0.00365/-0.00365 CIRCULAR ELEME				DEFAULT	ASME Y14.5
Feature	MEAS	NOMINAL	+TOL	-TOL	DEV	OUTTOL		
CYL_33	0.20045	0.20045	0.00365	0.00365	0.00000	0.00000		
CYL_33 - LS	0.20045	0.20045	0.00365	0.00365	0.00000	0.00000		
CYL_41	0.20045	0.20045	0.00365	0.00365	0.00000	0.00000		
CYL_41 - LS	0.20045	0.20045	0.00365	0.00365	0.00000	0.00000		
CYL_42	0.20045	0.20045	0.00365	0.00365	0.00000	0.00000		
CYL_42 - LS	0.20045	0.20045	0.00365	0.00365	0.00000	0.00000		
CYL_35	0.20045	0.20045	0.00365	0.00365	0.00000	0.00000		
CYL_35 - LS	0.20045	0.20045	0.00365	0.00365	0.00000	0.00000		
B_537_645_2		IN	⊕ Ø0.02 Ⓜ D1 H2 Ⓜ E1				DEFAULT	ASME Y14.5
Feature	AX	MEAS	NOMINAL	+TOL	-TOL	DEV	OUTTOL	BONUS
CYL_33 (END PT)	X	0.93800	0.93800			0.00000		
	Z	0.93800	0.93800			-0.00000		
	TP	0.00000	0.00000	0.02000	0.00000	0.00000	0.00000	0.00365
CYL_41 (END PT)	X	0.93800	0.93800			0.00000		
	Z	-0.93800	-0.93800			0.00000		
	TP	0.00000	0.00000	0.02000	0.00000	0.00000	0.00000	0.00365
CYL_42 (START PT)	X	-0.93800	-0.93800			0.00000		
	Z	-0.93800	-0.93800			0.00000		
	TP	0.00000	0.00000	0.02000	0.00000	0.00000	0.00000	0.00365
CYL_35 (START PT)	X	-0.93800	-0.93800			0.00000		
	Z	0.93800	0.93800			0.00000		
	TP	0.00000	0.00000	0.02000	0.00000	0.00000	0.00000	0.00365
B_541_543_2 Size		IN	Ø 0.3695 +0.0085/-0.0085 CIRCULAR ELEMENTS				DEFAULT	ASME Y14.5
Feature	MEAS	NOMINAL	+TOL	-TOL	DEV	OUTTOL		
CYL_69	0.36950	0.36950	0.00850	0.00850	0.00000	0.00000		
CYL_69 - LS	0.36950	0.36950	0.00850	0.00850	0.00000	0.00000		
B_541_543_2		IN	⊕ Ø0.01 Ⓜ D1 H2 Ⓜ E1				DEFAULT	ASME Y14.5
Feature	AX	MEAS	NOMINAL	+TOL	-TOL	DEV	OUTTOL	BONUS
CYL_69 (END PT)	X	-0.00000	-0.00000			0.00000		
	Z	-0.72000	-0.72000			-0.00000		
	TP	0.00000	0.00000	0.01000	0.00000	0.00000	0.00000	0.00850
B_545_548_2 Size		IN	Ø 0.4855 +0.0085/-0.0085 CIRCULAR ELEMENTS				DEFAULT	ASME Y14.5
Feature	MEAS	NOMINAL	+TOL	-TOL	DEV	OUTTOL		
DAT_H2	0.48550	0.48550	0.00850	0.00850	0.00000	0.00000		
DAT_H2 - LS	0.48550	0.48550	0.00850	0.00850	0.00000	0.00000		
B_545_548_2		IN	⊕ Ø0.03 Ⓜ D1 E1 F1				DEFAULT	ASME Y14.5
Feature	AX	MEAS	NOMINAL	+TOL	-TOL	DEV	OUTTOL	BONUS
DAT_H2 (END PT)	X	-5.06200	-5.06200			0.00000		
	Z	1.75000	1.75000			0.00000		
	TP	0.00000	0.00000	0.03000	0.00000	0.00000	0.00000	0.00850
B_551_553_2 Size		IN	Ø 0.2055 +0.0075/-0.0075 CIRCULAR ELEMENTS				DEFAULT	ASME Y14.5
Feature	MEAS	NOMINAL	+TOL	-TOL	DEV	OUTTOL		
CYL_36	0.20550	0.20550	0.00750	0.00750	0.00000	0.00000		
CYL_36 - LS	0.20550	0.20550	0.00750	0.00750	0.00000	0.00000		

B_551_553_2		IN	$\varnothing 0.02 \text{ (M)}$ D1 H2 (M) E1				DEFAULT	ASME Y14.5
Feature	AX	MEAS	NOMINAL	+TOL	-TOL	DEV	OUTTOL	BONUS
CYL_36 (START PT)	X	-0.72000	-0.72000			0.00000		
	Z	0.00000	0.00000			0.00000		
	TP	0.00000	0.00000	0.02000	0.00000	0.00000	0.00000	0.00750
B_557_2		IN	$\varnothing 0.005$				DEFAULT	ASME Y14.5
Feature		MEAS	NOMINAL	+TOL	-TOL	DEV	OUTTOL	
PLN_18		0.00000	0.00000	0.00500		0.00000	0.00000	
B_558_560_2 Size		IN	$\varnothing 0.2055 +0.0075/-0.0075$ CIRCULAR ELEMENTS				DEFAULT	ASME Y14.5
Feature		MEAS	NOMINAL	+TOL	-TOL	DEV	OUTTOL	
CYL_34		0.20550	0.20550	0.00750	0.00750	0.00000	0.00000	
CYL_34 - LS		0.20550	0.20550	0.00750	0.00750	0.00000	0.00000	
CYL_37		0.20550	0.20550	0.00750	0.00750	0.00000	0.00000	
CYL_37 - LS		0.20550	0.20550	0.00750	0.00750	0.00000	0.00000	
B_558_560_2		IN	$\varnothing 0.03 \text{ (M)}$ D1 H2 (M) E1				DEFAULT	ASME Y14.5
Feature	AX	MEAS	NOMINAL	+TOL	-TOL	DEV	OUTTOL	BONUS
CYL_34 (START PT)	X	0.00000	0.00000			0.00000		
	Z	0.93800	0.93800			0.00000		
	TP	0.00000	0.00000	0.03000	0.00000	0.00000	0.00000	0.00750
CYL_37 (START PT)	X	0.72000	0.72000			0.00000		
	Z	-0.12500	-0.12500			0.00000		
	TP	0.00000	0.00000	0.03000	0.00000	0.00000	0.00000	0.00750
B_561_645_4 Size		IN	$\varnothing 0.20045 +0.00365/-0.00365$ CIRCULAR ELEM				DEFAULT	ASME Y14.5
Feature		MEAS	NOMINAL	+TOL	-TOL	DEV	OUTTOL	
CYL_5		0.20045	0.20045	0.00365	0.00365	0.00000	0.00000	
CYL_5 - LS		0.20045	0.20045	0.00365	0.00365	0.00000	0.00000	
CYL_13		0.20045	0.20045	0.00365	0.00365	0.00000	0.00000	
CYL_13 - LS		0.20045	0.20045	0.00365	0.00365	0.00000	0.00000	
CYL_14		0.20045	0.20045	0.00365	0.00365	0.00000	0.00000	
CYL_14 - LS		0.20045	0.20045	0.00365	0.00365	0.00000	0.00000	
CYL_6		0.20045	0.20045	0.00365	0.00365	0.00000	0.00000	
CYL_6 - LS		0.20045	0.20045	0.00365	0.00365	0.00000	0.00000	
B_561_645_4		IN	$\varnothing 0.02 \text{ (M)}$ D1 Y (M) E1				DEFAULT	ASME Y14.5
Feature	AX	MEAS	NOMINAL	+TOL	-TOL	DEV	OUTTOL	BONUS
CYL_5 (START PT)	X	0.93800	0.93800			0.00000		
	Z	0.93800	0.93800			0.00000		
	TP	0.00000	0.00000	0.02000	0.00000	0.00000	0.00000	0.00365
CYL_13 (START PT)	X	0.93800	0.93800			0.00000		
	Z	-0.93800	-0.93800			0.00000		
	TP	0.00000	0.00000	0.02000	0.00000	0.00000	0.00000	0.00365
CYL_14 (END PT)	X	-0.93800	-0.93800			0.00000		
	Z	-0.93800	-0.93800			0.00000		
	TP	0.00000	0.00000	0.02000	0.00000	0.00000	0.00000	0.00365
CYL_6 (END PT)	X	-0.93800	-0.93800			0.00000		
	Z	0.93800	0.93800			-0.00000		
	TP	0.00000	0.00000	0.02000	0.00000	0.00000	0.00000	0.00365

B_565_567 Size		IN	Ø 0.2055 +0.0075/-0.0075 CIRCULAR ELEMENTS				DEFAULT	ASME Y14.5
Feature	MEAS	NOMINAL	+TOL	-TOL	DEV	OUTTOL		
CYL_10	0.20550	0.20550	0.00750	0.00750	0.00000	0.00000		
CYL_10 - LS	0.20550	0.20550	0.00750	0.00750	0.00000	0.00000		
B_565_567		IN	⊕ Ø0.02 (M) D1 Y (M) E1				DEFAULT	ASME Y14.5
Feature	AX	MEAS	NOMINAL	+TOL	-TOL	DEV	OUTTOL	BONUS
CYL_10 (START PT)	X	0.72000	0.72000			0.00000		
	Z	-0.12500	-0.12500			0.00000		
	TP	0.00000	0.00000	0.02000	0.00000	0.00000	0.00000	
B_568_570 Size		IN	Ø 0.3695 +0.0085/-0.0085 CIRCULAR ELEMENTS				DEFAULT	ASME Y14.5
Feature	MEAS	NOMINAL	+TOL	-TOL	DEV	OUTTOL		
CYL_71	0.36950	0.36950	0.00850	0.00850	0.00000	0.00000		
CYL_71 - LS	0.36950	0.36950	0.00850	0.00850	0.00000	0.00000		
B_568_570		IN	⊕ Ø0.01 (M) D1 Y (M) E1				DEFAULT	ASME Y14.5
Feature	AX	MEAS	NOMINAL	+TOL	-TOL	DEV	OUTTOL	BONUS
CYL_71 (START PT)	X	-0.00000	-0.00000			-0.00000		
	Z	-0.72000	-0.72000			-0.00000		
	TP	0.00000	0.00000	0.01000	0.00000	0.00000	0.00000	
B_572_575 Size		IN	Ø 0.4855 +0.0085/-0.0085 CIRCULAR ELEMENTS				DEFAULT	ASME Y14.5
Feature	MEAS	NOMINAL	+TOL	-TOL	DEV	OUTTOL		
DAT_Y	0.48550	0.48550	0.00850	0.00850	0.00000	0.00000		
DAT_Y - LS	0.48550	0.48550	0.00850	0.00850	0.00000	0.00000		
B_572_575		IN	⊕ Ø0.03 (M) D1 E1 F1				DEFAULT	ASME Y14.5
Feature	AX	MEAS	NOMINAL	+TOL	-TOL	DEV	OUTTOL	BONUS
DAT_Y (START PT)	X	-2.87500	-2.87500			0.00000		
	Z	8.37500	8.37500			0.00000		
	TP	0.00000	0.00000	0.03000	0.00000	0.00000	0.00000	
B_578_580 Size		IN	Ø 0.2055 +0.0075/-0.0075 CIRCULAR ELEMENTS				DEFAULT	ASME Y14.5
Feature	MEAS	NOMINAL	+TOL	-TOL	DEV	OUTTOL		
CYL_9	0.20550	0.20550	0.00750	0.00750	0.00000	0.00000		
CYL_9 - LS	0.20550	0.20550	0.00750	0.00750	0.00000	0.00000		
B_578_580		IN	⊕ Ø0.02 (M) D1 Y (M) E1				DEFAULT	ASME Y14.5
Feature	AX	MEAS	NOMINAL	+TOL	-TOL	DEV	OUTTOL	BONUS
CYL_9 (START PT)	X	-0.72000	-0.72000			0.00000		
	Z	0.00000	0.00000			0.00000		
	TP	0.00000	0.00000	0.02000	0.00000	0.00000	0.00000	
B_584		IN	▱ 0.005				DEFAULT	ASME Y14.5
Feature	MEAS	NOMINAL	+TOL	-TOL	DEV	OUTTOL		
PLN_20	0.00000	0.00000	0.00500		0.00000	0.00000		
B_585_587 Size		IN	Ø 0.2055 +0.0075/-0.0075 CIRCULAR ELEMENTS				DEFAULT	ASME Y14.5
Feature	MEAS	NOMINAL	+TOL	-TOL	DEV	OUTTOL		
CYL_3	0.20550	0.20550	0.00750	0.00750	0.00000	0.00000		
CYL_3 - LS	0.20550	0.20550	0.00750	0.00750	0.00000	0.00000		

B_585_587		IN	⊕ ∅0.03 M D1 Y M E1				DEFAULT	ASME Y14.5
Feature	AX	MEAS	NOMINAL	+TOL	-TOL	DEV	OUTTOL	BONUS
CYL_3 (END PT)	X	0.00000	0.00000			0.00000		
	Z	0.93800	0.93800			-0.00000		
	TP	0.00000	0.00000	0.03000	0.00000	0.00000	0.00000	0.00750
B_588-CIR_23			IN	∅ 0.7525 +0.0025/-0.0025 CIRCULAR ELEMENTS				
MODIFIER		MEAS	NOMINAL	+TOL	-TOL	DEV	OUTTOL	
UAME		0.75250	0.75250	0.00250	0.00250	0.00000	0.00000	
Local Size		0.75250	0.75250	0.00250	0.00250	0.00000	0.00000	
B_596-CYL_57			IN	∅ 0.9925 +0.0175/-0.0175 CIRCULAR ELEMENTS				
MODIFIER		MEAS	NOMINAL	+TOL	-TOL	DEV	OUTTOL	
UAME		0.99250	0.99250	0.01750	0.01750	0.00000	0.00000	
Local Size		0.99250	0.99250	0.01750	0.01750	0.00000	0.00000	
B_599_603 Size		IN	∅ 1.0635 +0.001/-0.001 CIRCULAR ELEMENTS				DEFAULT	ASME Y14.5
Feature		MEAS	NOMINAL	+TOL	-TOL	DEV	OUTTOL	
CIR_18		1.06350	1.06350	0.00100	0.00100	0.00000	0.00000	
CIR_18 - LS		1.06350	1.06350	0.00100	0.00100	0.00000	0.00000	
B_599_603		IN	⊕ ∅0.025 M D1 E1 F1				DEFAULT	ASME Y14.5
Feature	AX	MEAS	NOMINAL	+TOL	-TOL	DEV	OUTTOL	BONUS
CIR_18	X	-1.25000	-1.25000			0.00000		
	Z	6.60600	6.60600			0.00000		
	TP	0.00000	0.00000	0.02500	0.00000	0.00000	0.00000	0.00100
SIZE_612_1-CYL_52			IN	∅ 0.65745 +0.00125/-0.00125 CIRCULAR ELEMENTS				
MODIFIER		MEAS	NOMINAL	+TOL	-TOL	DEV	OUTTOL	
UAME		0.65745	0.65745	0.00125	0.00125	0.00000	0.00000	
Local Size		0.65745	0.65745	0.00125	0.00125	0.00000	0.00000	
SIZE_612_2-CYL_48			IN	∅ 0.65745 +0.00125/-0.00125 CIRCULAR ELEMENTS				
MODIFIER		MEAS	NOMINAL	+TOL	-TOL	DEV	OUTTOL	
UAME		0.65745	0.65745	0.00125	0.00125	0.00000	0.00000	
Local Size		0.65745	0.65745	0.00125	0.00125	0.00000	0.00000	
SIZE_612_3-CYL_1			IN	∅ 0.65745 +0.00125/-0.00125 CIRCULAR ELEMENTS				
MODIFIER		MEAS	NOMINAL	+TOL	-TOL	DEV	OUTTOL	
UAME		0.65745	0.65745	0.00125	0.00125	0.00000	0.00000	
Local Size		0.65745	0.65745	0.00125	0.00125	0.00000	0.00000	

B_622 Size		IN	Ø 0.3695 +0.0085/-0.0085 CIRCULAR ELEMENTS				DEFAULT	ASME Y14.5
Feature	MEAS	NOMINAL	+TOL	-TOL	DEV	OUTTOL		
CYL_64	0.36950	0.36950	0.00850	0.00850	0.00000	0.00000		
CYL_64 - LS	0.36950	0.36950	0.00850	0.00850	0.00000	0.00000		
CYL_67	0.36950	0.36950	0.00850	0.00850	0.00000	0.00000		
CYL_67 - LS	0.36950	0.36950	0.00850	0.00850	0.00000	0.00000		
CYL_70	0.36950	0.36950	0.00850	0.00850	0.00000	0.00000		
CYL_70 - LS	0.36950	0.36950	0.00850	0.00850	0.00000	0.00000		
CYL_63	0.36950	0.36950	0.00850	0.00850	0.00000	0.00000		
CYL_63 - LS	0.36950	0.36950	0.00850	0.00850	0.00000	0.00000		
CYL_61	0.36950	0.36950	0.00850	0.00850	0.00000	0.00000		
CYL_61 - LS	0.36950	0.36950	0.00850	0.00850	0.00000	0.00000		
CYL_55	0.36950	0.36950	0.00850	0.00850	0.00000	0.00000		
CYL_55 - LS	0.36950	0.36950	0.00850	0.00850	0.00000	0.00000		
B_622		IN	⊕ Ø0.02ⓂD1E1F1				DEFAULT	ASME Y14.5
Feature	AX	MEAS	NOMINAL	+TOL	-TOL	DEV	OUTTOL	BONUS
CYL_64 (START PT)	X	-5.06200	-5.06200			0.00000		
	Z	3.03100	3.03100			0.00000		
	TP	0.00000	0.00000	0.02000	0.00000	0.00000	0.00000	
CYL_67 (START PT)	X	-3.71100	-3.71100			0.00000		
	Z	2.31200	2.31200			0.00000		
	TP	0.00000	0.00000	0.02000	0.00000	0.00000	0.00000	
CYL_70 (START PT)	X	-2.31200	-2.31200			0.00000		
	Z	1.03100	1.03100			0.00000		
	TP	0.00000	0.00000	0.02000	0.00000	0.00000	0.00000	
CYL_63 (START PT)	X	-3.71100	-3.71100			-0.00000		
	Z	4.31200	4.31200			0.00000		
	TP	0.00000	0.00000	0.02000	0.00000	0.00000	0.00000	
CYL_61 (END PT)	X	-2.31200	-2.31200			0.00000		
	Z	5.03100	5.03100			-0.00000		
	TP	0.00000	0.00000	0.02000	0.00000	0.00000	0.00000	
CYL_55 (START PT)	X	-3.71100	-3.71100			0.00000		
	Z	6.31200	6.31200			0.00000		
	TP	0.00000	0.00000	0.02000	0.00000	0.00000	0.00000	
B_625_1-CYL_74			IN	Ø 0.40745 +0.00125/-0.00125 CIRCULAR ELEMENTS				
MODIFIER	MEAS	NOMINAL	+TOL	-TOL	DEV	OUTTOL		
UAME	0.40745	0.40745	0.00125	0.00125	0.00000	0.00000		
Local Size	0.40745	0.40745	0.00125	0.00125	0.00000	0.00000		
B_625_2-CYL_75			IN	Ø 0.40745 +0.00125/-0.00125 CIRCULAR ELEMENTS				
MODIFIER	MEAS	NOMINAL	+TOL	-TOL	DEV	OUTTOL		
UAME	0.40745	0.40745	0.00125	0.00125	0.00000	0.00000		
Local Size	0.40745	0.40745	0.00125	0.00125	0.00000	0.00000		
B_625_3-CYL_76			IN	Ø 0.40745 +0.00125/-0.00125 CIRCULAR ELEMENTS				
MODIFIER	MEAS	NOMINAL	+TOL	-TOL	DEV	OUTTOL		
UAME	0.40745	0.40745	0.00125	0.00125	0.00000	0.00000		
Local Size	0.40745	0.40745	0.00125	0.00125	0.00000	0.00000		

B_625_4-CYL_73			IN	Ø 0.40745 +0.00125/-0.00125 CIRCULAR ELEMENTS				
MODIFIER	MEAS	NOMINAL	+TOL	-TOL	DEV	OUTTOL		
UAME	0.40745	0.40745	0.00125	0.00125	0.00000	0.00000		
Local Size	0.40745	0.40745	0.00125	0.00125	0.00000	0.00000		
B_625_5-CYL_72			IN	Ø 0.40745 +0.00125/-0.00125 CIRCULAR ELEMENTS				
MODIFIER	MEAS	NOMINAL	+TOL	-TOL	DEV	OUTTOL		
UAME	0.40745	0.40745	0.00125	0.00125	0.00000	0.00000		
Local Size	0.40745	0.40745	0.00125	0.00125	0.00000	0.00000		
B_625_6-CYL_47			IN	Ø 0.40745 +0.00125/-0.00125 CIRCULAR ELEMENTS				
MODIFIER	MEAS	NOMINAL	+TOL	-TOL	DEV	OUTTOL		
UAME	0.40745	0.40745	0.00125	0.00125	0.00000	0.00000		
Local Size	0.40745	0.40745	0.00125	0.00125	0.00000	0.00000		
B_637 Size		IN	Ø 0.2055 +0.0075/-0.0075 CIRCULAR ELEMENTS				DEFAULT	ASME Y14.5
Feature	MEAS	NOMINAL	+TOL	-TOL	DEV	OUTTOL		
CYL_78	0.20550	0.20550	0.00750	0.00750	0.00000	0.00000		
CYL_78 - LS	0.20550	0.20550	0.00750	0.00750	0.00000	0.00000		
CYL_68	0.20550	0.20550	0.00750	0.00750	0.00000	0.00000		
CYL_68 - LS	0.20550	0.20550	0.00750	0.00750	0.00000	0.00000		
CYL_39	0.20550	0.20550	0.00750	0.00750	0.00000	0.00000		
CYL_39 - LS	0.20550	0.20550	0.00750	0.00750	0.00000	0.00000		
CYL_46	0.20550	0.20550	0.00750	0.00750	0.00000	0.00000		
CYL_46 - LS	0.20550	0.20550	0.00750	0.00750	0.00000	0.00000		
B_637		IN	⌀0.02ⓂD1E1F1				DEFAULT	ASME Y14.5
Feature	AX	MEAS	NOMINAL	+TOL	-TOL	DEV	OUTTOL	BONUS
CYL_78 (START PT)	X	-9.11000	-9.11000			0.00000		
	Z	7.87000	7.87000			0.00000		
	TP	0.00000	0.00000	0.02000	0.00000	0.00000	0.00000	
CYL_68 (END PT)	X	-5.78100	-5.78100			0.00000		
	Z	3.40600	3.40600			-0.00000		
	TP	0.00000	0.00000	0.02000	0.00000	0.00000	0.00000	
CYL_39 (START PT)	X	-1.59400	-1.59400			0.00000		
	Z	1.40600	1.40600			0.00000		
	TP	0.00000	0.00000	0.02000	0.00000	0.00000	0.00000	
CYL_46 (START PT)	X	-1.59400	-1.59400			0.00000		
	Z	5.40600	5.40600			0.00000		
	TP	0.00000	0.00000	0.02000	0.00000	0.00000	0.00000	
B_640_1-CYL_77			IN	Ø 0.25125 +0.00125/-0.00125 CIRCULAR ELEMENTS				
MODIFIER	MEAS	NOMINAL	+TOL	-TOL	DEV	OUTTOL		
UAME	0.25125	0.25125	0.00125	0.00125	0.00000	0.00000		
Local Size	0.25125	0.25125	0.00125	0.00125	0.00000	0.00000		
B_640_2-CYL_28			IN	Ø 0.25125 +0.00125/-0.00125 CIRCULAR ELEMENTS				
MODIFIER	MEAS	NOMINAL	+TOL	-TOL	DEV	OUTTOL		
UAME	0.25125	0.25125	0.00125	0.00125	0.00000	0.00000		
Local Size	0.25125	0.25125	0.00125	0.00125	0.00000	0.00000		

B_640_3-CYL_38				IN	Ø 0.25125 +0.00125/-0.00125 CIRCULAR ELEMENTS			
MODIFIER		MEAS	NOMINAL	+TOL	-TOL	DEV	OUTTOL	
UAME		0.25125	0.25125	0.00125	0.00125	0.00000	0.00000	
Local Size		0.25125	0.25125	0.00125	0.00125	0.00000	0.00000	
B_640_4-CYL_45				IN	Ø 0.25125 +0.00125/-0.00125 CIRCULAR ELEMENTS			
MODIFIER		MEAS	NOMINAL	+TOL	-TOL	DEV	OUTTOL	
UAME		0.25125	0.25125	0.00125	0.00125	0.00000	0.00000	
Local Size		0.25125	0.25125	0.00125	0.00125	0.00000	0.00000	
B_652-CIR_22				IN	Ø 0.76 +0.01/-0.01 CIRCULAR ELEMENTS			
MODIFIER		MEAS	NOMINAL	+TOL	-TOL	DEV	OUTTOL	
UAME		0.77000	0.76000	0.01000	0.01000	0.01000	0.00000	
Local Size		0.77000	0.76000	0.01000	0.01000	0.01000	0.00000	
	IN	B_74 - DAT_E2 TO PLN_29 (XAXIS)						
AX		MEAS	NOMINAL	+TOL	-TOL	DEV	OUTTOL	
M		7.25000	7.25000	0.01000	0.01000	0.00000	0.00000	
	IN	B_107 - PLN_25 TO DAT_E2 (XAXIS)						
AX		MEAS	NOMINAL	+TOL	-TOL	DEV	OUTTOL	
M		9.56050	9.56050	0.00250	0.00250	0.00000	0.00000	
B_147_149 Size		IN	Ø 0.4235 +0.0085/-0.0085 CIRCULAR ELEMENTS				DEFAULT	ASME Y14.5
Feature		MEAS	NOMINAL	+TOL	-TOL	DEV	OUTTOL	
CYL_202		0.42350	0.42350	0.00850	0.00850	0.00000	0.00000	
CYL_202 - LS		0.42350	0.42350	0.00850	0.00850	0.00000	0.00000	
B_147_149		IN	⊕ Ø0.03ⓂD2E2F2				DEFAULT	ASME Y14.5
Feature	AX	MEAS	NOMINAL	+TOL	-TOL	DEV	OUTTOL	BONUS
CYL_202 (END PT)	X	-0.93800	-0.93800			0.00000		
	Y	-0.79000	-0.79000			0.00000		
	TP	0.00000	0.00000	0.03000	0.00000	0.00000	0.00000	
B_150_152 Size		IN	Ø 0.5955 +0.0085/-0.0085 CIRCULAR ELEMENTS				DEFAULT	ASME Y14.5
Feature		MEAS	NOMINAL	+TOL	-TOL	DEV	OUTTOL	
CYL_204		0.59550	0.59550	0.00850	0.00850	0.00000	0.00000	
CYL_204 - LS		0.59550	0.59550	0.00850	0.00850	0.00000	0.00000	
B_150_152		IN	⊕ Ø0.03ⓂD2E2F2				DEFAULT	ASME Y14.5
Feature	AX	MEAS	NOMINAL	+TOL	-TOL	DEV	OUTTOL	BONUS
CYL_204 (END PT)	X	-2.31200	-2.31200			-0.00000		
	Y	-1.12500	-1.12500			-0.00000		
	TP	0.00000	0.00000	0.03000	0.00000	0.00000	0.00000	
B_156_158 Size		IN	Ø 0.5325 +0.0085/-0.0085 CIRCULAR ELEMENTS				DEFAULT	ASME Y14.5
Feature		MEAS	NOMINAL	+TOL	-TOL	DEV	OUTTOL	
CYL_50		0.53250	0.53250	0.00850	0.00850	0.00000	0.00000	
CYL_50 - LS		0.53250	0.53250	0.00850	0.00850	0.00000	0.00000	




B_156_158		IN	$\varnothing 0.03$ D2 E2 F2				DEFAULT	ASME Y14.5
Feature	AX	MEAS	NOMINAL	+TOL	-TOL	DEV	OUTTOL	BONUS
CYL_50 (START PT)	X	-4.75000	-4.75000			0.00000		
	Y	-1.18800	-1.18800			0.00000		
	TP	0.00000	0.00000	0.03000	0.00000	0.00000	0.00000	0.00850
B_159 - CIR_108		IN						
AX		MEAS	NOMINAL	+TOL	-TOL	DEV	OUTTOL	
R		0.06200	0.06200	0.01000	0.01000	0.00000	0.00000	
B_162_166 Size		IN	$\varnothing 0.39555 +0.00705/-0.00705$ CIRCULAR ELEMEI				DEFAULT	ASME Y14.5
Feature		MEAS	NOMINAL	+TOL	-TOL	DEV	OUTTOL	
CYL_233		0.39555	0.39555	0.00705	0.00705	0.00000	0.00000	
CYL_233 - LS		0.39555	0.39555	0.00705	0.00705	0.00000	0.00000	
CYL_234		0.39555	0.39555	0.00705	0.00705	0.00000	0.00000	
CYL_234 - LS		0.39555	0.39555	0.00705	0.00705	0.00000	0.00000	
B_162_166		IN	$\varnothing 0.016$ E2 J K				DEFAULT	ASME Y14.5
Feature	AX	MEAS	NOMINAL	+TOL	-TOL	DEV	OUTTOL	BONUS
CYL_233 (START PT)	Y	-1.28100	-1.28100			0.00000		
	Z	-4.71900	-4.71900			0.00000		
	TP	0.00000	0.00000	0.01600	0.00000	0.00000	0.00000	0.00705
CYL_234 (START PT)	Y	0.84300	0.84300			0.00000		
	Z	-4.71900	-4.71900			-0.00000		
	TP	0.00000	0.00000	0.01600	0.00000	0.00000	0.00000	0.00705
B_168 - CIR_254		IN						
AX		MEAS	NOMINAL	+TOL	-TOL	DEV	OUTTOL	
R		0.37500	0.37500	0.01000	0.01000	0.00000	0.00000	
B_170 Size		IN	$\varnothing 0.75 +0.02/-0.02$ CIRCULAR ELEMENTS				DEFAULT	ASME Y14.5
Feature		MEAS	NOMINAL	+TOL	-TOL	DEV	OUTTOL	
CIR_254		0.75000	0.75000	0.02000	0.02000	0.00000	0.00000	
CIR_254 - LS		0.75000	0.75000	0.02000	0.02000	0.00000	0.00000	
B_170		IN	$\varnothing 0.03$ D2 E2 F2				DEFAULT	ASME Y14.5
Feature	AX	MEAS	NOMINAL	+TOL	-TOL	DEV	OUTTOL	BONUS
CIR_254	Y	-0.75000	-0.75000			0.00000		
	Z	-10.12500	-10.12500			0.00000		
	TP	0.00000	0.00000	0.03000	0.00000	0.00000	0.00000	0.02000
B_172_174 Size		IN	$\varnothing 0.601 +0.014/-0.014$ CIRCULAR ELEMENTS				DEFAULT	ASME Y14.5
Feature		MEAS	NOMINAL	+TOL	-TOL	DEV	OUTTOL	
CYL_214		0.60100	0.60100	0.01400	0.01400	0.00000	0.00000	
CYL_214 - LS		0.60100	0.60100	0.01400	0.01400	0.00000	0.00000	
B_172_174		IN	$\varnothing 0.03$ E2 J K				DEFAULT	ASME Y14.5
Feature	AX	MEAS	NOMINAL	+TOL	-TOL	DEV	OUTTOL	BONUS
CYL_214 (START PT)	Y	-1.25000	-1.25000			0.00000		
	Z	-2.68800	-2.68800			0.00000		
	TP	0.00000	0.00000	0.03000	0.00000	0.00000	0.00000	0.01400

B_175-CIR_250				IN	Ø 0.814 +0.004/-0.004 CIRCULAR ELEMENTS			
MODIFIER		MEAS	NOMINAL	+TOL	-TOL	DEV	OUTTOL	
UAME		0.81400	0.81400	0.00400	0.00400	0.00000	0.00000	
Local Size		0.81400	0.81400	0.00400	0.00400	0.00000	0.00000	
B_180_182 Size		IN	Ø 0.625 +0.01/-0.01 CIRCULAR ELEMENTS			DEFAULT	ASME Y14.5	
Feature		MEAS	NOMINAL	+TOL	-TOL	DEV	OUTTOL	
CYL_215		0.62500	0.62500	0.01000	0.01000	0.00000	0.00000	
CYL_215 - LS		0.62500	0.62500	0.01000	0.01000	0.00000	0.00000	
B_180_182		IN	⊕ Ø0.03ⓂE2JⓂKⓂ			DEFAULT	ASME Y14.5	
Feature	AX	MEAS	NOMINAL	+TOL	-TOL	DEV	OUTTOL	BONUS
CYL_215 (START PT)	Y	-0.41000	-0.41000			0.00000		
	Z	-2.17500	-2.17500			0.00000		
	TP	0.00000	0.00000	0.03000	0.00000	0.00000	0.00000	
B_183-CIR_251				IN	Ø 0.814 +0.004/-0.004 CIRCULAR ELEMENTS			
MODIFIER		MEAS	NOMINAL	+TOL	-TOL	DEV	OUTTOL	
UAME		0.81400	0.81400	0.00400	0.00400	0.00000	0.00000	
Local Size		0.81400	0.81400	0.00400	0.00400	0.00000	0.00000	
B_195_197 Size		IN	Ø 0.316 +0.0005/-0.0005 CIRCULAR ELEMENTS			DEFAULT	ASME Y14.5	
Feature		MEAS	NOMINAL	+TOL	-TOL	DEV	OUTTOL	
DAT_J		0.31600	0.31600	0.00050	0.00050	0.00000	0.00000	
DAT_J - LS		0.31600	0.31600	0.00050	0.00050	0.00000	0.00000	
DAT_K		0.31600	0.31600	0.00050	0.00050	0.00000	0.00000	
DAT_K - LS		0.31600	0.31600	0.00050	0.00050	0.00000	0.00000	
B_195_197		IN	⊕ Ø0.03ⓂD2E2F2			DEFAULT	ASME Y14.5	
Feature	AX	MEAS	NOMINAL	+TOL	-TOL	DEV	OUTTOL	BONUS
DAT_J (START PT)	Y	-2.03100	-2.03100			0.00000		
	Z	-4.75000	-4.75000			0.00000		
	TP	0.00000	0.00000	0.03000	0.00000	0.00000	0.00000	
DAT_K (START PT)	Y	-0.75000	-0.75000			0.00000		
	Z	-9.18700	-9.18700			0.00000		
	TP	0.00000	0.00000	0.03000	0.00000	0.00000	0.00000	
B_195_198 Size		IN	Ø 0.316 +0.0005/-0.0005 CIRCULAR ELEMENTS			DEFAULT	ASME Y14.5	
Feature		MEAS	NOMINAL	+TOL	-TOL	DEV	OUTTOL	
DAT_J		0.31600	0.31600	0.00050	0.00050	0.00000	0.00000	
DAT_J - LS		0.31600	0.31600	0.00050	0.00050	0.00000	0.00000	
DAT_K		0.31600	0.31600	0.00050	0.00050	0.00000	0.00000	
DAT_K - LS		0.31600	0.31600	0.00050	0.00050	0.00000	0.00000	
B_195_198		IN	⊕ Ø0.003ⓂE2			DEFAULT	ASME Y14.5	
Feature	AX	MEAS	NOMINAL	+TOL	-TOL	DEV	OUTTOL	BONUS
DAT_J (END PT)	Y	-2.03100	-2.03100			0.00000		
	Z	-4.75000	-4.75000			0.00000		
	TP	0.00000	0.00000	0.00300	0.00000	0.00000	0.00000	
DAT_K (START PT)	Y	-0.75000	-0.75000			0.00000		
	Z	-9.18700	-9.18700			0.00000		
	TP	0.00000	0.00000	0.00300	0.00000	0.00000	0.00000	





B_201_203 Size		IN	Ø 0.4235 +0.0085/-0.0085 CIRCULAR ELEMENTS				DEFAULT	ASME Y14.5
Feature	MEAS	NOMINAL	+TOL	-TOL	DEV	OUTTOL		
CYL_53	0.42350	0.42350	0.00850	0.00850	0.00000	0.00000		
CYL_53 - LS	0.42350	0.42350	0.00850	0.00850	0.00000	0.00000		
B_201_203		IN	⊕ Ø0.03 Ⓜ D2 E2 F2				DEFAULT	ASME Y14.5
Feature	AX	MEAS	NOMINAL	+TOL	-TOL	DEV	OUTTOL	BONUS
CYL_53 (START PT)	Y	-0.56200	-0.56200			0.00000		
	Z	-2.03100	-2.03100			0.00000		
	TP	0.00000	0.00000	0.03000	0.00000	0.00000	0.00000	
B_204_206 Size		IN	Ø 0.2055 +0.0075/-0.0075 CIRCULAR ELEMENTS				DEFAULT	ASME Y14.5
Feature	MEAS	NOMINAL	+TOL	-TOL	DEV	OUTTOL		
CYL_65	0.20550	0.20550	0.00750	0.00750	0.00000	0.00000		
CYL_65 - LS	0.20550	0.20550	0.00750	0.00750	0.00000	0.00000		
B_204_206		IN	⊕ Ø0.03 Ⓜ D2 E2 F2				DEFAULT	ASME Y14.5
Feature	AX	MEAS	NOMINAL	+TOL	-TOL	DEV	OUTTOL	BONUS
CYL_65 (END PT)	Y	-0.37500	-0.37500			0.00000		
	Z	-1.53100	-1.53100			0.00000		
	TP	0.00000	0.00000	0.03000	0.00000	0.00000	0.00000	
B_212_214 Size		IN	Ø 0.39555 +0.00705/-0.00705 CIRCULAR ELEMEI				DEFAULT	ASME Y14.5
Feature	MEAS	NOMINAL	+TOL	-TOL	DEV	OUTTOL		
CYL_239	0.39555	0.39555	0.00705	0.00705	0.00000	0.00000		
CYL_239 - LS	0.39555	0.39555	0.00705	0.00705	0.00000	0.00000		
CYL_238	0.39555	0.39555	0.00705	0.00705	0.00000	0.00000		
CYL_238 - LS	0.39555	0.39555	0.00705	0.00705	0.00000	0.00000		
B_212_214		IN	⊕ Ø0.016 Ⓜ E2 J Ⓜ K Ⓜ				DEFAULT	ASME Y14.5
Feature	AX	MEAS	NOMINAL	+TOL	-TOL	DEV	OUTTOL	BONUS
CYL_239 (START PT)	Y	2.65600	2.65600			0.00000		
	Z	1.65600	1.65600			0.00000		
	TP	0.00000	0.00000	0.01600	0.00000	0.00000	0.00000	
CYL_238 (END PT)	Y	-2.65700	-2.65700			0.00000		
	Z	1.40600	1.40600			0.00000		
	TP	0.00000	0.00000	0.01600	0.00000	0.00000	0.00000	
B_224_226 Size		IN	Ø 0.4235 +0.0085/-0.0085 CIRCULAR ELEMENTS				DEFAULT	ASME Y14.5
Feature	MEAS	NOMINAL	+TOL	-TOL	DEV	OUTTOL		
CYL_221	0.42350	0.42350	0.00850	0.00850	0.00000	0.00000		
CYL_221 - LS	0.42350	0.42350	0.00850	0.00850	0.00000	0.00000		
B_224_226		IN	⊕ Ø0.03 Ⓜ D2 E2 F2				DEFAULT	ASME Y14.5
Feature	AX	MEAS	NOMINAL	+TOL	-TOL	DEV	OUTTOL	BONUS
CYL_221 (END PT)	Y	-0.56200	-0.56200			-0.00000		
	Z	-4.03100	-4.03100			0.00000		
	TP	0.00000	0.00000	0.03000	0.00000	0.00000	0.00000	





B_227_228_229 Size		IN	Ø 0.4075 +0.0085/-0.0085 CIRCULAR ELEMENTS				DEFAULT	ASME Y14.5
Feature	AX	MEAS	NOMINAL	+TOL	-TOL	DEV	OUTTOL	
CYL_236		0.40750	0.40750	0.00850	0.00850	0.00000	0.00000	
CYL_236 - LS		0.40750	0.40750	0.00850	0.00850	0.00000	0.00000	
CYL_237		0.40750	0.40750	0.00850	0.00850	0.00000	0.00000	
CYL_237 - LS		0.40750	0.40750	0.00850	0.00850	0.00000	0.00000	
B_227_228_229		IN	⊕ Ø0.03 Ⓜ E2 J Ⓜ K Ⓜ				DEFAULT	ASME Y14.5
Feature	AX	MEAS	NOMINAL	+TOL	-TOL	DEV	OUTTOL	BONUS
CYL_236 (END PT)	Y	2.65600	2.65600			-0.00000		
	Z	-2.09400	-2.09400			0.00000		
	TP	0.00000	0.00000	0.03000	0.00000	0.00000	0.00000	
CYL_237 (START PT)	Y	-2.65700	-2.65700			0.00000		
	Z	-2.09400	-2.09400			0.00000		
	TP	0.00000	0.00000	0.03000	0.00000	0.00000	0.00000	
B_227_228_229		IN	⊕ Ø0.008 Ⓜ E2				DEFAULT	ASME Y14.5
Feature	AX	MEAS	NOMINAL	+TOL	-TOL	DEV	OUTTOL	BONUS
CYL_236 (END PT)	Y	2.65600	2.65600			-0.00000		
	Z	-2.09400	-2.09400			0.00000		
	TP	0.00000	0.00000	0.00800	0.00000	0.00000	0.00000	
CYL_237 (START PT)	Y	-2.65700	-2.65700			0.00000		
	Z	-2.09400	-2.09400			0.00000		
	TP	0.00000	0.00000	0.00800	0.00000	0.00000	0.00000	
B_230_232 Size		IN	Ø 0.4235 +0.0085/-0.0085 CIRCULAR ELEMENTS				DEFAULT	ASME Y14.5
Feature	AX	MEAS	NOMINAL	+TOL	-TOL	DEV	OUTTOL	
CYL_220		0.42350	0.42350	0.00850	0.00850	0.00000	0.00000	
CYL_220 - LS		0.42350	0.42350	0.00850	0.00850	0.00000	0.00000	
B_230_232		IN	⊕ Ø0.03 Ⓜ D2 E2 F2				DEFAULT	ASME Y14.5
Feature	AX	MEAS	NOMINAL	+TOL	-TOL	DEV	OUTTOL	BONUS
CYL_220 (END PT)	Y	-0.56200	-0.56200			0.00000		
	Z	-6.03100	-6.03100			0.00000		
	TP	0.00000	0.00000	0.03000	0.00000	0.00000	0.00000	
B_238_240 Size		IN	Ø 0.75 +0.01/-0.01 CIRCULAR ELEMENTS				DEFAULT	ASME Y14.5
Feature	AX	MEAS	NOMINAL	+TOL	-TOL	DEV	OUTTOL	
CYL_219		0.75000	0.75000	0.01000	0.01000	0.00000	0.00000	
CYL_219 - LS		0.75000	0.75000	0.01000	0.01000	0.00000	0.00000	
B_238_240		IN	⊕ Ø0.03 Ⓜ D2 E2 F2				DEFAULT	ASME Y14.5
Feature	AX	MEAS	NOMINAL	+TOL	-TOL	DEV	OUTTOL	BONUS
CYL_219 (START PT)	Y	-0.62500	-0.62500			0.00000		
	Z	-6.03100	-6.03100			0.00000		
	TP	0.00000	0.00000	0.03000	0.00000	0.00000	0.00000	
B_242_244 Size		IN	Ø 1.373 +0.007/-0.007 CIRCULAR ELEMENTS				DEFAULT	ASME Y14.5
Feature	AX	MEAS	NOMINAL	+TOL	-TOL	DEV	OUTTOL	
CIR_253		1.37300	1.37300	0.00700	0.00700	0.00000	0.00000	
CIR_253 - LS		1.37300	1.37300	0.00700	0.00700	0.00000	0.00000	




B_242_244		IN	$\varnothing 0.03 \text{ (M)} \text{ E2 J (M) K (M)}$				DEFAULT	ASME Y14.5
Feature	AX	MEAS	NOMINAL	+TOL	-TOL	DEV	OUTTOL	BONUS
CIR_253	Y	1.40600	1.40600			0.00000		
	Z	-1.07800	-1.07800			0.00000		
	TP	0.00000	0.00000	0.03000	0.00000	0.00000	0.00000	0.00700
B_245_247 Size		IN	$\varnothing 0.601 +0.014/-0.014$ CIRCULAR ELEMENTS				DEFAULT	ASME Y14.5
Feature	AX	MEAS	NOMINAL	+TOL	-TOL	DEV	OUTTOL	
CYL_216		0.60100	0.60100	0.01400	0.01400	0.00000	0.00000	
CYL_216 - LS		0.60100	0.60100	0.01400	0.01400	0.00000	0.00000	
B_245_247		IN	$\varnothing 0.03 \text{ (M)} \text{ E2 J (M) K (M)}$				DEFAULT	ASME Y14.5
Feature	AX	MEAS	NOMINAL	+TOL	-TOL	DEV	OUTTOL	BONUS
CYL_216 (END PT)	Y	0.53100	0.53100			0.00000		
	Z	-2.43800	-2.43800			0.00000		
	TP	0.00000	0.00000	0.03000	0.00000	0.00000	0.00000	0.01400
B_248-CIR_252		IN	$\varnothing 0.814 +0.004/-0.004$ CIRCULAR ELEMENTS					
MODIFIER	AX	MEAS	NOMINAL	+TOL	-TOL	DEV	OUTTOL	
UAME		0.81400	0.81400	0.00400	0.00400	0.00000	0.00000	
Local Size		0.81400	0.81400	0.00400	0.00400	0.00000	0.00000	
B_251_253 Size		IN	$\varnothing 0.4855 +0.0085/-0.0085$ CIRCULAR ELEMENTS				DEFAULT	ASME Y14.5
Feature	AX	MEAS	NOMINAL	+TOL	-TOL	DEV	OUTTOL	
CYL_218		0.48550	0.48550	0.00850	0.00850	0.00000	0.00000	
CYL_218 - LS		0.48550	0.48550	0.00850	0.00850	0.00000	0.00000	
B_251_253		IN	$\varnothing 0.03 \text{ (M)} \text{ D2 E2 F2}$				DEFAULT	ASME Y14.5
Feature	AX	MEAS	NOMINAL	+TOL	-TOL	DEV	OUTTOL	BONUS
CYL_218 (START PT)	Y	-0.87500	-0.87500			0.00000		
	Z	-8.65600	-8.65600			-0.00000		
	TP	0.00000	0.00000	0.03000	0.00000	0.00000	0.00000	0.00850
$\longleftrightarrow$	IN	B_302 - DAT_E2 TO DAT_T (XAXIS)						
AX	MEAS	NOMINAL	+TOL	-TOL	DEV	OUTTOL		
M	6.34400	6.34400	0.01000	0.01000	0.00000	0.00000		
B_323_325 Size		IN	$\varnothing 0.817 +0.015/-0.015$ CIRCULAR ELEMENTS				DEFAULT	ASME Y14.5
Feature	AX	MEAS	NOMINAL	+TOL	-TOL	DEV	OUTTOL	
CIR_354		0.81700	0.81700	0.01500	0.01500	0.00000	0.00000	
CIR_354 - LS		0.81700	0.81700	0.01500	0.01500	0.00000	0.00000	
B_323_325		IN	$\varnothing 0.03 \text{ (M)} \text{ D2 J (M) E2}$				DEFAULT	ASME Y14.5
Feature	AX	MEAS	NOMINAL	+TOL	-TOL	DEV	OUTTOL	BONUS
CIR_354	Y	-2.65700	-2.65700			0.00000		
	Z	-2.09400	-2.09400			0.00000		
	TP	0.00000	0.00000	0.03000	0.00000	0.00000	0.00000	0.01500
B_338_340 Size		IN	$\varnothing 1.438 +0.001/-0.001$ CIRCULAR ELEMENTS				DEFAULT	ASME Y14.5
Feature	AX	MEAS	NOMINAL	+TOL	-TOL	DEV	OUTTOL	
DAT_W		1.43800	1.43800	0.00100	0.00100	0.00000	0.00000	
DAT_W - LS		1.43800	1.43800	0.00100	0.00100	0.00000	0.00000	

B_338_340		IN					DEFAULT	ASME Y14.5
Feature	AX	MEAS	NOMINAL	+TOL	-TOL	DEV	OUTTOL	BONUS
DAT_W (START PT)	Y	0.00000	0.00000			0.00000		
	Z	-0.00000	-0.00000			0.00000		
	TP	0.00000	0.00000	0.00100	0.00000	0.00000	0.00000	
B_341-CIR_239			IN	Ø 1.496 +0.006/-0.006 CIRCULAR ELEMENTS				
MODIFIER		MEAS	NOMINAL	+TOL	-TOL	DEV	OUTTOL	
UAME		1.49600	1.49600	0.00600	0.00600	0.00000	0.00000	
Local Size		1.49600	1.49600	0.00600	0.00600	0.00000	0.00000	
B_343_346 Size		IN	Ø 1.501 +0.001/-0.001 CIRCULAR ELEMENTS				DEFAULT	ASME Y14.5
Feature		MEAS	NOMINAL	+TOL	-TOL	DEV	OUTTOL	
CIR_238		1.50100	1.50100	0.00100	0.00100	0.00000	0.00000	
CIR_238 - LS		1.50100	1.50100	0.00100	0.00100	0.00000	0.00000	
B_343_346		IN					DEFAULT	ASME Y14.5
Feature	AX	MEAS	NOMINAL	+TOL	-TOL	DEV	OUTTOL	BONUS
CIR_238	Y	0.00000	0.00000			0.00000		
	Z	-0.00000	-0.00000			0.00000		
	TP	0.00000	0.00000	0.00100	0.00000	0.00000	0.00000	
B_347-CYL_231			IN	Ø 1.558 +0.006/-0.006 CIRCULAR ELEMENTS				
MODIFIER		MEAS	NOMINAL	+TOL	-TOL	DEV	OUTTOL	
UAME		1.55800	1.55800	0.00600	0.00600	0.00000	0.00000	
Local Size		1.55800	1.55800	0.00600	0.00600	0.00000	0.00000	
B_349_352 Size		IN	Ø 1.563 +0.001/-0.001 CIRCULAR ELEMENTS				DEFAULT	ASME Y14.5
Feature		MEAS	NOMINAL	+TOL	-TOL	DEV	OUTTOL	
CIR_237		1.56300	1.56300	0.00100	0.00100	0.00000	0.00000	
CIR_237 - LS		1.56300	1.56300	0.00100	0.00100	0.00000	0.00000	
B_349_352		IN					DEFAULT	ASME Y14.5
Feature	AX	MEAS	NOMINAL	+TOL	-TOL	DEV	OUTTOL	BONUS
CIR_237	Y	0.00000	0.00000			0.00000		
	Z	0.00000	0.00000			0.00000		
	TP	0.00000	0.00000	0.00100	0.00000	0.00000	0.00000	
B_353-CYL_230			IN	Ø 1.683 +0.006/-0.006 CIRCULAR ELEMENTS				
MODIFIER		MEAS	NOMINAL	+TOL	-TOL	DEV	OUTTOL	
UAME		1.68300	1.68300	0.00600	0.00600	0.00000	0.00000	
Local Size		1.68300	1.68300	0.00600	0.00600	0.00000	0.00000	
B_355_358 Size		IN	Ø 1.688 +0.001/-0.001 CIRCULAR ELEMENTS				DEFAULT	ASME Y14.5
Feature		MEAS	NOMINAL	+TOL	-TOL	DEV	OUTTOL	
CIR_236		1.68800	1.68800	0.00100	0.00100	0.00000	0.00000	
CIR_236 - LS		1.68800	1.68800	0.00100	0.00100	0.00000	0.00000	

B_355_358		IN	$\varnothing 0.001 \text{ (M)} \text{ L (M)}$				DEFAULT	ASME Y14.5
Feature	AX	MEAS	NOMINAL	+TOL	-TOL	DEV	OUTTOL	BONUS
	Y	0.00000	0.00000			0.00000		
	Z	0.00000	0.00000			0.00000		
CIR_236	TP	0.00000	0.00000	0.00100	0.00000	0.00000	0.00000	0.00100
B_359-CYL_229			IN	$\varnothing 1.746 +0.006/-0.006$ CIRCULAR ELEMENTS				
MODIFIER		MEAS	NOMINAL	+TOL	-TOL	DEV	OUTTOL	
UAME		1.74600	1.74600	0.00600	0.00600	0.00000	0.00000	
Local Size		1.74600	1.74600	0.00600	0.00600	0.00000	0.00000	
B_361_364 Size		IN	$\varnothing 1.751 +0.001/-0.001$ CIRCULAR ELEMENTS				DEFAULT	ASME Y14.5
Feature		MEAS	NOMINAL	+TOL	-TOL	DEV	OUTTOL	
DAT_L		1.75100	1.75100	0.00100	0.00100	0.00000	0.00000	
DAT_L - LS		1.75100	1.75100	0.00100	0.00100	0.00000	0.00000	
B_361_364		IN	$\varnothing 0.03 \text{ (M)} \text{ D2 E2 F2}$				DEFAULT	ASME Y14.5
Feature	AX	MEAS	NOMINAL	+TOL	-TOL	DEV	OUTTOL	BONUS
	Y	-2.18800	-2.18800			0.00000		
	Z	-8.37500	-8.37500			0.00000		
DAT_L	TP	0.00000	0.00000	0.03000	0.00000	0.00000	0.00000	0.00100
B_365_367 Size		IN	$\varnothing 1.81 +0.005/-0.005$ CIRCULAR ELEMENTS				DEFAULT	ASME Y14.5
Feature		MEAS	NOMINAL	+TOL	-TOL	DEV	OUTTOL	
CYL_228		1.81000	1.81000	0.00500	0.00500	0.00000	0.00000	
CYL_228 - LS		1.81000	1.81000	0.00500	0.00500	0.00000	0.00000	
B_365_367		IN	$\varnothing 0.005 \text{ (M)} \text{ L (M)}$				DEFAULT	ASME Y14.5
Feature	AX	MEAS	NOMINAL	+TOL	-TOL	DEV	OUTTOL	BONUS
	Y	-0.00000	-0.00000			0.00000		
	Z	-0.00000	-0.00000			0.00000		
CYL_228 (START PT)	TP	0.00000	0.00000	0.00500	0.00000	0.00000	0.00000	0.00500
B_368_371 Size		IN	$\varnothing 1.938 +0.001/-0.001$ CIRCULAR ELEMENTS				DEFAULT	ASME Y14.5
Feature		MEAS	NOMINAL	+TOL	-TOL	DEV	OUTTOL	
DAT_M		1.93800	1.93800	0.00100	0.00100	0.00000	0.00000	
DAT_M - LS		1.93800	1.93800	0.00100	0.00100	0.00000	0.00000	
B_368_371		IN	$\varnothing 0.001 \text{ (M)} \text{ L (M)}$				DEFAULT	ASME Y14.5
Feature	AX	MEAS	NOMINAL	+TOL	-TOL	DEV	OUTTOL	BONUS
	Y	-0.00000	-0.00000			0.00000		
	Z	-0.00000	-0.00000			0.00000		
DAT_M	TP	0.00000	0.00000	0.00100	0.00000	0.00000	0.00000	0.00100
B_372-CIR_233			IN	$\varnothing 1.996 +0.006/-0.006$ CIRCULAR ELEMENTS				
MODIFIER		MEAS	NOMINAL	+TOL	-TOL	DEV	OUTTOL	
UAME		1.99600	1.99600	0.00600	0.00600	0.00000	0.00000	
Local Size		1.99600	1.99600	0.00600	0.00600	0.00000	0.00000	

B_374_377 Size		IN	Ø 2.001 +0.001/-0.001 CIRCULAR ELEMENTS			DEFAULT	ASME Y14.5	
Feature	MEAS	NOMINAL	+TOL	-TOL	DEV	OUTTOL		
DAT_P	2.00100	2.00100	0.00100	0.00100	0.00000	0.00000		
DAT_P - LS	2.00100	2.00100	0.00100	0.00100	0.00000	0.00000		
B_374_377		IN	⊕ Ø0.005 (M) L (M)			DEFAULT	ASME Y14.5	
Feature	AX	MEAS	NOMINAL	+TOL	-TOL	DEV	OUTTOL	BONUS
DAT_P	Y	0.00000	0.00000			0.00000		
	Z	-0.00000	-0.00000			0.00000		
	TP	0.00000	0.00000	0.00500	0.00000	0.00000	0.00000	
B_381		IN	⊥ 0.002 WM				ASME Y14.5	
Feature	MEAS	NOMINAL	+TOL	-TOL	DEV	OUTTOL	BONUS	
PLN_4	0.00000	0.00000	0.00200	0.00000	0.00000	0.00000	0.00000	
B_384_386_1 Size		IN	Ø 1.063 +0.001/-0.001 CIRCULAR ELEMENTS			DEFAULT	ASME Y14.5	
Feature	MEAS	NOMINAL	+TOL	-TOL	DEV	OUTTOL		
DAT_S1	1.06300	1.06300	0.00100	0.00100	0.00000	0.00000		
DAT_S1 - LS	1.06300	1.06300	0.00100	0.00100	0.00000	0.00000		
B_384_386_1		IN	⊕ Ø0.03 (M) D2 E2 F2			DEFAULT	ASME Y14.5	
Feature	AX	MEAS	NOMINAL	+TOL	-TOL	DEV	OUTTOL	BONUS
DAT_S1 (START PT)	Y	-2.18800	-2.18800			0.00000		
	Z	-1.75000	-1.75000			0.00000		
	TP	0.00000	0.00000	0.03000	0.00000	0.00000	0.00000	
B_384_386_2 Size		IN	Ø 1.063 +0.001/-0.001 CIRCULAR ELEMENTS			DEFAULT	ASME Y14.5	
Feature	MEAS	NOMINAL	+TOL	-TOL	DEV	OUTTOL		
DAT_S2	1.06300	1.06300	0.00100	0.00100	0.00000	0.00000		
DAT_S2 - LS	1.06300	1.06300	0.00100	0.00100	0.00000	0.00000		
B_384_386_2		IN	⊕ Ø0.03 (M) D2 E2 F2			DEFAULT	ASME Y14.5	
Feature	AX	MEAS	NOMINAL	+TOL	-TOL	DEV	OUTTOL	BONUS
DAT_S2 (START PT)	Y	-2.18800	-2.18800			0.00000		
	Z	-3.75000	-3.75000			0.00000		
	TP	0.00000	0.00000	0.03000	0.00000	0.00000	0.00000	
B_384_386_3 Size		IN	Ø 1.063 +0.001/-0.001 CIRCULAR ELEMENTS			DEFAULT	ASME Y14.5	
Feature	MEAS	NOMINAL	+TOL	-TOL	DEV	OUTTOL		
DAT_S3	1.06300	1.06300	0.00100	0.00100	0.00000	0.00000		
DAT_S3 - LS	1.06300	1.06300	0.00100	0.00100	0.00000	0.00000		
B_384_386_3		IN	⊕ Ø0.03 (M) D2 E2 F2			DEFAULT	ASME Y14.5	
Feature	AX	MEAS	NOMINAL	+TOL	-TOL	DEV	OUTTOL	BONUS
DAT_S3 (START PT)	Y	-2.18800	-2.18800			0.00000		
	Z	-5.75000	-5.75000			0.00000		
	TP	0.00000	0.00000	0.03000	0.00000	0.00000	0.00000	
B_387_1-CIR_211			IN	Ø 1.121 +0.006/-0.006 CIRCULAR ELEMENTS				
MODIFIER	MEAS	NOMINAL	+TOL	-TOL	DEV	OUTTOL		
UAME	1.12100	1.12100	0.00600	0.00600	0.00000	0.00000		
Local Size	1.12100	1.12100	0.00600	0.00600	0.00000	0.00000		

B_387_2-CIR_220			IN	Ø 1.121 +0.006/-0.006 CIRCULAR ELEMENTS				
MODIFIER	MEAS	NOMINAL	+TOL	-TOL	DEV	OUTTOL		
UAME	1.12100	1.12100	0.00600	0.00600	0.00000	0.00000		
Local Size	1.12100	1.12100	0.00600	0.00600	0.00000	0.00000		
B_387_3-CIR_230			IN	Ø 1.121 +0.006/-0.006 CIRCULAR ELEMENTS				
MODIFIER	MEAS	NOMINAL	+TOL	-TOL	DEV	OUTTOL		
UAME	1.12100	1.12100	0.00600	0.00600	0.00000	0.00000		
Local Size	1.12100	1.12100	0.00600	0.00600	0.00000	0.00000		
B_389_392_1 Size		IN	Ø 1.126 +0.001/-0.001 CIRCULAR ELEMENTS			DEFAULT	ASME Y14.5	
Feature	MEAS	NOMINAL	+TOL	-TOL	DEV	OUTTOL		
DAT_V1	1.12600	1.12600	0.00100	0.00100	0.00000	0.00000		
DAT_V1 -LS	1.12600	1.12600	0.00100	0.00100	0.00000	0.00000		
B_389_392_1		IN	 Ø0.001  S1 			DEFAULT	ASME Y14.5	
Feature	AX	MEAS	NOMINAL	+TOL	-TOL	DEV	OUTTOL	BONUS
DAT_V1	Y	-0.00000	-0.00000			0.00000		
	Z	-0.00000	-0.00000			0.00000		
	TP	0.00000	0.00000	0.00100	0.00000	0.00000	0.00000	
B_389_392_2 Size		IN	Ø 1.126 +0.001/-0.001 CIRCULAR ELEMENTS			DEFAULT	ASME Y14.5	
Feature	MEAS	NOMINAL	+TOL	-TOL	DEV	OUTTOL		
DAT_V2	1.12600	1.12600	0.00100	0.00100	0.00000	0.00000		
DAT_V2 -LS	1.12600	1.12600	0.00100	0.00100	0.00000	0.00000		
B_389_392_2		IN	 Ø0.001  S2 			DEFAULT	ASME Y14.5	
Feature	AX	MEAS	NOMINAL	+TOL	-TOL	DEV	OUTTOL	BONUS
DAT_V2	Y	0.00000	0.00000			0.00000		
	Z	0.00000	0.00000			0.00000		
	TP	0.00000	0.00000	0.00100	0.00000	0.00000	0.00000	
B_389_392_3 Size		IN	Ø 1.126 +0.001/-0.001 CIRCULAR ELEMENTS			DEFAULT	ASME Y14.5	
Feature	MEAS	NOMINAL	+TOL	-TOL	DEV	OUTTOL		
DAT_V3	1.12600	1.12600	0.00100	0.00100	0.00000	0.00000		
DAT_V3 -LS	1.12600	1.12600	0.00100	0.00100	0.00000	0.00000		
B_389_392_3		IN	 Ø0.001  S3 			DEFAULT	ASME Y14.5	
Feature	AX	MEAS	NOMINAL	+TOL	-TOL	DEV	OUTTOL	BONUS
DAT_V3	Y	0.00000	0.00000			0.00000		
	Z	0.00000	0.00000			0.00000		
	TP	0.00000	0.00000	0.00100	0.00000	0.00000	0.00000	
B_393_1-CYL_223			IN	Ø 1.183 +0.006/-0.006 CIRCULAR ELEMENTS				
MODIFIER	MEAS	NOMINAL	+TOL	-TOL	DEV	OUTTOL		
UAME	1.18300	1.18300	0.00600	0.00600	0.00000	0.00000		
Local Size	1.18300	1.18300	0.00600	0.00600	0.00000	0.00000		
B_393_2-CYL_225			IN	Ø 1.183 +0.006/-0.006 CIRCULAR ELEMENTS				
MODIFIER	MEAS	NOMINAL	+TOL	-TOL	DEV	OUTTOL		
UAME	1.18300	1.18300	0.00600	0.00600	0.00000	0.00000		
Local Size	1.18300	1.18300	0.00600	0.00600	0.00000	0.00000		

B_393_3-CYL_227			IN	Ø 1.183 +0.006/-0.006 CIRCULAR ELEMENTS				
MODIFIER	MEAS	NOMINAL	+TOL	-TOL	DEV	OUTTOL		
UAME	1.18300	1.18300	0.00600	0.00600	0.00000	0.00000		
Local Size	1.18300	1.18300	0.00600	0.00600	0.00000	0.00000		
B_395_398_1 Size		IN	Ø 1.188 +0.001/-0.001 CIRCULAR ELEMENTS			DEFAULT	ASME Y14.5	
Feature	MEAS	NOMINAL	+TOL	-TOL	DEV	OUTTOL		
CIR_266	1.18800	1.18800	0.00100	0.00100	0.00000	0.00000		
CIR_266 - LS	1.18800	1.18800	0.00100	0.00100	0.00000	0.00000		
B_395_398_1		IN	⊕ Ø0.001 (M) S1 (M)			DEFAULT	ASME Y14.5	
Feature	AX	MEAS	NOMINAL	+TOL	-TOL	DEV	OUTTOL	BONUS
	Y	0.00000	0.00000			0.00000		
	Z	-0.00000	-0.00000			0.00000		
CIR_266	TP	0.00000	0.00000	0.00100	0.00000	0.00000	0.00100	
B_395_398_2 Size		IN	Ø 1.188 +0.001/-0.001 CIRCULAR ELEMENTS			DEFAULT	ASME Y14.5	
Feature	MEAS	NOMINAL	+TOL	-TOL	DEV	OUTTOL		
CIR_267	1.18800	1.18800	0.00100	0.00100	0.00000	0.00000		
CIR_267 - LS	1.18800	1.18800	0.00100	0.00100	0.00000	0.00000		
B_395_398_2		IN	⊕ Ø0.001 (M) S2 (M)			DEFAULT	ASME Y14.5	
Feature	AX	MEAS	NOMINAL	+TOL	-TOL	DEV	OUTTOL	BONUS
	Y	0.00000	0.00000			0.00000		
	Z	0.00000	0.00000			0.00000		
CIR_267	TP	0.00000	0.00000	0.00100	0.00000	0.00000	0.00100	
B_395_398_3 Size		IN	Ø 1.188 +0.001/-0.001 CIRCULAR ELEMENTS			DEFAULT	ASME Y14.5	
Feature	MEAS	NOMINAL	+TOL	-TOL	DEV	OUTTOL		
CIR_268	1.18800	1.18800	0.00100	0.00100	0.00000	0.00000		
CIR_268 - LS	1.18800	1.18800	0.00100	0.00100	0.00000	0.00000		
B_395_398_3		IN	⊕ Ø0.001 (M) S3 (M)			DEFAULT	ASME Y14.5	
Feature	AX	MEAS	NOMINAL	+TOL	-TOL	DEV	OUTTOL	BONUS
	Y	0.00000	0.00000			0.00000		
	Z	0.00000	0.00000			0.00000		
CIR_268	TP	0.00000	0.00000	0.00100	0.00000	0.00000	0.00100	
B_399_1-CIR_208			IN	Ø 1.246 +0.006/-0.006 CIRCULAR ELEMENTS				
MODIFIER	MEAS	NOMINAL	+TOL	-TOL	DEV	OUTTOL		
UAME	1.24600	1.24600	0.00600	0.00600	0.00000	0.00000		
Local Size	1.24600	1.24600	0.00600	0.00600	0.00000	0.00000		
B_399_2-CIR_218			IN	Ø 1.246 +0.006/-0.006 CIRCULAR ELEMENTS				
MODIFIER	MEAS	NOMINAL	+TOL	-TOL	DEV	OUTTOL		
UAME	1.24600	1.24600	0.00600	0.00600	0.00000	0.00000		
Local Size	1.24600	1.24600	0.00600	0.00600	0.00000	0.00000		
B_399_3-CIR_227			IN	Ø 1.246 +0.006/-0.006 CIRCULAR ELEMENTS				
MODIFIER	MEAS	NOMINAL	+TOL	-TOL	DEV	OUTTOL		
UAME	1.24600	1.24600	0.00600	0.00600	0.00000	0.00000		
Local Size	1.24600	1.24600	0.00600	0.00600	0.00000	0.00000		

B_401_404_1 Size		IN	Ø 1.251 +0.001/-0.001 CIRCULAR ELEMENTS			DEFAULT	ASME Y14.5	
Feature	MEAS	NOMINAL	+TOL	-TOL	DEV	OUTTOL		
CIR_207	1.25100	1.25100	0.00100	0.00100	0.00000	0.00000		
CIR_207 - LS	1.25100	1.25100	0.00100	0.00100	0.00000	0.00000		
B_401_404_1		IN	⊕ Ø0.001 (M) S1 (M)			DEFAULT	ASME Y14.5	
Feature	AX	MEAS	NOMINAL	+TOL	-TOL	DEV	OUTTOL	BONUS
	Y	0.00000	0.00000			0.00000		
	Z	-0.00000	-0.00000			0.00000		
CIR_207	TP	0.00000	0.00000	0.00100	0.00000	0.00000	0.00000	
B_401_404_2 Size		IN	Ø 1.251 +0.001/-0.001 CIRCULAR ELEMENTS			DEFAULT	ASME Y14.5	
Feature	MEAS	NOMINAL	+TOL	-TOL	DEV	OUTTOL		
CIR_217	1.25100	1.25100	0.00100	0.00100	0.00000	0.00000		
CIR_217 - LS	1.25100	1.25100	0.00100	0.00100	0.00000	0.00000		
B_401_404_2		IN	⊕ Ø0.001 (M) S2 (M)			DEFAULT	ASME Y14.5	
Feature	AX	MEAS	NOMINAL	+TOL	-TOL	DEV	OUTTOL	BONUS
	Y	0.00000	0.00000			0.00000		
	Z	0.00000	0.00000			0.00000		
CIR_217	TP	0.00000	0.00000	0.00100	0.00000	0.00000	0.00000	
B_401_404_3 Size		IN	Ø 1.251 +0.001/-0.001 CIRCULAR ELEMENTS			DEFAULT	ASME Y14.5	
Feature	MEAS	NOMINAL	+TOL	-TOL	DEV	OUTTOL		
CIR_226	1.25100	1.25100	0.00100	0.00100	0.00000	0.00000		
CIR_226 - LS	1.25100	1.25100	0.00100	0.00100	0.00000	0.00000		
B_401_404_3		IN	⊕ Ø0.001 (M) S3 (M)			DEFAULT	ASME Y14.5	
Feature	AX	MEAS	NOMINAL	+TOL	-TOL	DEV	OUTTOL	BONUS
	Y	0.00000	0.00000			0.00000		
	Z	0.00000	0.00000			0.00000		
CIR_226	TP	0.00000	0.00000	0.00100	0.00000	0.00000	0.00000	
B_405_1-CIR_206			IN	Ø 1.308 +0.006/-0.006 CIRCULAR ELEMENTS				
MODIFIER	MEAS	NOMINAL	+TOL	-TOL	DEV	OUTTOL		
UAME	1.30800	1.30800	0.00600	0.00600	0.00000	0.00000		
Local Size	1.30800	1.30800	0.00600	0.00600	0.00000	0.00000		
B_405_2-CIR_216			IN	Ø 1.308 +0.006/-0.006 CIRCULAR ELEMENTS				
MODIFIER	MEAS	NOMINAL	+TOL	-TOL	DEV	OUTTOL		
UAME	1.30800	1.30800	0.00600	0.00600	0.00000	0.00000		
Local Size	1.30800	1.30800	0.00600	0.00600	0.00000	0.00000		
B_405_3-CIR_225			IN	Ø 1.308 +0.006/-0.006 CIRCULAR ELEMENTS				
MODIFIER	MEAS	NOMINAL	+TOL	-TOL	DEV	OUTTOL		
UAME	1.30800	1.30800	0.00600	0.00600	0.00000	0.00000		
Local Size	1.30800	1.30800	0.00600	0.00600	0.00000	0.00000		
B_407_410_1 Size		IN	Ø 1.313 +0.001/-0.001 CIRCULAR ELEMENTS			DEFAULT	ASME Y14.5	
Feature	MEAS	NOMINAL	+TOL	-TOL	DEV	OUTTOL		
CIR_205	1.31300	1.31300	0.00100	0.00100	0.00000	0.00000		
CIR_205 - LS	1.31300	1.31300	0.00100	0.00100	0.00000	0.00000		




B_407_410_1		IN	Φ 0.001 $\text{\textcircled{M}}$ S1 $\text{\textcircled{M}}$				DEFAULT	ASME Y14.5
Feature	AX	MEAS	NOMINAL	+TOL	-TOL	DEV	OUTTOL	BONUS
	Y	0.00000	0.00000			0.00000		
	Z	-0.00000	-0.00000			0.00000		
CIR_205	TP	0.00000	0.00000	0.00100	0.00000	0.00000	0.00000	0.00100
B_407_410_2 Size		IN	Φ 1.313 +0.001/-0.001 CIRCULAR ELEMENTS				DEFAULT	ASME Y14.5
Feature	AX	MEAS	NOMINAL	+TOL	-TOL	DEV	OUTTOL	BONUS
CIR_215		1.31300	1.31300	0.00100	0.00100	0.00000	0.00000	
CIR_215 - LS		1.31300	1.31300	0.00100	0.00100	0.00000	0.00000	
B_407_410_2		IN	Φ 0.001 $\text{\textcircled{M}}$ S2 $\text{\textcircled{M}}$				DEFAULT	ASME Y14.5
Feature	AX	MEAS	NOMINAL	+TOL	-TOL	DEV	OUTTOL	BONUS
	Y	0.00000	0.00000			0.00000		
	Z	0.00000	0.00000			0.00000		
CIR_215	TP	0.00000	0.00000	0.00100	0.00000	0.00000	0.00000	0.00100
B_407_410_3 Size		IN	Φ 1.313 +0.001/-0.001 CIRCULAR ELEMENTS				DEFAULT	ASME Y14.5
Feature	AX	MEAS	NOMINAL	+TOL	-TOL	DEV	OUTTOL	BONUS
CIR_224		1.31300	1.31300	0.00100	0.00100	0.00000	0.00000	
CIR_224 - LS		1.31300	1.31300	0.00100	0.00100	0.00000	0.00000	
B_407_410_3		IN	Φ 0.001 $\text{\textcircled{M}}$ S3 $\text{\textcircled{M}}$				DEFAULT	ASME Y14.5
Feature	AX	MEAS	NOMINAL	+TOL	-TOL	DEV	OUTTOL	BONUS
	Y	0.00000	0.00000			0.00000		
	Z	0.00000	0.00000			0.00000		
CIR_224	TP	0.00000	0.00000	0.00100	0.00000	0.00000	0.00000	0.00100
B_411_413_1 Size		IN	Φ 1.375 +0.005/-0.005 CIRCULAR ELEMENTS				DEFAULT	ASME Y14.5
Feature	AX	MEAS	NOMINAL	+TOL	-TOL	DEV	OUTTOL	BONUS
CYL_222		1.37500	1.37500	0.00500	0.00500	0.00000	0.00000	
CYL_222 - LS		1.37500	1.37500	0.00500	0.00500	0.00000	0.00000	
B_411_413_1		IN	Φ 0.005 $\text{\textcircled{M}}$ S1 $\text{\textcircled{M}}$				DEFAULT	ASME Y14.5
Feature	AX	MEAS	NOMINAL	+TOL	-TOL	DEV	OUTTOL	BONUS
	Y	0.00000	0.00000			0.00000		
	Z	-0.00000	-0.00000			-0.00000		
CYL_222 (START PT)	TP	0.00000	0.00000	0.00500	0.00000	0.00000	0.00000	0.00500
B_411_413_2 Size		IN	Φ 1.375 +0.005/-0.005 CIRCULAR ELEMENTS				DEFAULT	ASME Y14.5
Feature	AX	MEAS	NOMINAL	+TOL	-TOL	DEV	OUTTOL	BONUS
CYL_224		1.37500	1.37500	0.00500	0.00500	0.00000	0.00000	
CYL_224 - LS		1.37500	1.37500	0.00500	0.00500	0.00000	0.00000	
B_411_413_2		IN	Φ 0.005 $\text{\textcircled{M}}$ S2 $\text{\textcircled{M}}$				DEFAULT	ASME Y14.5
Feature	AX	MEAS	NOMINAL	+TOL	-TOL	DEV	OUTTOL	BONUS
	Y	0.00000	0.00000			0.00000		
	Z	-0.00000	-0.00000			0.00000		
CYL_224 (START PT)	TP	0.00000	0.00000	0.00500	0.00000	0.00000	0.00000	0.00500

B_411_413_3 Size		IN	Ø 1.375 +0.005/-0.005 CIRCULAR ELEMENTS			DEFAULT	ASME Y14.5	
Feature	MEAS	NOMINAL	+TOL	-TOL	DEV	OUTTOL		
CYL_226	1.37500	1.37500	0.00500	0.00500	0.00000	0.00000		
CYL_226 - LS	1.37500	1.37500	0.00500	0.00500	0.00000	0.00000		
B_411_413_3		IN	⊕ Ø0.005 (M) S3 (M)			DEFAULT	ASME Y14.5	
Feature	AX	MEAS	NOMINAL	+TOL	-TOL	DEV	OUTTOL	BONUS
CYL_226 (START PT)	Y	0.00000	0.00000			0.00000		
	Z	-0.00000	-0.00000			0.00000		
	TP	0.00000	0.00000	0.00500	0.00000	0.00000	0.00000	
B_414_417_1 Size		IN	Ø 1.501 +0.001/-0.001 CIRCULAR ELEMENTS			DEFAULT	ASME Y14.5	
Feature	MEAS	NOMINAL	+TOL	-TOL	DEV	OUTTOL		
DAT_Z1	1.50100	1.50100	0.00100	0.00100	0.00000	0.00000		
DAT_Z1 - LS	1.50100	1.50100	0.00100	0.00100	0.00000	0.00000		
B_414_417_1		IN	⊕ Ø0.001 (M) S1 (M)			DEFAULT	ASME Y14.5	
Feature	AX	MEAS	NOMINAL	+TOL	-TOL	DEV	OUTTOL	BONUS
DAT_Z1	Y	0.00000	0.00000			0.00000		
	Z	-0.00000	-0.00000			0.00000		
	TP	0.00000	0.00000	0.00100	0.00000	0.00000	0.00000	
B_414_417_2 Size		IN	Ø 1.501 +0.001/-0.001 CIRCULAR ELEMENTS			DEFAULT	ASME Y14.5	
Feature	MEAS	NOMINAL	+TOL	-TOL	DEV	OUTTOL		
DAT_Z2	1.50100	1.50100	0.00100	0.00100	0.00000	0.00000		
DAT_Z2 - LS	1.50100	1.50100	0.00100	0.00100	0.00000	0.00000		
B_414_417_2		IN	⊕ Ø0.001 (M) S2 (M)			DEFAULT	ASME Y14.5	
Feature	AX	MEAS	NOMINAL	+TOL	-TOL	DEV	OUTTOL	BONUS
DAT_Z2	Y	0.00000	0.00000			0.00000		
	Z	0.00000	0.00000			0.00000		
	TP	0.00000	0.00000	0.00100	0.00000	0.00000	0.00000	
B_414_417_3 Size		IN	Ø 1.501 +0.001/-0.001 CIRCULAR ELEMENTS			DEFAULT	ASME Y14.5	
Feature	MEAS	NOMINAL	+TOL	-TOL	DEV	OUTTOL		
DAT_Z3	1.50100	1.50100	0.00100	0.00100	0.00000	0.00000		
DAT_Z3 - LS	1.50100	1.50100	0.00100	0.00100	0.00000	0.00000		
B_414_417_3		IN	⊕ Ø0.001 (M) S3 (M)			DEFAULT	ASME Y14.5	
Feature	AX	MEAS	NOMINAL	+TOL	-TOL	DEV	OUTTOL	BONUS
DAT_Z3	Y	0.00000	0.00000			0.00000		
	Z	0.00000	0.00000			0.00000		
	TP	0.00000	0.00000	0.00100	0.00000	0.00000	0.00000	
B_418_1-CIR_203			IN	Ø 1.558 +0.006/-0.006 CIRCULAR ELEMENTS				
MODIFIER	MEAS	NOMINAL	+TOL	-TOL	DEV	OUTTOL		
UAME	1.55800	1.55800	0.00600	0.00600	0.00000	0.00000		
Local Size	1.55800	1.55800	0.00600	0.00600	0.00000	0.00000		

B_418_2-CIR_213			IN	Ø 1.558 +0.006/-0.006 CIRCULAR ELEMENTS				
MODIFIER	MEAS	NOMINAL	+TOL	-TOL	DEV	OUTTOL		
UAME	1.55800	1.55800	0.00600	0.00600	0.00000	0.00000		
Local Size	1.55800	1.55800	0.00600	0.00600	0.00000	0.00000		
B_418_3-CIR_222			IN	Ø 1.558 +0.006/-0.006 CIRCULAR ELEMENTS				
MODIFIER	MEAS	NOMINAL	+TOL	-TOL	DEV	OUTTOL		
UAME	1.55800	1.55800	0.00600	0.00600	0.00000	0.00000		
Local Size	1.55800	1.55800	0.00600	0.00600	0.00000	0.00000		
B_420_423_1 Size		IN	Ø 1.563 +0.001/-0.001 CIRCULAR ELEMENTS			DEFAULT	ASME Y14.5	
Feature	MEAS	NOMINAL	+TOL	-TOL	DEV	OUTTOL		
DAT_R1	1.56300	1.56300	0.00100	0.00100	0.00000	0.00000		
DAT_R1 - LS	1.56300	1.56300	0.00100	0.00100	0.00000	0.00000		
B_420_423_1		IN	⊕ Ø0.005Ⓜ S1Ⓜ			DEFAULT	ASME Y14.5	
Feature	AX	MEAS	NOMINAL	+TOL	-TOL	DEV	OUTTOL	BONUS
DAT_R1	Y	-0.00000	-0.00000			0.00000		
	Z	-0.00000	-0.00000			0.00000		
	TP	0.00000	0.00000	0.00500	0.00000	0.00000	0.00000	
B_420_423_2 Size		IN	Ø 1.563 +0.001/-0.001 CIRCULAR ELEMENTS			DEFAULT	ASME Y14.5	
Feature	MEAS	NOMINAL	+TOL	-TOL	DEV	OUTTOL		
DAT_R2	1.56300	1.56300	0.00100	0.00100	0.00000	0.00000		
DAT_R2 - LS	1.56300	1.56300	0.00100	0.00100	0.00000	0.00000		
B_420_423_2		IN	⊕ Ø0.005Ⓜ S2Ⓜ			DEFAULT	ASME Y14.5	
Feature	AX	MEAS	NOMINAL	+TOL	-TOL	DEV	OUTTOL	BONUS
DAT_R2	Y	-0.00000	-0.00000			0.00000		
	Z	-0.00000	-0.00000			0.00000		
	TP	0.00000	0.00000	0.00500	0.00000	0.00000	0.00000	
B_420_423_3 Size		IN	Ø 1.563 +0.001/-0.001 CIRCULAR ELEMENTS			DEFAULT	ASME Y14.5	
Feature	MEAS	NOMINAL	+TOL	-TOL	DEV	OUTTOL		
DAT_R3	1.56300	1.56300	0.00100	0.00100	0.00000	0.00000		
DAT_R3 - LS	1.56300	1.56300	0.00100	0.00100	0.00000	0.00000		
B_420_423_3		IN	⊕ Ø0.005Ⓜ S3Ⓜ			DEFAULT	ASME Y14.5	
Feature	AX	MEAS	NOMINAL	+TOL	-TOL	DEV	OUTTOL	BONUS
DAT_R3	Y	-0.00000	-0.00000			0.00000		
	Z	-0.00000	-0.00000			0.00000		
	TP	0.00000	0.00000	0.00500	0.00000	0.00000	0.00000	
B_427_1		IN	⊥ 0.002 SZ1			DEFAULT	ASME Y14.5	
Feature	MEAS	NOMINAL	+TOL	-TOL	DEV	OUTTOL	BONUS	
PLN_11	0.00000	0.00000	0.00200	0.00000	0.00000	0.00000	0.00000	
B_427_2		IN	⊥ 0.002 SZ2			DEFAULT	ASME Y14.5	
Feature	MEAS	NOMINAL	+TOL	-TOL	DEV	OUTTOL	BONUS	
PLN_12	0.00000	0.00000	0.00200	0.00000	0.00000	0.00000	0.00000	



B_427_3		IN			DEFAULT		ASME Y14.5	
Feature	MEAS	NOMINAL	+TOL	-TOL	DEV	OUTTOL	BONUS	
PLN_13	0.00000	0.00000	0.00200	0.00000	0.00000	0.00000	0.00000	
B_432_1-CYL_207			IN	Ø 1.139 +0.006/-0.006 CIRCULAR ELEMENTS				
MODIFIER	MEAS	NOMINAL	+TOL	-TOL	DEV	OUTTOL		
UAME	1.13900	1.13900	0.00600	0.00600	0.00000	0.00000		
Local Size	1.13900	1.13900	0.00600	0.00600	0.00000	0.00000		
B_432_2-CYL_209			IN	Ø 1.139 +0.006/-0.006 CIRCULAR ELEMENTS				
MODIFIER	MEAS	NOMINAL	+TOL	-TOL	DEV	OUTTOL		
UAME	1.13900	1.13900	0.00600	0.00600	0.00000	0.00000		
Local Size	1.13900	1.13900	0.00600	0.00600	0.00000	0.00000		
B_432_3-CYL_211			IN	Ø 1.139 +0.006/-0.006 CIRCULAR ELEMENTS				
MODIFIER	MEAS	NOMINAL	+TOL	-TOL	DEV	OUTTOL		
UAME	1.13900	1.13900	0.00600	0.00600	0.00000	0.00000		
Local Size	1.13900	1.13900	0.00600	0.00600	0.00000	0.00000		
B_434_1-CIR_245			IN	Ø 1.2475 +0.0075/-0.0075 CIRCULAR ELEMENTS				
MODIFIER	MEAS	NOMINAL	+TOL	-TOL	DEV	OUTTOL		
UAME	1.24750	1.24750	0.00750	0.00750	0.00000	0.00000		
Local Size	1.24750	1.24750	0.00750	0.00750	0.00000	0.00000		
B_434_2-CIR_247			IN	Ø 1.2475 +0.0075/-0.0075 CIRCULAR ELEMENTS				
MODIFIER	MEAS	NOMINAL	+TOL	-TOL	DEV	OUTTOL		
UAME	1.24750	1.24750	0.00750	0.00750	0.00000	0.00000		
Local Size	1.24750	1.24750	0.00750	0.00750	0.00000	0.00000		
B_434_3-CIR_249			IN	Ø 1.2475 +0.0075/-0.0075 CIRCULAR ELEMENTS				
MODIFIER	MEAS	NOMINAL	+TOL	-TOL	DEV	OUTTOL		
UAME	1.24750	1.24750	0.00750	0.00750	0.00000	0.00000		
Local Size	1.24750	1.24750	0.00750	0.00750	0.00000	0.00000		
B_436_438_1 Size		IN	Ø 1.2525 +0.0025/-0.0025 CIRCULAR ELEMENTS			DEFAULT		ASME Y14.5
Feature	MEAS	NOMINAL	+TOL	-TOL	DEV	OUTTOL		
CIR_244	1.25250	1.25250	0.00250	0.00250	0.00000	0.00000		
CIR_244 - LS	1.25250	1.25250	0.00250	0.00250	0.00000	0.00000		
B_436_438_1		IN			DEFAULT		ASME Y14.5	
Feature	AX	MEAS	NOMINAL	+TOL	-TOL	DEV	OUTTOL	BONUS
CIR_244	Y	0.00000	0.00000			0.00000		
	Z	-0.00000	-0.00000			0.00000		
	TP	0.00000	0.00000	0.02000	0.00000	0.00000	0.00000	
B_436_438_2 Size		IN	Ø 1.2525 +0.0025/-0.0025 CIRCULAR ELEMENTS			DEFAULT		ASME Y14.5
Feature	MEAS	NOMINAL	+TOL	-TOL	DEV	OUTTOL		
CIR_246	1.25250	1.25250	0.00250	0.00250	0.00000	0.00000		
CIR_246 - LS	1.25250	1.25250	0.00250	0.00250	0.00000	0.00000		





B_436_438_2		IN	$\varnothing 0.02 \text{ (M)} \text{ S2 (M)}$				DEFAULT	ASME Y14.5
Feature	AX	MEAS	NOMINAL	+TOL	-TOL	DEV	OUTTOL	BONUS
	Y	0.00000	0.00000			0.00000		
	Z	-0.00000	-0.00000			0.00000		
CIR_246	TP	0.00000	0.00000	0.02000	0.00000	0.00000	0.00000	0.00250
B_436_438_3 Size		IN	$\varnothing 1.2525 +0.0025/-0.0025$ CIRCULAR ELEMENTS				DEFAULT	ASME Y14.5
Feature	AX	MEAS	NOMINAL	+TOL	-TOL	DEV	OUTTOL	BONUS
CIR_248		1.25250	1.25250	0.00250	0.00250	0.00000	0.00000	
CIR_248 - LS		1.25250	1.25250	0.00250	0.00250	0.00000	0.00000	
B_436_438_3		IN	$\varnothing 0.02 \text{ (M)} \text{ S3 (M)}$				DEFAULT	ASME Y14.5
Feature	AX	MEAS	NOMINAL	+TOL	-TOL	DEV	OUTTOL	BONUS
	Y	0.00000	0.00000			0.00000		
	Z	-0.00000	-0.00000			0.00000		
CIR_248	TP	0.00000	0.00000	0.02000	0.00000	0.00000	0.00000	0.00250
B_432_440_1 Size		IN	$\varnothing 1.139 +0.006/-0.006$ CIRCULAR ELEMENTS				DEFAULT	ASME Y14.5
Feature	AX	MEAS	NOMINAL	+TOL	-TOL	DEV	OUTTOL	BONUS
CYL_207		1.13900	1.13900	0.00600	0.00600	0.00000	0.00000	
CYL_207 - LS		1.13900	1.13900	0.00600	0.00600	0.00000	0.00000	
B_432_440_1		IN	$\varnothing 0.005 \text{ (M)} \text{ S1 (M)}$				DEFAULT	ASME Y14.5
Feature	AX	MEAS	NOMINAL	+TOL	-TOL	DEV	OUTTOL	BONUS
	Y	-0.00000	-0.00000			0.00000		
CYL_207	Z	0.00000	0.00000			0.00000		
(START PT)	TP	0.00000	0.00000	0.00500	0.00000	0.00000	0.00000	0.00600
B_432_440_2 Size		IN	$\varnothing 1.139 +0.006/-0.006$ CIRCULAR ELEMENTS				DEFAULT	ASME Y14.5
Feature	AX	MEAS	NOMINAL	+TOL	-TOL	DEV	OUTTOL	BONUS
CYL_209		1.13900	1.13900	0.00600	0.00600	0.00000	0.00000	
CYL_209 - LS		1.13900	1.13900	0.00600	0.00600	0.00000	0.00000	
B_432_440_2		IN	$\varnothing 0.005 \text{ (M)} \text{ S2 (M)}$				DEFAULT	ASME Y14.5
Feature	AX	MEAS	NOMINAL	+TOL	-TOL	DEV	OUTTOL	BONUS
	Y	-0.00000	-0.00000			0.00000		
CYL_209	Z	0.00000	0.00000			0.00000		
(START PT)	TP	0.00000	0.00000	0.00500	0.00000	0.00000	0.00000	0.00600
B_432_440_3 Size		IN	$\varnothing 1.139 +0.006/-0.006$ CIRCULAR ELEMENTS				DEFAULT	ASME Y14.5
Feature	AX	MEAS	NOMINAL	+TOL	-TOL	DEV	OUTTOL	BONUS
CYL_211		1.13900	1.13900	0.00600	0.00600	0.00000	0.00000	
CYL_211 - LS		1.13900	1.13900	0.00600	0.00600	0.00000	0.00000	
B_432_440_3		IN	$\varnothing 0.005 \text{ (M)} \text{ S3 (M)}$				DEFAULT	ASME Y14.5
Feature	AX	MEAS	NOMINAL	+TOL	-TOL	DEV	OUTTOL	BONUS
	Y	-0.00000	-0.00000			0.00000		
CYL_211	Z	0.00000	0.00000			0.00000		
(START PT)	TP	0.00000	0.00000	0.00500	0.00000	0.00000	0.00000	0.00600

B_447-CIR_311			IN	Ø 1.621 +0.006/-0.006 CIRCULAR ELEMENTS				
MODIFIER	MEAS	NOMINAL	+TOL	-TOL	DEV	OUTTOL		
UAME	1.62100	1.62100	0.00600	0.00600	0.00000	0.00000		
Local Size	1.62100	1.62100	0.00600	0.00600	0.00000	0.00000		
B_449_452 Size		IN	Ø 1.626 +0.001/-0.001 CIRCULAR ELEMENTS			DEFAULT	ASME Y14.5	
Feature	MEAS	NOMINAL	+TOL	-TOL	DEV	OUTTOL		
CIR_255	1.62600	1.62600	0.00100	0.00100	0.00000	0.00000		
CIR_255 - LS	1.62600	1.62600	0.00100	0.00100	0.00000	0.00000		
B_449_452		IN	⊕ Ø0.005  L 			DEFAULT	ASME Y14.5	
Feature	AX	MEAS	NOMINAL	+TOL	-TOL	DEV	OUTTOL	BONUS
CIR_255	Y	0.00000	0.00000			0.00000		
	Z	-0.00000	-0.00000			0.00000		
	TP	0.00000	0.00000	0.00500	0.00000	0.00000	0.00000	
B_453-CYL_213			IN	Ø 1.7015 +0.0055/-0.0055 CIRCULAR ELEMENTS				
MODIFIER	MEAS	NOMINAL	+TOL	-TOL	DEV	OUTTOL		
UAME	1.70150	1.70150	0.00550	0.00550	0.00000	0.00000		
Local Size	1.70150	1.70150	0.00550	0.00550	0.00000	0.00000		
B_455_457 Size		IN	Ø 1.7975 +0.0025/-0.0025 CIRCULAR ELEMENTS			DEFAULT	ASME Y14.5	
Feature	MEAS	NOMINAL	+TOL	-TOL	DEV	OUTTOL		
CYL_260	1.79750	1.79750	0.00250	0.00250	0.00000	0.00000		
CYL_260 - LS	1.79750	1.79750	0.00250	0.00250	0.00000	0.00000		
B_455_457		IN	⊕ Ø0.02  N 			DEFAULT	ASME Y14.5	
Feature	AX	MEAS	NOMINAL	+TOL	-TOL	DEV	OUTTOL	BONUS
CYL_260 (END PT)	Y	-0.00000	-0.00000			-0.00000		
	Z	0.00000	0.00000			0.00000		
	TP	0.00000	0.00000	0.02000	0.00000	0.00000	0.00000	
B_453_459 Size		IN	Ø 1.7015 +0.0055/-0.0055 CIRCULAR ELEMENTS			DEFAULT	ASME Y14.5	
Feature	MEAS	NOMINAL	+TOL	-TOL	DEV	OUTTOL		
CYL_213	1.70150	1.70150	0.00550	0.00550	0.00000	0.00000		
CYL_213 - LS	1.70150	1.70150	0.00550	0.00550	0.00000	0.00000		
B_453_459		IN	⊕ Ø0.005  N 			DEFAULT	ASME Y14.5	
Feature	AX	MEAS	NOMINAL	+TOL	-TOL	DEV	OUTTOL	BONUS
CYL_213 (START PT)	Y	-0.00000	-0.00000			0.00000		
	Z	0.00000	0.00000			0.00000		
	TP	0.00000	0.00000	0.00500	0.00000	0.00000	0.00000	

B_465_469 Size		IN	Ø 0.32935 +0.00485/-0.00485 CIRCULAR ELEME				DEFAULT	ASME Y14.5
Feature	MEAS	NOMINAL	+TOL	-TOL	DEV	OUTTOL		
CYL_256	0.32935	0.32935	0.00485	0.00485	0.00000	0.00000		
CYL_256 - LS	0.32935	0.32935	0.00485	0.00485	0.00000	0.00000		
CYL_257	0.32935	0.32935	0.00485	0.00485	0.00000	0.00000		
CYL_257 - LS	0.32935	0.32935	0.00485	0.00485	0.00000	0.00000		
CYL_258	0.32935	0.32935	0.00485	0.00485	0.00000	0.00000		
CYL_258 - LS	0.32935	0.32935	0.00485	0.00485	0.00000	0.00000		
CYL_259	0.32935	0.32935	0.00485	0.00485	0.00000	0.00000		
CYL_259 - LS	0.32935	0.32935	0.00485	0.00485	0.00000	0.00000		
B_465_469		IN	⊕ Ø0.032 (M) T P (M) D2				DEFAULT	ASME Y14.5
Feature	AX	MEAS	NOMINAL	+TOL	-TOL	DEV	OUTTOL	BONUS
CYL_256 (END PT)	Y	-0.96900	-0.96900			-0.00000		
	Z	0.96900	0.96900			0.00000		
	TP	0.00000	0.00000	0.03200	0.00000	0.00000	0.00000	
CYL_257 (END PT)	Y	-0.96900	-0.96900			-0.00000		
	Z	-0.96900	-0.96900			0.00000		
	TP	0.00000	0.00000	0.03200	0.00000	0.00000	0.00000	
CYL_258 (END PT)	Y	0.96900	0.96900			0.00000		
	Z	-0.96900	-0.96900			-0.00000		
	TP	0.00000	0.00000	0.03200	0.00000	0.00000	0.00000	
CYL_259 (START PT)	Y	0.96900	0.96900			0.00000		
	Z	0.96900	0.96900			0.00000		
	TP	0.00000	0.00000	0.03200	0.00000	0.00000	0.00000	
B_471_473 Size		IN	Ø 0.2055 +0.0075/-0.0075 CIRCULAR ELEMENTS				DEFAULT	ASME Y14.5
Feature	MEAS	NOMINAL	+TOL	-TOL	DEV	OUTTOL		
CIR_241	0.20550	0.20550	0.00750	0.00750	0.00000	0.00000		
CIR_241 - LS	0.20550	0.20550	0.00750	0.00750	0.00000	0.00000		
B_471_473		IN	⊕ Ø0.03 (M) D2 E2 F2				DEFAULT	ASME Y14.5
Feature	AX	MEAS	NOMINAL	+TOL	-TOL	DEV	OUTTOL	BONUS
CIR_241	Y	-0.37500	-0.37500			0.00000		
	Z	-7.87000	-7.87000			0.00000		
	TP	0.00000	0.00000	0.03000	0.00000	0.00000	0.00000	
B_474-CIR_240			IN	Ø 0.25125 +0.00125/-0.00125 CIRCULAR ELEMENTS				
MODIFIER	MEAS	NOMINAL	+TOL	-TOL	DEV	OUTTOL		
UAME	0.25125	0.25125	0.00125	0.00125	0.00000	0.00000		
Local Size	0.25125	0.25125	0.00125	0.00125	0.00000	0.00000		
B_480_482 Size		IN	Ø 0.2055 +0.0075/-0.0075 CIRCULAR ELEMENTS				DEFAULT	ASME Y14.5
Feature	MEAS	NOMINAL	+TOL	-TOL	DEV	OUTTOL		
CIR_243	0.20550	0.20550	0.00750	0.00750	0.00000	0.00000		
CIR_243 - LS	0.20550	0.20550	0.00750	0.00750	0.00000	0.00000		

B_480_482		IN	$\varnothing 0.03 \text{ (M)} \text{ D2 E2 F2}$				DEFAULT	ASME Y14.5
Feature	AX	MEAS	NOMINAL	+TOL	-TOL	DEV	OUTTOL	BONUS
CIR_243	Y	-0.37500	-0.37500			0.00000		
	Z	-3.53100	-3.53100			0.00000		
	TP	0.00000	0.00000	0.03000	0.00000	0.00000	0.00000	0.00750
B_483-CIR_242			IN	$\varnothing 0.25125 +0.00125/-0.00125$ CIRCULAR ELEMENTS				
MODIFIER		MEAS	NOMINAL	+TOL	-TOL	DEV	OUTTOL	
UAME		0.25125	0.25125	0.00125	0.00125	0.00000	0.00000	
Local Size		0.25125	0.25125	0.00125	0.00125	0.00000	0.00000	
	IN	B_491 - DAT_D2 TO PLN_10						
AX		MEAS	NOMINAL	+TOL	-TOL	DEV	OUTTOL	
M		0.37500	0.37500	0.03100	0.03100	0.00000	0.00000	
B_493_497_1 Size		IN	$\varnothing 0.26655 +0.00575/-0.00575$ CIRCULAR ELEMENTS				DEFAULT	ASME Y14.5
Feature		MEAS	NOMINAL	+TOL	-TOL	DEV	OUTTOL	
CYL_244		0.26655	0.26655	0.00575	0.00575	0.00000	0.00000	
CYL_244 - LS		0.26655	0.26655	0.00575	0.00575	0.00000	0.00000	
CYL_245		0.26655	0.26655	0.00575	0.00575	0.00000	0.00000	
CYL_245 - LS		0.26655	0.26655	0.00575	0.00575	0.00000	0.00000	
CYL_246		0.26655	0.26655	0.00575	0.00575	0.00000	0.00000	
CYL_246 - LS		0.26655	0.26655	0.00575	0.00575	0.00000	0.00000	
CYL_247		0.26655	0.26655	0.00575	0.00575	0.00000	0.00000	
CYL_247 - LS		0.26655	0.26655	0.00575	0.00575	0.00000	0.00000	
B_493_497_1		IN	$\varnothing 0.025 \text{ (M)} \text{ T R1 (M) D2}$				DEFAULT	ASME Y14.5
Feature	AX	MEAS	NOMINAL	+TOL	-TOL	DEV	OUTTOL	BONUS
CYL_244 (START PT)	Y	-1.00000	-1.00000			0.00000		
	Z	0.71900	0.71900			0.00000		
	TP	0.00000	0.00000	0.02500	0.00000	0.00000	0.00000	0.00575
CYL_245 (END PT)	Y	1.00000	1.00000			0.00000		
	Z	0.71900	0.71900			0.00000		
	TP	0.00000	0.00000	0.02500	0.00000	0.00000	0.00000	0.00575
CYL_246 (END PT)	Y	1.00000	1.00000			0.00000		
	Z	-0.71900	-0.71900			0.00000		
	TP	0.00000	0.00000	0.02500	0.00000	0.00000	0.00000	0.00575
CYL_247 (START PT)	Y	-1.00000	-1.00000			0.00000		
	Z	-0.71900	-0.71900			0.00000		
	TP	0.00000	0.00000	0.02500	0.00000	0.00000	0.00000	0.00575
B_493_497_2 Size		IN	$\varnothing 0.26655 +0.00575/-0.00575$ CIRCULAR ELEMENTS				DEFAULT	ASME Y14.5
Feature		MEAS	NOMINAL	+TOL	-TOL	DEV	OUTTOL	
CYL_248		0.26655	0.26655	0.00575	0.00575	0.00000	0.00000	
CYL_248 - LS		0.26655	0.26655	0.00575	0.00575	0.00000	0.00000	
CYL_249		0.26655	0.26655	0.00575	0.00575	0.00000	0.00000	
CYL_249 - LS		0.26655	0.26655	0.00575	0.00575	0.00000	0.00000	
CYL_250		0.26655	0.26655	0.00575	0.00575	0.00000	0.00000	
CYL_250 - LS		0.26655	0.26655	0.00575	0.00575	0.00000	0.00000	
CYL_251		0.26655	0.26655	0.00575	0.00575	0.00000	0.00000	
CYL_251 - LS		0.26655	0.26655	0.00575	0.00575	0.00000	0.00000	

B_493_497_2		IN	⊕ ∅0.025 Ⓜ T R2 Ⓜ D2				DEFAULT	ASME Y14.5
Feature	AX	MEAS	NOMINAL	+TOL	-TOL	DEV	OUTTOL	BONUS
CYL_248 (END PT)	Y	-1.00000	-1.00000			-0.00000		
	Z	0.71900	0.71900			0.00000		
	TP	0.00000	0.00000	0.02500	0.00000	0.00000	0.00000	
CYL_249 (START PT)	Y	1.00000	1.00000			-0.00000		
	Z	0.71900	0.71900			0.00000		
	TP	0.00000	0.00000	0.02500	0.00000	0.00000	0.00000	
CYL_250 (START PT)	Y	1.00000	1.00000			0.00000		
	Z	-0.71900	-0.71900			0.00000		
	TP	0.00000	0.00000	0.02500	0.00000	0.00000	0.00000	
CYL_251 (START PT)	Y	-1.00000	-1.00000			-0.00000		
	Z	-0.71900	-0.71900			0.00000		
	TP	0.00000	0.00000	0.02500	0.00000	0.00000	0.00000	
B_493_497_3 Size		IN	∅ 0.26655 +0.00575/-0.00575 CIRCULAR ELEMENT				DEFAULT	ASME Y14.5
Feature	AX	MEAS	NOMINAL	+TOL	-TOL	DEV	OUTTOL	
CYL_252		0.26655	0.26655	0.00575	0.00575	0.00000	0.00000	
CYL_252 - LS		0.26655	0.26655	0.00575	0.00575	0.00000	0.00000	
CYL_253		0.26655	0.26655	0.00575	0.00575	0.00000	0.00000	
CYL_253 - LS		0.26655	0.26655	0.00575	0.00575	0.00000	0.00000	
CYL_254		0.26655	0.26655	0.00575	0.00575	0.00000	0.00000	
CYL_254 - LS		0.26655	0.26655	0.00575	0.00575	0.00000	0.00000	
CYL_255		0.26655	0.26655	0.00575	0.00575	0.00000	0.00000	
CYL_255 - LS		0.26655	0.26655	0.00575	0.00575	0.00000	0.00000	
B_493_497_3		IN	⊕ ∅0.025 Ⓜ T R3 Ⓜ D2				DEFAULT	ASME Y14.5
Feature	AX	MEAS	NOMINAL	+TOL	-TOL	DEV	OUTTOL	BONUS
CYL_252 (END PT)	Y	-1.00000	-1.00000			-0.00000		
	Z	0.71900	0.71900			0.00000		
	TP	0.00000	0.00000	0.02500	0.00000	0.00000	0.00000	
CYL_253 (START PT)	Y	1.00000	1.00000			-0.00000		
	Z	0.71900	0.71900			0.00000		
	TP	0.00000	0.00000	0.02500	0.00000	0.00000	0.00000	
CYL_254 (END PT)	Y	1.00000	1.00000			0.00000		
	Z	-0.71900	-0.71900			0.00000		
	TP	0.00000	0.00000	0.02500	0.00000	0.00000	0.00000	
CYL_255 (END PT)	Y	-1.00000	-1.00000			-0.00000		
	Z	-0.71900	-0.71900			0.00000		
	TP	0.00000	0.00000	0.02500	0.00000	0.00000	0.00000	
↔	IN	B_508 - PLN_8 TO DAT_R3 (ZAXIS)						
AX	MEAS	NOMINAL	+TOL	-TOL	DEV	OUTTOL		
M	1.03000	1.03000	0.01000	0.01000	0.00000	0.00000		
↔	IN	B_512 - DAT_P TO PLN_16 (YAXIS)						
AX	MEAS	NOMINAL	+TOL	-TOL	DEV	OUTTOL		
M	1.35000	1.36000	0.01000	0.01000	-0.01000	0.00000		

B_594_1-CIR_26			IN	Ø 1.005 +0.015/-0.015 CIRCULAR ELEMENTS		
MODIFIER	MEAS	NOMINAL	+TOL	-TOL	DEV	OUTTOL
UAME	1.00500	1.00500	0.01500	0.01500	0.00000	0.00000 
Local Size	1.00500	1.00500	0.01500	0.01500	0.00000	0.00000 
B_594_2-CIR_27			IN	Ø 1.005 +0.015/-0.015 CIRCULAR ELEMENTS		
MODIFIER	MEAS	NOMINAL	+TOL	-TOL	DEV	OUTTOL
UAME	1.00500	1.00500	0.01500	0.01500	0.00000	0.00000 
Local Size	1.00500	1.00500	0.01500	0.01500	0.00000	0.00000 
B_594_3-CIR_28			IN	Ø 1.005 +0.015/-0.015 CIRCULAR ELEMENTS		
MODIFIER	MEAS	NOMINAL	+TOL	-TOL	DEV	OUTTOL
UAME	1.00500	1.00500	0.01500	0.01500	0.00000	0.00000 
Local Size	1.00500	1.00500	0.01500	0.01500	0.00000	0.00000 
B_617_1-CYL_242			IN	Ø 0.53245 +0.00125/-0.00125 CIRCULAR ELEMENTS		
MODIFIER	MEAS	NOMINAL	+TOL	-TOL	DEV	OUTTOL
UAME	0.53245	0.53245	0.00125	0.00125	0.00000	0.00000 
Local Size	0.53245	0.53245	0.00125	0.00125	0.00000	0.00000 
B_617_2-CYL_241			IN	Ø 0.53245 +0.00125/-0.00125 CIRCULAR ELEMENTS		
MODIFIER	MEAS	NOMINAL	+TOL	-TOL	DEV	OUTTOL
UAME	0.53245	0.53245	0.00125	0.00125	0.00000	0.00000 
Local Size	0.53245	0.53245	0.00125	0.00125	0.00000	0.00000 
B_617_3-CYL_217			IN	Ø 0.53245 +0.00125/-0.00125 CIRCULAR ELEMENTS		
MODIFIER	MEAS	NOMINAL	+TOL	-TOL	DEV	OUTTOL
UAME	0.53245	0.53245	0.00125	0.00125	0.00000	0.00000 
Local Size	0.53245	0.53245	0.00125	0.00125	0.00000	0.00000 
B_630_1-CIR_202			IN	Ø 0.25125 +0.00125/-0.00125 CIRCULAR ELEMENTS		
MODIFIER	MEAS	NOMINAL	+TOL	-TOL	DEV	OUTTOL
UAME	0.25125	0.25125	0.00125	0.00125	0.00000	0.00000 
Local Size	0.25125	0.25125	0.00125	0.00125	0.00000	0.00000 
B_630_2-CIR_212			IN	Ø 0.25125 +0.00125/-0.00125 CIRCULAR ELEMENTS		
MODIFIER	MEAS	NOMINAL	+TOL	-TOL	DEV	OUTTOL
UAME	0.25125	0.25125	0.00125	0.00125	0.00000	0.00000 
Local Size	0.25125	0.25125	0.00125	0.00125	0.00000	0.00000 
B_635_1-CYL_243			IN	Ø 0.2695 +0.0085/-0.0085 CIRCULAR ELEMENTS		
MODIFIER	MEAS	NOMINAL	+TOL	-TOL	DEV	OUTTOL
UAME	0.26950	0.26950	0.00850	0.00850	0.00000	0.00000 
Local Size	0.26950	0.26950	0.00850	0.00850	0.00000	0.00000 
B_635_2-CYL_261			IN	Ø 0.2695 +0.0085/-0.0085 CIRCULAR ELEMENTS		
MODIFIER	MEAS	NOMINAL	+TOL	-TOL	DEV	OUTTOL
UAME	0.26950	0.26950	0.00850	0.00850	0.00000	0.00000 
Local Size	0.26950	0.26950	0.00850	0.00850	0.00000	0.00000 

B_651_1-CIR_109			IN	Ø 0.76 +0.01/-0.01 CIRCULAR ELEMENTS		
MODIFIER	MEAS	NOMINAL	+TOL	-TOL	DEV	OUTTOL
UAME	0.77000	0.76000	0.01000	0.01000	0.01000	0.00000 
Local Size	0.77000	0.76000	0.01000	0.01000	0.01000	0.00000 
B_651_2-CIR_110			IN	Ø 0.76 +0.01/-0.01 CIRCULAR ELEMENTS		
MODIFIER	MEAS	NOMINAL	+TOL	-TOL	DEV	OUTTOL
UAME	0.77000	0.76000	0.01000	0.01000	0.01000	0.00000 
Local Size	0.77000	0.76000	0.01000	0.01000	0.01000	0.00000 
B_651_3-CIR_111			IN	Ø 0.76 +0.01/-0.01 CIRCULAR ELEMENTS		
MODIFIER	MEAS	NOMINAL	+TOL	-TOL	DEV	OUTTOL
UAME	0.77000	0.76000	0.01000	0.01000	0.01000	0.00000 
Local Size	0.77000	0.76000	0.01000	0.01000	0.01000	0.00000 
	IN	S_1 - CIR_26 TO DAT_R1 (ZAXIS)				
AX	MEAS	NOMINAL	+TOL	-TOL	DEV	OUTTOL
M	0.13877	0.14000	0.01000	0.01000	-0.00123	0.00000 
	IN	S_2 - DAT_R2 TO CIR_27 (ZAXIS)				
AX	MEAS	NOMINAL	+TOL	-TOL	DEV	OUTTOL
M	0.13877	0.14000	0.01000	0.01000	-0.00123	0.00000 
	IN	S_3 - DAT_R3 TO CIR_28 (ZAXIS)				
AX	MEAS	NOMINAL	+TOL	-TOL	DEV	OUTTOL
M	0.13877	0.14000	0.01000	0.01000	-0.00123	0.00000 