





	PART NAME : 4042-693-Combined		May 14, 2026	15:50
	REV NUMBER : K	SER NUMBER : 00	STATS COUNT : 1	

TRACEFIELD TECHNICIAN =
TRACEFIELD CMM # =
TRACEFIELD WO =
TRACEFIELD SN =

B_121_123_1 Size		IN	Ø 0.7505 +0.0005/-0.0005 CIRCULAR ELEMENTS			DEFAULT	ASME Y14.5
Feature	MEAS	NOMINAL	+TOL	-TOL	DEV	OUTTOL	
CYL_104	0.75050	0.75050	0.00050	0.00050	0.00000	0.00000	
CYL_104 - LS	0.75050	0.75050	0.00050	0.00050	0.00000	0.00000	
B_121_123_1		IN	⊕ Ø 0.006 (M) A1 C1 (M) D1 (M)			DEFAULT	ASME Y14.5
Feature	AX	MEAS	NOMINAL	+TOL	-TOL	DEV	OUTTOL BONUS
CYL_104 (START PT)	Y	-0.62500	-0.62500			0.00000	
	Z	-0.00000	-0.00000			0.00000	
	TP	0.00000	0.00000	0.00600	0.00000	0.00000	
B_121_123_2 Size		IN	Ø 0.7505 +0.0005/-0.0005 CIRCULAR ELEMENTS			DEFAULT	ASME Y14.5
Feature	MEAS	NOMINAL	+TOL	-TOL	DEV	OUTTOL	
CYL_152	0.75050	0.75050	0.00050	0.00050	0.00000	0.00000	
CYL_152 - LS	0.75050	0.75050	0.00050	0.00050	0.00000	0.00000	
B_121_123_2		IN	⊕ Ø 0.006 (M) A1 C1 (M) D1 (M)			DEFAULT	ASME Y14.5
Feature	AX	MEAS	NOMINAL	+TOL	-TOL	DEV	OUTTOL BONUS
CYL_152 (START PT)	Y	-0.62500	-0.62500			0.00000	
	Z	0.00000	0.00000			0.00000	
	TP	0.00000	0.00000	0.00600	0.00000	0.00000	
B_124_127 Size		IN	Ø 0.87555 +0.00045/-0.00045 CIRCULAR ELEMENTS			DEFAULT	ASME Y14.5
Feature	MEAS	NOMINAL	+TOL	-TOL	DEV	OUTTOL	
CYL_155	0.87555	0.87555	0.00045	0.00045	0.00000	0.00000	
CYL_155 - LS	0.87555	0.87555	0.00045	0.00045	0.00000	0.00000	
B_124_127		IN	⊕ Ø 0.0003 (M) L1 (M)			DEFAULT	ASME Y14.5
Feature	AX	MEAS	NOMINAL	+TOL	-TOL	DEV	OUTTOL BONUS
CYL_155 (START PT)	Y	0.00000	0.00000			0.00000	
	Z	-0.00000	-0.00000			0.00000	
	TP	0.00000	0.00000	0.00030	0.00000	0.00000	
B_133_137 Size		IN	Ø 0.2155 +0.0075/-0.0075 CIRCULAR ELEMENTS			DEFAULT	ASME Y14.5
Feature	MEAS	NOMINAL	+TOL	-TOL	DEV	OUTTOL	
CYL_132	0.21550	0.21550	0.00750	0.00750	0.00000	0.00000	
CYL_132 - LS	0.21550	0.21550	0.00750	0.00750	0.00000	0.00000	
B_133_137		IN	⊕ Ø 0.03 (M) A1 C1 (M) D1 (M)			DEFAULT	ASME Y14.5
Feature	AX	MEAS	NOMINAL	+TOL	-TOL	DEV	OUTTOL BONUS
CYL_132 (START PT)	Y	-0.53100	-0.53100			0.00000	
	Z	-0.90600	-0.90600			0.00000	
	TP	0.00000	0.00000	0.03000	0.00000	0.00000	

B_135-CIR_111				IN	Ø 0.406 +0.01/-0.01 CIRCULAR ELEMENTS				
MODIFIER		MEAS	NOMINAL	+TOL	-TOL	DEV	OUTTOL		
UAME		0.40600	0.40600	0.01000	0.01000	0.00000	0.00000		
Local Size		0.40600	0.40600	0.01000	0.01000	0.00000	0.00000		
B_138_139 Size		IN	Ø 0.4395 +0.0085/-0.0085 CIRCULAR ELEMENTS				DEFAULT	ASME Y14.5	
Feature		MEAS	NOMINAL	+TOL	-TOL	DEV	OUTTOL		
CYL_125		0.43950	0.43950	0.00850	0.00850	0.00000	0.00000		
CYL_125 - LS		0.43950	0.43950	0.00850	0.00850	0.00000	0.00000		
B_138_139		IN	⌀ Ø 0.125 (M) A1 C1 (M) D1 (M)				DEFAULT	ASME Y14.5	
Feature		AX	MEAS	NOMINAL	+TOL	-TOL	DEV	OUTTOL	BONUS
CYL_125 (START PT)	Y		1.43800	1.43800			0.00000		
	Z		-1.62500	-1.62500			0.00000		
	TP		0.00000	0.00000	0.12500	0.00000	0.00000	0.00000	
B_140_144 Size		IN	Ø 0.2155 +0.0045/-0.0045 CIRCULAR ELEMENTS				DEFAULT	ASME Y14.5	
Feature		MEAS	NOMINAL	+TOL	-TOL	DEV	OUTTOL		
CYL_142		0.21550	0.21550	0.00450	0.00450	0.00000	0.00000		
CYL_142 - LS		0.21550	0.21550	0.00450	0.00450	0.00000	0.00000		
B_140_144		IN	⌀ Ø 0.008 (M) A1 H1 (M) C1 (M)				DEFAULT	ASME Y14.5	
Feature		AX	MEAS	NOMINAL	+TOL	-TOL	DEV	OUTTOL	BONUS
CYL_142 (START PT)	Y		-0.00000	-0.00000			0.00000		
	Z		-1.00000	-1.00000			0.00000		
	TP		0.00000	0.00000	0.00800	0.00000	0.00000	0.00000	
B_145-CIR_108				IN	Ø 0.531 +0.01/-0.01 CIRCULAR ELEMENTS				
MODIFIER		MEAS	NOMINAL	+TOL	-TOL	DEV	OUTTOL		
UAME		0.53100	0.53100	0.01000	0.01000	0.00000	0.00000		
Local Size		0.53100	0.53100	0.01000	0.01000	0.00000	0.00000		
B_147_149 Size		IN	Ø 0.5468 +0.0005/-0.0005 CIRCULAR ELEMENTS				DEFAULT	ASME Y14.5	
Feature		MEAS	NOMINAL	+TOL	-TOL	DEV	OUTTOL		
DAT_K1		0.54680	0.54680	0.00050	0.00050	0.00000	0.00000		
DAT_K1 - LS		0.54680	0.54680	0.00050	0.00050	0.00000	0.00000		
B_147_149		IN	⌀ Ø 0.006 (M) A1 J1 (M) F1 (M)				DEFAULT	ASME Y14.5	
Feature		AX	MEAS	NOMINAL	+TOL	-TOL	DEV	OUTTOL	BONUS
DAT_K1 (END PT)	Y		10.68800	10.68800			-0.00000		
	Z		-4.87500	-4.87500			-0.00000		
	TP		0.00000	0.00000	0.00600	0.00000	0.00000	0.00000	
B_150_154 Size		IN	Ø 0.3265 +0.0035/-0.0035 CIRCULAR ELEMENTS				DEFAULT	ASME Y14.5	
Feature		MEAS	NOMINAL	+TOL	-TOL	DEV	OUTTOL		
CYL_149		0.32650	0.32650	0.00350	0.00350	0.00000	0.00000		
CYL_149 - LS		0.32650	0.32650	0.00350	0.00350	0.00000	0.00000		

B_150_154		IN	Ø 0.012 M K1 M				DEFAULT	ASME Y14.5
Feature	AX	MEAS	NOMINAL	+TOL	-TOL	DEV	OUTTOL	BONUS
CYL_149 (END PT)	Y	0.00000	0.00000			0.00000		
	Z	-0.00000	-0.00000			0.00000		
	TP	0.00000	0.00000	0.01200	0.00000	0.00000	0.00000	
B_163_167 Size		IN	Ø 0.2155 +0.0045/-0.0045 CIRCULAR ELEMENTS				DEFAULT	ASME Y14.5
Feature	AX	MEAS	NOMINAL	+TOL	-TOL	DEV	OUTTOL	
CYL_143		0.21550	0.21550	0.00450	0.00450	0.00000	0.00000	
CYL_143 - LS		0.21550	0.21550	0.00450	0.00450	0.00000	0.00000	
B_163_167		IN	Ø 0.008 M A1 H1 M C1 M				DEFAULT	ASME Y14.5
Feature	AX	MEAS	NOMINAL	+TOL	-TOL	DEV	OUTTOL	BONUS
CYL_143 (END PT)	Y	-0.00000	-0.00000			0.00000		
	Z	1.00000	1.00000			0.00000		
	TP	0.00000	0.00000	0.00800	0.00000	0.00000	0.00000	
B_168_172 Size		IN	Ø 0.2155 +0.0075/-0.0075 CIRCULAR ELEMENTS				DEFAULT	ASME Y14.5
Feature	AX	MEAS	NOMINAL	+TOL	-TOL	DEV	OUTTOL	
CYL_127		0.21550	0.21550	0.00750	0.00750	0.00000	0.00000	
CYL_127 - LS		0.21550	0.21550	0.00750	0.00750	0.00000	0.00000	
B_168_172		IN	Ø 0.03 M A1 H1 M C1 M				DEFAULT	ASME Y14.5
Feature	AX	MEAS	NOMINAL	+TOL	-TOL	DEV	OUTTOL	BONUS
CYL_127 (START PT)	Y	-1.00000	-1.00000			0.00000		
	Z	0.00000	0.00000			0.00000		
	TP	0.00000	0.00000	0.03000	0.00000	0.00000	0.00000	
B_170-CIR_112			IN	Ø 0.406 +0.01/-0.01 CIRCULAR ELEMENTS				
MODIFIER	AX	MEAS	NOMINAL	+TOL	-TOL	DEV	OUTTOL	
UAME		0.40600	0.40600	0.01000	0.01000	0.00000	0.00000	
Local Size		0.40600	0.40600	0.01000	0.01000	0.00000	0.00000	
B_173_175 Size		IN	Ø 0.3335 +0.0085/-0.0085 CIRCULAR ELEMENTS				DEFAULT	ASME Y14.5
Feature	AX	MEAS	NOMINAL	+TOL	-TOL	DEV	OUTTOL	
CYL_129		0.33350	0.33350	0.00850	0.00850	0.00000	0.00000	
CYL_129 - LS		0.33350	0.33350	0.00850	0.00850	0.00000	0.00000	
B_173_175		IN	Ø 0.03 M A1 H1 M C1 M				DEFAULT	ASME Y14.5
Feature	AX	MEAS	NOMINAL	+TOL	-TOL	DEV	OUTTOL	BONUS
CYL_129 (END PT)	Y	-0.18700	-0.18700			0.00000		
	Z	1.65600	1.65600			0.00000		
	TP	0.00000	0.00000	0.03000	0.00000	0.00000	0.00000	
B_177_178 Size		IN	Ø 0.2155 +0.0045/-0.0045 CIRCULAR ELEMENTS				DEFAULT	ASME Y14.5
Feature	AX	MEAS	NOMINAL	+TOL	-TOL	DEV	OUTTOL	
CYL_126		0.21550	0.21550	0.00450	0.00450	0.00000	0.00000	
CYL_126 - LS		0.21550	0.21550	0.00450	0.00450	0.00000	0.00000	

B_177_178		IN	⊕ ∅ 0.03 Ⓜ A1 H1 Ⓜ C1 Ⓜ				DEFAULT	ASME Y14.5
Feature	AX	MEAS	NOMINAL	+TOL	-TOL	DEV	OUTTOL	BONUS
CYL_126 (END PT)	Y	-0.87500	-0.87500			-0.00000		
	Z	1.53100	1.53100			0.00000		
	TP	0.00000	0.00000	0.03000	0.00000	0.00000	0.00000	0.00450
B_181_185 Size		IN	∅ 0.2155 +0.0045/-0.0045 CIRCULAR ELEMENTS				DEFAULT	ASME Y14.5
Feature	AX	MEAS	NOMINAL	+TOL	-TOL	DEV	OUTTOL	
CYL_145		0.21550	0.21550	0.00450	0.00450	0.00000	0.00000	
CYL_145 - LS		0.21550	0.21550	0.00450	0.00450	0.00000	0.00000	
CYL_144		0.21550	0.21550	0.00450	0.00450	0.00000	0.00000	
CYL_144 - LS		0.21550	0.21550	0.00450	0.00450	0.00000	0.00000	
B_181_185		IN	⊕ ∅ 0.008 Ⓜ A1 F1 Ⓜ G1 Ⓜ				DEFAULT	ASME Y14.5
Feature	AX	MEAS	NOMINAL	+TOL	-TOL	DEV	OUTTOL	BONUS
CYL_145 (START PT)	Y	5.62500	5.62500			0.00000		
	Z	4.50000	4.50000			0.00000		
	TP	0.00000	0.00000	0.00800	0.00000	0.00000	0.00000	0.00450
CYL_144 (START PT)	Y	3.06300	3.06300			0.00000		
	Z	4.50000	4.50000			-0.00000		
	TP	0.00000	0.00000	0.00800	0.00000	0.00000	0.00000	0.00450
B_186_187 Size		IN	∅ 0.2745 +0.0075/-0.0075 CIRCULAR ELEMENTS				DEFAULT	ASME Y14.5
Feature	AX	MEAS	NOMINAL	+TOL	-TOL	DEV	OUTTOL	
CYL_124		0.27450	0.27450	0.00750	0.00750	0.00000	0.00000	
CYL_124 - LS		0.27450	0.27450	0.00750	0.00750	0.00000	0.00000	
B_186_187		IN	⊕ ∅ 0.03 Ⓜ A1 F1 Ⓜ G1 Ⓜ				DEFAULT	ASME Y14.5
Feature	AX	MEAS	NOMINAL	+TOL	-TOL	DEV	OUTTOL	BONUS
CYL_124 (START PT)	Y	5.25000	5.25000			-0.00000		
	Z	4.50000	4.50000			0.00000		
	TP	0.00000	0.00000	0.03000	0.00000	0.00000	0.00000	0.00750
B_188_191 Size		IN	∅ 1.25 +0.01/-0.01 OPPOSED POINTS				DEFAULT	ASME Y14.5
Feature	AX	MEAS	NOMINAL	+TOL	-TOL	DEV	OUTTOL	
CIR_105		1.25000	1.25000	0.01000	0.01000	0.00000	0.00000	
CIR_105 - LS		1.25000	1.25000	0.01000	0.01000	0.00000	0.00000	
B_188_191		IN	⊕ ∅ 0.007 Ⓜ A1 C1 Ⓜ D1 Ⓜ				DEFAULT	ASME Y14.5
Feature	AX	MEAS	NOMINAL	+TOL	-TOL	DEV	OUTTOL	BONUS
CIR_105	Y	-0.00000	-0.00000			0.00000		
	Z	0.00000	0.00000			0.00000		
	TP	0.00000	0.00000	0.00700	0.00000	0.00000	0.00000	0.01000
B_189-CIR_106			IN	∅ 1.63 +0.015/-0.015 CIRCULAR ELEMENTS				
MODIFIER	AX	MEAS	NOMINAL	+TOL	-TOL	DEV	OUTTOL	
UAME		1.63000	1.63000	0.01500	0.01500	0.00000	0.00000	
Local Size		1.63000	1.63000	0.01500	0.01500	0.00000	0.00000	

B_192_196 Size		IN	Ø 0.2155 +0.0045/-0.0045 CIRCULAR ELEMENTS				DEFAULT	ASME Y14.5
Feature	MEAS	NOMINAL	+TOL	-TOL	DEV	OUTTOL		
CYL_146	0.21550	0.21550	0.00450	0.00450	0.00000	0.00000		
CYL_146 - LS	0.21550	0.21550	0.00450	0.00450	0.00000	0.00000		
B_192_196		IN	⊕ Ø 0.008 (M) A1 C1 (M) D1 (M)				DEFAULT	ASME Y14.5
Feature	AX	MEAS	NOMINAL	+TOL	-TOL	DEV	OUTTOL	BONUS
CYL_146 (START PT)	Y	-0.00000	-0.00000			-0.00000		
	Z	1.53100	1.53100			0.00000		
	TP	0.00000	0.00000	0.00800	0.00000	0.00000	0.00000	
B_204_206 Size		IN	Ø 0.2705 +0.005/-0.005 CIRCULAR ELEMENTS				DEFAULT	ASME Y14.5
Feature	MEAS	NOMINAL	+TOL	-TOL	DEV	OUTTOL		
DAT_G1	0.27050	0.27050	0.00500	0.00500	0.00000	0.00000		
DAT_G1 - LS	0.27050	0.27050	0.00500	0.00500	0.00000	0.00000		
B_204_206		IN	⊕ Ø 0.002 (M) A1 F1 (M) C1-D1 (M)				DEFAULT	ASME Y14.5
Feature	AX	MEAS	NOMINAL	+TOL	-TOL	DEV	OUTTOL	BONUS
DAT_G1 (START PT)	Y	2.68800	2.68800			0.00000		
	Z	4.50000	4.50000			0.00000		
	TP	0.00000	0.00000	0.00200	0.00000	0.00000	0.00000	
B_209_211 Size		IN	Ø 0.344 +0.01/-0.01 OPPOSED POINTS				DEFAULT	ASME Y14.5
Feature	MEAS	NOMINAL	+TOL	-TOL	DEV	OUTTOL		
CIR_104	0.34400	0.34400	0.01000	0.01000	0.00000	0.00000		
CIR_104 - LS	0.34400	0.34400	0.01000	0.01000	0.00000	0.00000		
B_209_211		IN	⊕ Ø 0.03 (M) A1 C1 (M) D1 (M)				DEFAULT	ASME Y14.5
Feature	AX	MEAS	NOMINAL	+TOL	-TOL	DEV	OUTTOL	BONUS
CIR_104	Y	-1.46900	-1.46900			0.00000		
	Z	0.00000	0.00000			0.00000		
	TP	0.00000	0.00000	0.03000	0.00000	0.00000	0.00000	
B_212_213 Size		IN	Ø 0.2525 +0.0075/-0.0075 OPPOSED POINTS				DEFAULT	ASME Y14.5
Feature	MEAS	NOMINAL	+TOL	-TOL	DEV	OUTTOL		
CIR_103	0.25250	0.25250	0.00750	0.00750	0.00000	0.00000		
CIR_103 - LS	0.25250	0.25250	0.00750	0.00750	0.00000	0.00000		
B_212_213		IN	⊕ Ø 0.125 (M) A1 C1 (M) D1 (M)				DEFAULT	ASME Y14.5
Feature	AX	MEAS	NOMINAL	+TOL	-TOL	DEV	OUTTOL	BONUS
CIR_103	Y	-2.00000	-2.00000			0.00000		
	Z	0.00000	0.00000			0.00000		
	TP	0.00000	0.00000	0.12500	0.00000	0.00000	0.00000	
B_217-CIR_107			IN	Ø 0.531 +0.01/-0.01 CIRCULAR ELEMENTS				
MODIFIER	MEAS	NOMINAL	+TOL	-TOL	DEV	OUTTOL		
UAME	0.53100	0.53100	0.01000	0.01000	0.00000	0.00000		
Local Size	0.53100	0.53100	0.01000	0.01000	0.00000	0.00000		
B_219_221 Size		IN	Ø 0.5468 +0.0005/-0.0005 CIRCULAR ELEMENTS				DEFAULT	ASME Y14.5
Feature	MEAS	NOMINAL	+TOL	-TOL	DEV	OUTTOL		
DAT_J1	0.54680	0.54680	0.00050	0.00050	0.00000	0.00000		
DAT_J1 - LS	0.54680	0.54680	0.00050	0.00050	0.00000	0.00000		

B_219_221		IN	⊕ ∅ 0.007 Ⓜ A1 F1 Ⓜ G1 Ⓜ				DEFAULT	ASME Y14.5
Feature	AX	MEAS	NOMINAL	+TOL	-TOL	DEV	OUTTOL	BONUS
DAT_J1 (START PT)	Y	-0.61000	-0.61000			0.00000		
	Z	4.68800	4.68800			0.00000		
	TP	0.00000	0.00000	0.00700	0.00000	0.00000	0.00000	0.00050
B_222_226 Size		IN	∅ 0.3265 +0.0035/-0.0035 CIRCULAR ELEMENTS				DEFAULT	ASME Y14.5
Feature	AX	MEAS	NOMINAL	+TOL	-TOL	DEV	OUTTOL	
CYL_148		0.32650	0.32650	0.00350	0.00350	0.00000	0.00000	
CYL_148 - LS		0.32650	0.32650	0.00350	0.00350	0.00000	0.00000	
B_222_226		IN	⊕ ∅ 0.012 Ⓜ J1 Ⓜ				DEFAULT	ASME Y14.5
Feature	AX	MEAS	NOMINAL	+TOL	-TOL	DEV	OUTTOL	BONUS
CYL_148 (END PT)	Y	0.00000	0.00000			0.00000		
	Z	-0.00000	-0.00000			0.00000		
	TP	0.00000	0.00000	0.01200	0.00000	0.00000	0.00000	0.00350
B_229_231 Size		IN	∅ 0.562 +0.01/-0.01 CIRCULAR ELEMENTS				DEFAULT	ASME Y14.5
Feature	AX	MEAS	NOMINAL	+TOL	-TOL	DEV	OUTTOL	
CYL_131		0.56200	0.56200	0.01000	0.01000	0.00000	0.00000	
CYL_131 - LS		0.56200	0.56200	0.01000	0.01000	0.00000	0.00000	
B_229_231		IN	⊕ ∅ 0.03 Ⓜ A1 F1 Ⓜ G1 Ⓜ				DEFAULT	ASME Y14.5
Feature	AX	MEAS	NOMINAL	+TOL	-TOL	DEV	OUTTOL	BONUS
CYL_131 (END PT)	Y	-0.07900	-0.07900			0.00000		
	Z	4.37500	4.37500			0.00000		
	TP	0.00000	0.00000	0.03000	0.00000	0.00000	0.00000	0.01000
Ⓜ	IN	B_232 - CYL_122						
AX		MEAS	NOMINAL	+TOL	-TOL	DEV	OUTTOL	
R		0.56200	0.56200	0.01000	0.01000	0.00000	0.00000	
B_234 Size		IN	∅ 1.124 +0.02/-0.02 CIRCULAR ELEMENTS				DEFAULT	ASME Y14.5
Feature	AX	MEAS	NOMINAL	+TOL	-TOL	DEV	OUTTOL	
CYL_122		1.12400	1.12400	0.02000	0.02000	0.00000	0.00000	
CYL_122 - LS		1.12400	1.12400	0.02000	0.02000	0.00000	0.00000	
B_234		IN	⊕ ∅ 0.03 Ⓜ A1 C1 Ⓜ D1 Ⓜ				DEFAULT	ASME Y14.5
Feature	AX	MEAS	NOMINAL	+TOL	-TOL	DEV	OUTTOL	BONUS
CYL_122 (START PT)	Y	1.25000	1.25000			0.00000		
	Z	2.25000	2.25000			0.00000		
	TP	0.00000	0.00000	0.03000	0.00000	0.00000	0.00000	0.02000

B_248_252 Size		IN	Ø 0.2155 +0.0075/-0.0075 CIRCULAR ELEMENTS				DEFAULT	ASME Y14.5
Feature	MEAS	NOMINAL	+TOL	-TOL	DEV	OUTTOL		
CYL_134	0.21550	0.21550	0.00750	0.00750	0.00000	0.00000		
CYL_134 - LS	0.21550	0.21550	0.00750	0.00750	0.00000	0.00000		
B_248_252		IN	⊕ Ø 0.03 (M) A1 F1 (M) G1 (M)				DEFAULT	ASME Y14.5
Feature	AX	MEAS	NOMINAL	+TOL	-TOL	DEV	OUTTOL	BONUS
CYL_134 (START PT)	Y	-0.37500	-0.37500			0.00000		
	Z	1.25000	1.25000			0.00000		
	TP	0.00000	0.00000	0.03000	0.00000	0.00000	0.00000	
B_250-CIR_109			IN	Ø 0.406 +0.01/-0.01 CIRCULAR ELEMENTS				
MODIFIER	MEAS	NOMINAL	+TOL	-TOL	DEV	OUTTOL		
UAME	0.40600	0.40600	0.01000	0.01000	0.00000	0.00000		
Local Size	0.40600	0.40600	0.01000	0.01000	0.00000	0.00000		
B_255_260 Size		IN	Ø 0.4515 +0.0055/-0.0055 CIRCULAR ELEMENTS				DEFAULT	ASME Y14.5
Feature	MEAS	NOMINAL	+TOL	-TOL	DEV	OUTTOL		
DAT_T1	0.45150	0.45150	0.00550	0.00550	0.00000	0.00000		
DAT_T1 - LS	0.45150	0.45150	0.00550	0.00550	0.00000	0.00000		
B_255_260		IN	⊕ Ø 0.03 (M) A1 L1 (M) C1-D1 (M)				DEFAULT	ASME Y14.5
Feature	AX	MEAS	NOMINAL	+TOL	-TOL	DEV	OUTTOL	BONUS
DAT_T1 (START PT)	Y	0.37500	0.37500			0.00000		
	Z	-0.75000	-0.75000			0.00000		
	TP	0.00000	0.00000	0.03000	0.00000	0.00000	0.00000	
B_261_264 Size		IN	Ø 0.4375 +0.001/-0.001 CIRCULAR ELEMENTS				DEFAULT	ASME Y14.5
Feature	MEAS	NOMINAL	+TOL	-TOL	DEV	OUTTOL		
CYL_153	0.43750	0.43750	0.00100	0.00100	0.00000	0.00000		
CYL_153 - LS	0.43750	0.43750	0.00100	0.00100	0.00000	0.00000		
B_261_264		IN	⊕ Ø 0.004 (M) T1 (M)				DEFAULT	ASME Y14.5
Feature	AX	MEAS	NOMINAL	+TOL	-TOL	DEV	OUTTOL	BONUS
CYL_153 (END PT)	Y	0.00000	0.00000			0.00000		
	Z	-0.00000	-0.00000			0.00000		
	TP	0.00000	0.00000	0.00400	0.00000	0.00000	0.00000	
B_267_271 Size		IN	Ø 0.2155 +0.0045/-0.0045 CIRCULAR ELEMENTS				DEFAULT	ASME Y14.5
Feature	MEAS	NOMINAL	+TOL	-TOL	DEV	OUTTOL		
CYL_147	0.21550	0.21550	0.00450	0.00450	0.00000	0.00000		
CYL_147 - LS	0.21550	0.21550	0.00450	0.00450	0.00000	0.00000		
CYL_140	0.21550	0.21550	0.00450	0.00450	0.00000	0.00000		
CYL_140 - LS	0.21550	0.21550	0.00450	0.00450	0.00000	0.00000		








B_267_271		IN	⊕ ∅ 0.008 $\text{\textcircled{M}}$ A1 F1 $\text{\textcircled{M}}$ G1 $\text{\textcircled{M}}$				DEFAULT	ASME Y14.5
Feature	AX	MEAS	NOMINAL	+TOL	-TOL	DEV	OUTTOL	BONUS
CYL_147 (START PT)	Y	-0.37500	-0.37500			0.00000		
	Z	-0.00000	-0.00000			-0.00000		
	TP	0.00000	0.00000	0.00800	0.00000	0.00000	0.00000	0.00450
CYL_140 (START PT)	Y	2.93700	2.93700			0.00000		
	Z	-0.00000	-0.00000			0.00000		
	TP	0.00000	0.00000	0.00800	0.00000	0.00000	0.00000	0.00450
B_272_274 Size		IN	∅ 0.2705 +0.005/-0.005 CIRCULAR ELEMENTS				DEFAULT	ASME Y14.5
Feature		MEAS	NOMINAL	+TOL	-TOL	DEV	OUTTOL	
DAT_F1		0.27050	0.27050	0.00500	0.00500	0.00000	0.00000	
DAT_F1 - LS		0.27050	0.27050	0.00500	0.00500	0.00000	0.00000	
B_272_274		IN	⊕ ∅ 0.002 $\text{\textcircled{M}}$ A1 L1 $\text{\textcircled{M}}$ C1-D1 $\text{\textcircled{M}}$				DEFAULT	ASME Y14.5
Feature	AX	MEAS	NOMINAL	+TOL	-TOL	DEV	OUTTOL	BONUS
DAT_F1 (START PT)	Y	-1.25000	-1.25000			0.00000		
	Z	-2.25000	-2.25000			0.00000		
	TP	0.00000	0.00000	0.00200	0.00000	0.00000	0.00000	0.00500
B_278_282 Size		IN	∅ 0.2155 +0.0045/-0.0045 CIRCULAR ELEMENTS				DEFAULT	ASME Y14.5
Feature		MEAS	NOMINAL	+TOL	-TOL	DEV	OUTTOL	
CYL_135		0.21550	0.21550	0.00450	0.00450	0.00000	0.00000	
CYL_135 - LS		0.21550	0.21550	0.00450	0.00450	0.00000	0.00000	
B_278_282		IN	⊕ ∅ 0.03 $\text{\textcircled{M}}$ A1 L1 $\text{\textcircled{M}}$ C1-D1 $\text{\textcircled{M}}$				DEFAULT	ASME Y14.5
Feature	AX	MEAS	NOMINAL	+TOL	-TOL	DEV	OUTTOL	BONUS
CYL_135 (START PT)	Y	-0.20600	-0.20600			-0.00000		
	Z	-1.67500	-1.67500			0.00000		
	TP	0.00000	0.00000	0.03000	0.00000	0.00000	0.00000	0.00450
B_286_290 Size		IN	∅ 0.2155 +0.0075/-0.0075 CIRCULAR ELEMENTS				DEFAULT	ASME Y14.5
Feature		MEAS	NOMINAL	+TOL	-TOL	DEV	OUTTOL	
CYL_133		0.21550	0.21550	0.00750	0.00750	0.00000	0.00000	
CYL_133 - LS		0.21550	0.21550	0.00750	0.00750	0.00000	0.00000	
B_286_290		IN	⊕ ∅ 0.03 $\text{\textcircled{M}}$ A1 F1 $\text{\textcircled{M}}$ G1 $\text{\textcircled{M}}$				DEFAULT	ASME Y14.5
Feature	AX	MEAS	NOMINAL	+TOL	-TOL	DEV	OUTTOL	BONUS
CYL_133 (START PT)	Y	2.43800	2.43800			0.00000		
	Z	0.71900	0.71900			0.00000		
	TP	0.00000	0.00000	0.03000	0.00000	0.00000	0.00000	0.00750
B_288-CIR_110			IN	∅ 0.406 +0.01/-0.01 CIRCULAR ELEMENTS				
MODIFIER		MEAS	NOMINAL	+TOL	-TOL	DEV	OUTTOL	
UAME		0.40600	0.40600	0.01000	0.01000	0.00000	0.00000	
Local Size		0.40600	0.40600	0.01000	0.01000	0.00000	0.00000	
B_292-CYL_154			IN	∅ 0.6265 +0.0045/-0.0045 CIRCULAR ELEMENTS				
MODIFIER		MEAS	NOMINAL	+TOL	-TOL	DEV	OUTTOL	
UAME		0.62650	0.62650	0.00450	0.00450	0.00000	0.00000	
Local Size		0.62650	0.62650	0.00450	0.00450	0.00000	0.00000	

B_294_297 Size		IN	Ø 0.7505 +0.0005/-0.0005 CIRCULAR ELEMENTS				DEFAULT	ASME Y14.5
Feature	MEAS	NOMINAL	+TOL	-TOL	DEV	OUTTOL		
DAT_H1	0.75050	0.75050	0.00050	0.00050	0.00000	0.00000		
DAT_H1 - LS	0.75050	0.75050	0.00050	0.00050	0.00000	0.00000		
B_294_297		IN	⌀ 0.03 Ⓜ A1 C1 Ⓜ D1 Ⓜ				DEFAULT	ASME Y14.5
Feature	AX	MEAS	NOMINAL	+TOL	-TOL	DEV	OUTTOL	BONUS
DAT_H1 (START PT)	Y	2.87500	2.87500			0.00000		
	Z	-0.53100	-0.53100			0.00000		
	TP	0.00000	0.00000	0.03000	0.00000	0.00000	0.00000	
B_298_300 Size		IN	Ø 1.063 +0.0005/-0.0005 CIRCULAR ELEMENTS				DEFAULT	ASME Y14.5
Feature	MEAS	NOMINAL	+TOL	-TOL	DEV	OUTTOL		
CYL_130	1.06300	1.06300	0.00050	0.00050	0.00000	0.00000		
CYL_130 - LS	1.06300	1.06300	0.00050	0.00050	0.00000	0.00000		
B_298_300		IN	⌀ 0.0005 Ⓜ H1 Ⓜ				DEFAULT	ASME Y14.5
Feature	AX	MEAS	NOMINAL	+TOL	-TOL	DEV	OUTTOL	BONUS
CYL_130 (START PT)	Y	-0.00000	-0.00000			-0.00000		
	Z	0.00000	0.00000			0.00000		
	TP	0.00000	0.00000	0.00050	0.00000	0.00000	0.00000	
	IN	B_301 - PLN_13 TO DAT_B1 (XAXIS)						
AX	MEAS	NOMINAL	+TOL	-TOL	DEV	OUTTOL		
M	0.54000	0.54000	0.00500	0.00500	0.00000	0.00000		
B_312_314 Size		IN	Ø 0.3335 +0.0085/-0.0085 CIRCULAR ELEMENTS				DEFAULT	ASME Y14.5
Feature	MEAS	NOMINAL	+TOL	-TOL	DEV	OUTTOL		
CYL_136	0.33350	0.33350	0.00850	0.00850	0.00000	0.00000		
CYL_136 - LS	0.33350	0.33350	0.00850	0.00850	0.00000	0.00000		
B_312_314		IN	⌀ 0.03 Ⓜ A1 F1 Ⓜ G1 Ⓜ				DEFAULT	ASME Y14.5
Feature	AX	MEAS	NOMINAL	+TOL	-TOL	DEV	OUTTOL	BONUS
CYL_136 (END PT)	X	-4.03100	-4.03100			0.00000		
	Z	-1.00000	-1.00000			0.00000		
	TP	0.00000	0.00000	0.03000	0.00000	0.00000	0.00000	
	IN	B_343 - DAT_B1 TO DAT_A1 (XAXIS)						
AX	MEAS	NOMINAL	+TOL	-TOL	DEV	OUTTOL		
M	4.53100	4.53100	0.01000	0.01000	0.00000	0.00000		
B_372_376 Size		IN	Ø 0.10205 +0.00415/-0.00415 CIRCULAR ELEMEI				DEFAULT	ASME Y14.5
Feature	MEAS	NOMINAL	+TOL	-TOL	DEV	OUTTOL		
CYL_156	0.10205	0.10205	0.00415	0.00415	0.00000	0.00000		
CYL_156 - LS	0.10205	0.10205	0.00415	0.00415	0.00000	0.00000		
CYL_157	0.10205	0.10205	0.00415	0.00415	0.00000	0.00000		
CYL_157 - LS	0.10205	0.10205	0.00415	0.00415	0.00000	0.00000		









B_372_376		IN	$\varnothing$ 0.01 $\text{\textcircled{M}}$ A1 V1 $\text{\textcircled{M}}$ C1 $\text{\textcircled{M}}$				DEFAULT	ASME Y14.5
Feature	AX	MEAS	NOMINAL	+TOL	-TOL	DEV	OUTTOL	BONUS
CYL_156 (START PT)	X	-2.90700	-2.90700			0.00000		0.00415
	Z	-0.88300	-0.88300			0.00000		
	TP	0.00000	0.00000	0.01000	0.00000	0.00000	0.00000	
CYL_157 (START PT)	X	-2.90700	-2.90700			0.00000		0.00415
	Z	0.99200	0.99200			0.00000		
	TP	0.00000	0.00000	0.01000	0.00000	0.00000	0.00000	
B_377_381_382 Size		IN	$\varnothing$ 0.1345 +0.0045/-0.0045 CIRCULAR ELEMENTS				DEFAULT	ASME Y14.5
Feature	AX	MEAS	NOMINAL	+TOL	-TOL	DEV	OUTTOL	BONUS
DAT_V1		0.13450	0.13450	0.00450	0.00450	0.00000	0.00000	
DAT_V1 - LS		0.13450	0.13450	0.00450	0.00450	0.00000	0.00000	
CYL_159		0.13450	0.13450	0.00450	0.00450	0.00000	0.00000	
CYL_159 - LS		0.13450	0.13450	0.00450	0.00450	0.00000	0.00000	
CYL_160		0.13450	0.13450	0.00450	0.00450	0.00000	0.00000	
CYL_160 - LS		0.13450	0.13450	0.00450	0.00450	0.00000	0.00000	
CYL_161		0.13450	0.13450	0.00450	0.00450	0.00000	0.00000	
CYL_161 - LS		0.13450	0.13450	0.00450	0.00450	0.00000	0.00000	
B_377_381_382		IN	$\varnothing$ 0.125 $\text{\textcircled{M}}$ A1 C1 $\text{\textcircled{M}}$ D1 $\text{\textcircled{M}}$				DEFAULT	ASME Y14.5
Feature	AX	MEAS	NOMINAL	+TOL	-TOL	DEV	OUTTOL	BONUS
DAT_V1 (END PT)	X	-3.96900	-3.96900			-0.00000		0.00450
	Z	-2.12500	-2.12500			0.00000		
	TP	0.00000	0.00000	0.12500	0.00000	0.00000	0.00000	
CYL_159 (END PT)	X	-3.96900	-3.96900			-0.00000		0.00450
	Z	1.25000	1.25000			0.00000		
	TP	0.00000	0.00000	0.12500	0.00000	0.00000	0.00000	
CYL_160 (START PT)	X	-1.59400	-1.59400			0.00000		0.00450
	Z	1.25000	1.25000			0.00000		
	TP	0.00000	0.00000	0.12500	0.00000	0.00000	0.00000	
CYL_161 (START PT)	X	-1.59400	-1.59400			0.00000		0.00450
	Z	-2.12500	-2.12500			0.00000		
	TP	0.00000	0.00000	0.12500	0.00000	0.00000	0.00000	
B_377_381_382		IN	$\varnothing$ 0.01 $\text{\textcircled{M}}$ A1				DEFAULT	ASME Y14.5
Feature	AX	MEAS	NOMINAL	+TOL	-TOL	DEV	OUTTOL	BONUS
DAT_V1 (END PT)	X	-3.96900	-3.96900			-0.00000		0.00450
	Z	-2.12500	-2.12500			0.00000		
	TP	0.00000	0.00000	0.01000	0.00000	0.00000	0.00000	
CYL_159 (END PT)	X	-3.96900	-3.96900			-0.00000		0.00450
	Z	1.25000	1.25000			0.00000		
	TP	0.00000	0.00000	0.01000	0.00000	0.00000	0.00000	
CYL_160 (START PT)	X	-1.59400	-1.59400			0.00000		0.00450
	Z	1.25000	1.25000			0.00000		
	TP	0.00000	0.00000	0.01000	0.00000	0.00000	0.00000	
CYL_161 (START PT)	X	-1.59400	-1.59400			0.00000		0.00450
	Z	-2.12500	-2.12500			0.00000		
	TP	0.00000	0.00000	0.01000	0.00000	0.00000	0.00000	

B_387_389 Size		IN	Ø 0.4395 +0.0085/-0.0085 CIRCULAR ELEMENTS				DEFAULT	ASME Y14.5
Feature	MEAS	NOMINAL	+TOL	-TOL	DEV	OUTTOL		
CYL_137	0.43950	0.43950	0.00850	0.00850	0.00000	0.00000		
CYL_137 - LS	0.43950	0.43950	0.00850	0.00850	0.00000	0.00000		
B_387_389		IN	⊕ Ø 0.125 Ⓜ A1 C1 Ⓜ D1 Ⓜ			DEFAULT	ASME Y14.5	
Feature	AX	MEAS	NOMINAL	+TOL	-TOL	DEV	OUTTOL	BONUS
CYL_137 (START PT)	X	-1.28100	-1.28100			-0.00000		
	Z	-1.25000	-1.25000			0.00000		
	TP	0.00000	0.00000	0.12500	0.00000	0.00000	0.00000	
B_398_400 Size		IN	Ø 0.3455 +0.0085/-0.0085 CIRCULAR ELEMENTS				DEFAULT	ASME Y14.5
Feature	MEAS	NOMINAL	+TOL	-TOL	DEV	OUTTOL		
CYL_150	0.34550	0.34550	0.00850	0.00850	0.00000	0.00000		
CYL_150 - LS	0.34550	0.34550	0.00850	0.00850	0.00000	0.00000		
B_398_400		IN	⊕ Ø 0.03 Ⓜ A1 C1 Ⓜ D1 Ⓜ			DEFAULT	ASME Y14.5	
Feature	AX	MEAS	NOMINAL	+TOL	-TOL	DEV	OUTTOL	BONUS
CYL_150 (START PT)	X	-0.53100	-0.53100			0.00000		
	Z	1.12500	1.12500			0.00000		
	TP	0.00000	0.00000	0.03000	0.00000	0.00000	0.00000	
B_401-CYL_138			IN	Ø 0.5795 +0.0085/-0.0085 CIRCULAR ELEMENTS				
MODIFIER	MEAS	NOMINAL	+TOL	-TOL	DEV	OUTTOL		
UAME	0.57950	0.57950	0.00850	0.00850	0.00000	0.00000		
Local Size	0.57950	0.57950	0.00850	0.00850	0.00000	0.00000		
B_405_407 Size		IN	Ø 0.3455 +0.0085/-0.0085 CIRCULAR ELEMENTS				DEFAULT	ASME Y14.5
Feature	MEAS	NOMINAL	+TOL	-TOL	DEV	OUTTOL		
CYL_151	0.34550	0.34550	0.00850	0.00850	0.00000	0.00000		
CYL_151 - LS	0.34550	0.34550	0.00850	0.00850	0.00000	0.00000		
B_405_407		IN	⊕ Ø 0.03 Ⓜ A1 C1 Ⓜ D1 Ⓜ			DEFAULT	ASME Y14.5	
Feature	AX	MEAS	NOMINAL	+TOL	-TOL	DEV	OUTTOL	BONUS
CYL_151 (END PT)	X	-2.15600	-2.15600			0.00000		
	Z	2.25000	2.25000			0.00000		
	TP	0.00000	0.00000	0.03000	0.00000	0.00000	0.00000	
B_408-CYL_139			IN	Ø 0.5795 +0.0085/-0.0085 CIRCULAR ELEMENTS				
MODIFIER	MEAS	NOMINAL	+TOL	-TOL	DEV	OUTTOL		
UAME	0.57950	0.57950	0.00850	0.00850	0.00000	0.00000		
Local Size	0.57950	0.57950	0.00850	0.00850	0.00000	0.00000		
B_416_418 Size		IN	Ø 0.122 +0.005/-0.005 CIRCULAR ELEMENTS				DEFAULT	ASME Y14.5
Feature	MEAS	NOMINAL	+TOL	-TOL	DEV	OUTTOL		
CYL_158	0.12200	0.12200	0.00500	0.00500	0.00000	0.00000		
CYL_158 - LS	0.12200	0.12200	0.00500	0.00500	0.00000	0.00000		

B_416_418		IN	$\varnothing$ 0.03 (M) A1 R1 (M) C1 (M)				DEFAULT	ASME Y14.5
Feature	AX	MEAS	NOMINAL	+TOL	-TOL	DEV	OUTTOL	BONUS
CYL_158 (START PT)	X	0.64100	0.64100			0.00000		
	Z	-0.25000	-0.25000			0.00000		
	TP	0.00000	0.00000	0.03000	0.00000	0.00000	0.00000	0.00500
B_419_421 Size		IN	$\varnothing$ 0.4515 +0.0055/-0.0055 CIRCULAR ELEMENTS				DEFAULT	ASME Y14.5
Feature	AX	MEAS	NOMINAL	+TOL	-TOL	DEV	OUTTOL	
DAT_R1		0.45150	0.45150	0.00550	0.00550	0.00000	0.00000	
DAT_R1 - LS		0.45150	0.45150	0.00550	0.00550	0.00000	0.00000	
B_419_421		IN	$\varnothing$ 0.03 (M) A1 C1 (M) D1 (M)				DEFAULT	ASME Y14.5
Feature	AX	MEAS	NOMINAL	+TOL	-TOL	DEV	OUTTOL	BONUS
DAT_R1 (START PT)	X	-3.53100	-3.53100			0.00000		
	Z	2.06300	2.06300			0.00000		
	TP	0.00000	0.00000	0.03000	0.00000	0.00000	0.00000	0.00550
B_426_428 Size		IN	$\varnothing$ 0.25 +0.0005/-0.0005 CIRCULAR ELEMENTS				DEFAULT	ASME Y14.5
Feature	AX	MEAS	NOMINAL	+TOL	-TOL	DEV	OUTTOL	
DAT_D1		0.25000	0.25000	0.00050	0.00050	0.00000	0.00000	
DAT_D1 - LS		0.25000	0.25000	0.00050	0.00050	0.00000	0.00000	
B_426_428		IN	$\varnothing$ 0.014 (M) A1 C1				DEFAULT	ASME Y14.5
Feature	AX	MEAS	NOMINAL	+TOL	-TOL	DEV	OUTTOL	BONUS
DAT_D1 (START PT)	Y	4.75000	4.75000			0.00000		
	Z	0.00000	0.00000			0.00000		
	TP	0.00000	0.00000	0.01400	0.00000	0.00000	0.00000	0.00050
B_435-CYL_106			IN	$\varnothing$ 2.25 +0.01/-0.01 CIRCULAR ELEMENTS				
MODIFIER		MEAS	NOMINAL	+TOL	-TOL	DEV	OUTTOL	
UAME		2.25000	2.25000	0.01000	0.01000	0.00000	0.00000	
Local Size		2.25000	2.25000	0.01000	0.01000	0.00000	0.00000	
B_436_440 Size		IN	$\varnothing$ 2.688 +0.01/-0.01 CIRCULAR ELEMENTS				DEFAULT	ASME Y14.5
Feature	AX	MEAS	NOMINAL	+TOL	-TOL	DEV	OUTTOL	
CYL_105		2.68800	2.68800	0.01000	0.01000	0.00000	0.00000	
CYL_105 - LS		2.68800	2.68800	0.01000	0.01000	0.00000	0.00000	
B_436_440		IN	$\varnothing$ 0.03 (M) A1 C1 (M) D1 (M)				DEFAULT	ASME Y14.5
Feature	AX	MEAS	NOMINAL	+TOL	-TOL	DEV	OUTTOL	BONUS
CYL_105 (START PT)	Y	2.40500	2.40500			0.00000		
	Z	-1.00000	-1.00000			0.00000		
	TP	0.00000	0.00000	0.03000	0.00000	0.00000	0.00000	0.01000
B_441_443 Size		IN	$\varnothing$ 4.693 +0.015/-0.015 CIRCULAR ELEMENTS				DEFAULT	ASME Y14.5
Feature	AX	MEAS	NOMINAL	+TOL	-TOL	DEV	OUTTOL	
CYL_103		4.69300	4.69300	0.01500	0.01500	0.00000	0.00000	
CYL_103 - LS		4.69300	4.69300	0.01500	0.01500	0.00000	0.00000	

B_441_443		IN	⊕ ∅ 0 Ⓜ A1 C1 Ⓜ D1 Ⓜ				DEFAULT	ASME Y14.5
Feature	AX	MEAS	NOMINAL	+TOL	-TOL	DEV	OUTTOL	BONUS
CYL_103 (START PT)	Y	2.37500	2.37500			0.00000		
	Z	-0.00000	-0.00000			0.00000		
	TP	0.00000	0.00000	0.00000	0.00000	0.00000	0.00000	
B_444_446 Size		IN	∅ 4.188 +0.01/-0.01 CIRCULAR ELEMENTS				DEFAULT	ASME Y14.5
Feature	AX	MEAS	NOMINAL	+TOL	-TOL	DEV	OUTTOL	
CYL_112		4.18800	4.18800	0.01000	0.01000	0.00000	0.00000	
CYL_112 - LS		4.18800	4.18800	0.01000	0.01000	0.00000	0.00000	
B_444_446		IN	⊕ ∅ 0.03 Ⓜ A1 C1 Ⓜ D1 Ⓜ				DEFAULT	ASME Y14.5
Feature	AX	MEAS	NOMINAL	+TOL	-TOL	DEV	OUTTOL	BONUS
CYL_112 (START PT)	Y	2.37500	2.37500			-0.00000		
	Z	0.00000	0.00000			0.00000		
	TP	0.00000	0.00000	0.03000	0.00000	0.00000	0.00000	
B_447_448 Size		IN	∅ 0.2445 +0.0075/-0.0075 CIRCULAR ELEMENTS				DEFAULT	ASME Y14.5
Feature	AX	MEAS	NOMINAL	+TOL	-TOL	DEV	OUTTOL	
CYL_111		0.24450	0.24450	0.00750	0.00750	0.00000	0.00000	
CYL_111 - LS		0.24450	0.24450	0.00750	0.00750	0.00000	0.00000	
B_447_448		IN	⊕ ∅ 0.03 Ⓜ A1 C1 Ⓜ D1 Ⓜ				DEFAULT	ASME Y14.5
Feature	AX	MEAS	NOMINAL	+TOL	-TOL	DEV	OUTTOL	BONUS
CYL_111 (START PT)	Y	-1.56200	-1.56200			0.00000		
	Z	-2.37500	-2.37500			0.00000		
	TP	0.00000	0.00000	0.03000	0.00000	0.00000	0.00000	
B_453_454 Size		IN	∅ 0.3455 +0.0085/-0.0085 CIRCULAR ELEMENTS				DEFAULT	ASME Y14.5
Feature	AX	MEAS	NOMINAL	+TOL	-TOL	DEV	OUTTOL	
CYL_107		0.34550	0.34550	0.00850	0.00850	0.00000	0.00000	
CYL_107 - LS		0.34550	0.34550	0.00850	0.00850	0.00000	0.00000	
CYL_108		0.34550	0.34550	0.00850	0.00850	0.00000	0.00000	
CYL_108 - LS		0.34550	0.34550	0.00850	0.00850	0.00000	0.00000	
CYL_109		0.34550	0.34550	0.00850	0.00850	0.00000	0.00000	
CYL_109 - LS		0.34550	0.34550	0.00850	0.00850	0.00000	0.00000	
CYL_110		0.34550	0.34550	0.00850	0.00850	0.00000	0.00000	
CYL_110 - LS		0.34550	0.34550	0.00850	0.00850	0.00000	0.00000	

B_453_454		IN				
-----------	--	----	--	--	--	--












B_456_3-CYL_119			IN	Ø 0.781 +0.01/-0.01 CIRCULAR ELEMENTS				
MODIFIER	MEAS	NOMINAL	+TOL	-TOL	DEV	OUTTOL		
UAME	0.78100	0.78100	0.01000	0.01000	0.00000	0.00000		
Local Size	0.78100	0.78100	0.01000	0.01000	0.00000	0.00000		
B_456_4-CYL_121			IN	Ø 0.781 +0.01/-0.01 CIRCULAR ELEMENTS				
MODIFIER	MEAS	NOMINAL	+TOL	-TOL	DEV	OUTTOL		
UAME	0.78100	0.78100	0.01000	0.01000	0.00000	0.00000		
Local Size	0.78100	0.78100	0.01000	0.01000	0.00000	0.00000		
B_459_461 Size		IN	Ø 0.25 +0.0005/-0.0005 CIRCULAR ELEMENTS			DEFAULT	ASME Y14.5	
Feature	MEAS	NOMINAL	+TOL	-TOL	DEV	OUTTOL		
DAT_C1	0.25000	0.25000	0.00050	0.00050	0.00000	0.00000		
DAT_C1 - LS	0.25000	0.25000	0.00050	0.00050	0.00000	0.00000		
B_459_461		IN				DEFAULT	ASME Y14.5	
Feature	AX	MEAS	NOMINAL	+TOL	-TOL	DEV	OUTTOL	BONUS
DAT_C1 (START PT)	Y	0.00000	0.00000			0.00000		
	Z	-0.00000	-0.00000			0.00000		
	TP	0.00000	0.00000	0.00200	0.00000	0.00000	0.00000	
B_2		IN				DEFAULT	ASME Y14.5	
Feature	MEAS	NOMINAL	+TOL	-TOL	DEV	OUTTOL	BONUS	
DAT_E2	0.00000	0.00000	0.00200	0.00000	0.00000	0.00000	0.00000	
B_7_9 Size		IN	Ø 2 +0.002/-0.002 CIRCULAR ELEMENTS			DEFAULT	ASME Y14.5	
Feature	MEAS	NOMINAL	+TOL	-TOL	DEV	OUTTOL		
DAT_M2	2.00000	2.00000	0.00200	0.00200	0.00000	0.00000		
DAT_M2 - LS	2.00000	2.00000	0.00200	0.00200	0.00000	0.00000		
B_7_9		IN				DEFAULT	ASME Y14.5	
Feature	AX	MEAS	NOMINAL	+TOL	-TOL	DEV	OUTTOL	BONUS
DAT_M2 (START PT)	Y	-1.68700	-1.68700			0.00000		
	Z	-3.00000	-3.00000			0.00000		
	TP	0.00000	0.00000	0.03000	0.00000	0.00000	0.00000	
	IN	B_8 - DAT_U2 TO DAT_E2 (XAXIS)						
AX	MEAS	NOMINAL	+TOL	-TOL	DEV	OUTTOL		
M	1.35800	1.35800	0.00200	0.00200	0.00000	0.00000		
B_10_13 Size		IN	Ø 0.99975 +0.00025/-0.00025 CIRCULAR ELEMENTS			DEFAULT	ASME Y14.5	
Feature	MEAS	NOMINAL	+TOL	-TOL	DEV	OUTTOL		
CYL_208	0.99975	0.99975	0.00025	0.00025	0.00000	0.00000		
CYL_208 - LS	0.99975	0.99975	0.00025	0.00025	0.00000	0.00000		
B_10_13		IN				DEFAULT	ASME Y14.5	
Feature	AX	MEAS	NOMINAL	+TOL	-TOL	DEV	OUTTOL	BONUS
CYL_208 (START PT)	Y	0.00000	0.00000			0.00000		
	Z	0.00000	0.00000			0.00000		
	TP	0.00000	0.00000	0.03000	0.00000	0.00000	0.00000	





B_16_18 Size		IN	Ø 0.875 +0.00025/-0.00025 OPPOSED POINTS				DEFAULT	ASME Y14.5
Feature	MEAS	NOMINAL	+TOL	-TOL	DEV	OUTTOL		
CIR_206	0.87500	0.87500	0.00025	0.00025	0.00000	0.00000		
CIR_206 - LS	0.87500	0.87500	0.00025	0.00025	0.00000	0.00000		
B_16_18		IN	⊕ Ø 0.03 (M) M2 (M)				DEFAULT	ASME Y14.5
Feature	AX	MEAS	NOMINAL	+TOL	-TOL	DEV	OUTTOL	BONUS
CIR_206	Y	0.00000	0.00000			0.00000		
	Z	0.00000	0.00000			0.00000		
	TP	0.00000	0.00000	0.03000	0.00000	0.00000	0.00000	0.00025
↔	IN	B_17 - DAT_E2 TO PLN_25 (XAXIS)						
AX	MEAS	NOMINAL	+TOL	-TOL	DEV	OUTTOL		
M	3.06200	3.06200	0.00200	0.00200	0.00000	0.00000		
B_19_21 Size		IN	Ø 0.50025 +0.00025/-0.00025 CIRCULAR ELEMENT				DEFAULT	ASME Y14.5
Feature	MEAS	NOMINAL	+TOL	-TOL	DEV	OUTTOL		
DAT_N2	0.50025	0.50025	0.00025	0.00025	0.00000	0.00000		
DAT_N2 - LS	0.50025	0.50025	0.00025	0.00025	0.00000	0.00000		
B_19_21		IN	⊕ Ø 0.03 (M) M2 (M)				DEFAULT	ASME Y14.5
Feature	AX	MEAS	NOMINAL	+TOL	-TOL	DEV	OUTTOL	BONUS
DAT_N2 (END PT)	Y	0.00000	0.00000			0.00000		
	Z	0.00000	0.00000			-0.00000		
	TP	0.00000	0.00000	0.03000	0.00000	0.00000	0.00000	0.00025
B_23_25 Size		IN	Ø 0.5015 +0.0005/-0.0005 CIRCULAR ELEMENTS				DEFAULT	ASME Y14.5
Feature	MEAS	NOMINAL	+TOL	-TOL	DEV	OUTTOL		
CYL_255	0.50150	0.50150	0.00050	0.00050	0.00000	0.00000		
CYL_255 - LS	0.50150	0.50150	0.00050	0.00050	0.00000	0.00000		
B_23_25		IN	⊕ Ø 0.001 (M) N2 (M)				DEFAULT	ASME Y14.5
Feature	AX	MEAS	NOMINAL	+TOL	-TOL	DEV	OUTTOL	BONUS
CYL_255 (END PT)	Y	-0.00000	-0.00000			0.00000		
	Z	0.00000	0.00000			0.00000		
	TP	0.00000	0.00000	0.00100	0.00000	0.00000	0.00000	0.00050
B_26_28 Size		IN	Ø 0.562 +0.001/-0.001 CIRCULAR ELEMENTS				DEFAULT	ASME Y14.5
Feature	MEAS	NOMINAL	+TOL	-TOL	DEV	OUTTOL		
CYL_216	0.56200	0.56200	0.00100	0.00100	0.00000	0.00000		
CYL_216 - LS	0.56200	0.56200	0.00100	0.00100	0.00000	0.00000		
B_26_28		IN	⊕ Ø 0.02 (M) N2 (M)				DEFAULT	ASME Y14.5
Feature	AX	MEAS	NOMINAL	+TOL	-TOL	DEV	OUTTOL	BONUS
CYL_216 (START PT)	Y	-0.00000	-0.00000			0.00000		
	Z	0.00000	0.00000			-0.00000		
	TP	0.00000	0.00000	0.02000	0.00000	0.00000	0.00000	0.00100
⊕	IN	B_29 - CON_21						
AX	MEAS	NOMINAL	+TOL	-TOL	DEV	OUTTOL		
A	30.00000	30.00000	5.00000	5.00000	0.00000	0.00000		





↔		IN	B_31 - CIR_222 TO PLN_25 (XAXIS)					
AX		MEAS	NOMINAL	+TOL	-TOL	DEV	OUTTOL	
M		2.50000	2.50000	0.01000	0.01000	0.00000	0.00000	
B_33_35 Size		IN	Ø 0.1275 +0.0075/-0.0075 CIRCULAR ELEMENTS				DEFAULT	ASME Y14.5
Feature		MEAS	NOMINAL	+TOL	-TOL	DEV	OUTTOL	
CYL_252		0.12750	0.12750	0.00750	0.00750	0.00000	0.00000	
CYL_252 - LS		0.12750	0.12750	0.00750	0.00750	0.00000	0.00000	
B_33_35		IN	⊕ Ø 0.02 Ⓜ A2 L2 Ⓜ C2-D2 Ⓜ				DEFAULT	ASME Y14.5
Feature	AX	MEAS	NOMINAL	+TOL	-TOL	DEV	OUTTOL	BONUS
CYL_252 (START PT)	Y	1.18700	1.18700			0.00000		
	Z	-0.46900	-0.46900			0.00000		
	TP	0.00000	0.00000	0.02000	0.00000	0.00000	0.00000	
B_36-CYL_212			IN	Ø 0.2215 +0.0075/-0.0075 CIRCULAR ELEMENTS				
MODIFIER		MEAS	NOMINAL	+TOL	-TOL	DEV	OUTTOL	
UAME		0.22150	0.22150	0.00750	0.00750	0.00000	0.00000	
Local Size		0.22150	0.22150	0.00750	0.00750	0.00000	0.00000	
B_38_40 Size		IN	Ø 0.2155 +0.0075/-0.0075 CIRCULAR ELEMENTS				DEFAULT	ASME Y14.5
Feature		MEAS	NOMINAL	+TOL	-TOL	DEV	OUTTOL	
CYL_215		0.21550	0.21550	0.00750	0.00750	0.00000	0.00000	
CYL_215 - LS		0.21550	0.21550	0.00750	0.00750	0.00000	0.00000	
B_38_40		IN	⊕ Ø 0.03 Ⓜ A2 M2 Ⓜ C2 Ⓜ				DEFAULT	ASME Y14.5
Feature	AX	MEAS	NOMINAL	+TOL	-TOL	DEV	OUTTOL	BONUS
CYL_215 (END PT)	Y	2.50000	2.50000			0.00000		
	Z	0.15700	0.15700			-0.00000		
	TP	0.00000	0.00000	0.03000	0.00000	0.00000	0.00000	
B_41_45 Size		IN	Ø 0.2155 +0.0045/-0.0045 CIRCULAR ELEMENTS				DEFAULT	ASME Y14.5
Feature		MEAS	NOMINAL	+TOL	-TOL	DEV	OUTTOL	
CYL_226		0.21550	0.21550	0.00450	0.00450	0.00000	0.00000	
CYL_226 - LS		0.21550	0.21550	0.00450	0.00450	0.00000	0.00000	
CYL_227		0.21550	0.21550	0.00450	0.00450	0.00000	0.00000	
CYL_227 - LS		0.21550	0.21550	0.00450	0.00450	0.00000	0.00000	
CYL_228		0.21550	0.21550	0.00450	0.00450	0.00000	0.00000	
CYL_228 - LS		0.21550	0.21550	0.00450	0.00450	0.00000	0.00000	
CYL_229		0.21550	0.21550	0.00450	0.00450	0.00000	0.00000	
CYL_229 - LS		0.21550	0.21550	0.00450	0.00450	0.00000	0.00000	
CYL_231		0.21550	0.21550	0.00450	0.00450	0.00000	0.00000	
CYL_231 - LS		0.21550	0.21550	0.00450	0.00450	0.00000	0.00000	
CYL_230		0.21550	0.21550	0.00450	0.00450	0.00000	0.00000	
CYL_230 - LS		0.21550	0.21550	0.00450	0.00450	0.00000	0.00000	
CYL_232		0.21550	0.21550	0.00450	0.00450	0.00000	0.00000	
CYL_232 - LS		0.21550	0.21550	0.00450	0.00450	0.00000	0.00000	
CYL_233		0.21550	0.21550	0.00450	0.00450	0.00000	0.00000	
CYL_233 - LS		0.21550	0.21550	0.00450	0.00450	0.00000	0.00000	
CYL_234		0.21550	0.21550	0.00450	0.00450	0.00000	0.00000	








CYL_234 - LS	0.21550	0.21550	0.00450	0.00450	0.00000	0.00000	
CYL_235	0.21550	0.21550	0.00450	0.00450	0.00000	0.00000	
CYL_235 - LS	0.21550	0.21550	0.00450	0.00450	0.00000	0.00000	
CYL_236	0.21550	0.21550	0.00450	0.00450	0.00000	0.00000	
CYL_236 - LS	0.21550	0.21550	0.00450	0.00450	0.00000	0.00000	
CYL_237	0.21550	0.21550	0.00450	0.00450	0.00000	0.00000	
CYL_237 - LS	0.21550	0.21550	0.00450	0.00450	0.00000	0.00000	
CYL_238	0.21550	0.21550	0.00450	0.00450	0.00000	0.00000	
CYL_238 - LS	0.21550	0.21550	0.00450	0.00450	0.00000	0.00000	
CYL_239	0.21550	0.21550	0.00450	0.00450	0.00000	0.00000	
CYL_239 - LS	0.21550	0.21550	0.00450	0.00450	0.00000	0.00000	

B_41_45		IN	⊕ ∅ 0.025 Ⓜ A2 M2 Ⓜ C2 Ⓜ				DEFAULT	ASME Y14.5
Feature	AX	MEAS	NOMINAL	+TOL	-TOL	DEV	OUTTOL	BONUS
CYL_226 (END PT)	Y	6.68700	6.68700			0.00000		
	Z	1.00000	1.00000			-0.00000		
	TP	0.00000	0.00000	0.02500	0.00000	0.00000	0.00000	
CYL_227 (START PT)	Y	7.25000	7.25000			0.00000		
	Z	0.34400	0.34400			0.00000		
	TP	0.00000	0.00000	0.02500	0.00000	0.00000	0.00000	
CYL_228 (START PT)	Y	6.68700	6.68700			0.00000		
	Z	-0.71900	-0.71900			0.00000		
	TP	0.00000	0.00000	0.02500	0.00000	0.00000	0.00000	
CYL_229 (START PT)	Y	5.31200	5.31200			0.00000		
	Z	-1.21900	-1.21900			0.00000		
	TP	0.00000	0.00000	0.02500	0.00000	0.00000	0.00000	
CYL_231 (START PT)	Y	3.62400	3.62400			0.00000		
	Z	-0.46900	-0.46900			0.00000		
	TP	0.00000	0.00000	0.02500	0.00000	0.00000	0.00000	
CYL_230 (END PT)	Y	3.62400	3.62400			0.00000		
	Z	1.00000	1.00000			-0.00000		
	TP	0.00000	0.00000	0.02500	0.00000	0.00000	0.00000	
CYL_232 (START PT)	Y	1.56200	1.56200			0.00000		
	Z	-0.84300	-0.84300			0.00000		
	TP	0.00000	0.00000	0.02500	0.00000	0.00000	0.00000	
CYL_233 (START PT)	Y	0.87500	0.87500			0.00000		
	Z	-0.81200	-0.81200			0.00000		
	TP	0.00000	0.00000	0.02500	0.00000	0.00000	0.00000	
CYL_234 (START PT)	Y	-0.93800	-0.93800			0.00000		
	Z	-1.21900	-1.21900			0.00000		
	TP	0.00000	0.00000	0.02500	0.00000	0.00000	0.00000	
CYL_235 (START PT)	Y	-0.87500	-0.87500			0.00000		
	Z	-0.81200	-0.81200			0.00000		
	TP	0.00000	0.00000	0.02500	0.00000	0.00000	0.00000	
CYL_236 (START PT)	Y	-1.03100	-1.03100			0.00000		
	Z	0.59400	0.59400			-0.00000		
	TP	0.00000	0.00000	0.02500	0.00000	0.00000	0.00000	
CYL_237 (START PT)	Y	-0.93800	-0.93800			0.00000		
	Z	1.00000	1.00000			0.00000		
	TP	0.00000	0.00000	0.02500	0.00000	0.00000	0.00000	

CYL_238 (START PT)	Y Z TP	0.93700 1.00000 0.00000	0.93700 1.00000 0.00000	0.02500	0.00000	0.00000 0.00000 0.00000	0.00000 0.00000 0.00000	0.00450	
CYL_239 (END PT)	Y Z TP	1.03100 0.59400 0.00000	1.03100 0.59400 0.00000	0.02500	0.00000	0.00000 -0.00000 0.00000	0.00000 0.00000 0.00000	0.00450	
B_53_55 Size		IN	Ø 0.3335 +0.0085/-0.0085 CIRCULAR ELEMENTS				DEFAULT	ASME Y14.5	
Feature	MEAS	NOMINAL	+TOL	-TOL	DEV	OUTTOL			
CYL_224	0.33350	0.33350	0.00850	0.00850	0.00000	0.00000			
CYL_224 - LS	0.33350	0.33350	0.00850	0.00850	0.00000	0.00000			
B_53_55		IN	 Ø 0.125  A2  C2  D1 				DEFAULT	ASME Y14.5	
Feature	AX	MEAS	NOMINAL	+TOL	-TOL	DEV	OUTTOL	BONUS	
CYL_224 (START PT)	Y Z TP	5.00000 -0.81200 0.00000	5.00000 -0.81200 0.00000	0.12500	0.00000	0.00000 0.00000 0.00000	0.00000 0.00000 0.00000	0.00850	
B_56_58 Size		IN	Ø 0.2155 +0.0045/-0.0045 CIRCULAR ELEMENTS				DEFAULT	ASME Y14.5	
Feature	MEAS	NOMINAL	+TOL	-TOL	DEV	OUTTOL			
CYL_225	0.21550	0.21550	0.00450	0.00450	0.00000	0.00000			
CYL_225 - LS	0.21550	0.21550	0.00450	0.00450	0.00000	0.00000			
B_56_58		IN	 Ø 0.03  A2  M2  C2 				DEFAULT	ASME Y14.5	
Feature	AX	MEAS	NOMINAL	+TOL	-TOL	DEV	OUTTOL	BONUS	
CYL_225 (START PT)	Y Z TP	5.93700 -0.96900 0.00000	5.93700 -0.96900 0.00000	0.03000	0.00000	0.00000 0.00000 0.00000	0.00000 0.00000 0.00000	0.00450	
B_62_64 Size		IN	Ø 0.2155 +0.0075/-0.0075 CIRCULAR ELEMENTS				DEFAULT	ASME Y14.5	
Feature	MEAS	NOMINAL	+TOL	-TOL	DEV	OUTTOL			
CYL_214	0.21550	0.21550	0.00750	0.00750	0.00000	0.00000			
CYL_214 - LS	0.21550	0.21550	0.00750	0.00750	0.00000	0.00000			
B_62_64		IN	 Ø 0.03  A2  M2  C2 				DEFAULT	ASME Y14.5	
Feature	AX	MEAS	NOMINAL	+TOL	-TOL	DEV	OUTTOL	BONUS	
CYL_214 (START PT)	Y Z TP	3.53100 -0.96900 0.00000	3.53100 -0.96900 0.00000	0.03000	0.00000	0.00000 0.00000 0.00000	0.00000 0.00000 0.00000	0.00750	
B_73_77 Size		IN	Ø 0.2155 +0.0045/-0.0045 CIRCULAR ELEMENTS				DEFAULT	ASME Y14.5	
Feature	MEAS	NOMINAL	+TOL	-TOL	DEV	OUTTOL			
CYL_242	0.21550	0.21550	0.00450	0.00450	0.00000	0.00000			
CYL_242 - LS	0.21550	0.21550	0.00450	0.00450	0.00000	0.00000			
B_73_77		IN	 Ø 0.03  A2  M2  C2 				DEFAULT	ASME Y14.5	
Feature	AX	MEAS	NOMINAL	+TOL	-TOL	DEV	OUTTOL	BONUS	
CYL_242 (START PT)	Y Z TP	2.25000 -0.96900 0.00000	2.25000 -0.96900 0.00000	0.03000	0.00000	0.00000 0.00000 0.00000	0.00000 0.00000 0.00000	0.00450	

B_79_83 Size		IN	Ø 0.2155 +0.0045/-0.0045 CIRCULAR ELEMENTS				DEFAULT	ASME Y14.5
Feature	MEAS	NOMINAL	+TOL	-TOL	DEV	OUTTOL		
CYL_241	0.21550	0.21550	0.00450	0.00450	0.00000	0.00000		
CYL_241 - LS	0.21550	0.21550	0.00450	0.00450	0.00000	0.00000		
B_79_83		IN	⊕ Ø 0.03 (M) A2 M2 (M) C2 (M)				DEFAULT	ASME Y14.5
Feature	AX	MEAS	NOMINAL	+TOL	-TOL	DEV	OUTTOL	BONUS
CYL_241 (START PT)	Y	0.40800	0.40800			0.00000		
	Z	-4.12800	-4.12800			0.00000		
	TP	0.00000	0.00000	0.03000	0.00000	0.00000	0.00000	
B_84-CYL_213			IN	Ø 0.505 +0.015/-0.015 CIRCULAR ELEMENTS				
MODIFIER	MEAS	NOMINAL	+TOL	-TOL	DEV	OUTTOL		
UAME	0.50500	0.50500	0.01500	0.01500	0.00000	0.00000		
Local Size	0.50500	0.50500	0.01500	0.01500	0.00000	0.00000		
↔	IN	B_85 - PLN_23 TO DAT_E2 (XAXIS)						
AX	MEAS	NOMINAL	+TOL	-TOL	DEV	OUTTOL		
M	0.29300	0.29300	0.01000	0.01000	0.00000	0.00000		
B_87_89 Size		IN	Ø 0.2155 +0.0045/-0.0045 CIRCULAR ELEMENTS				DEFAULT	ASME Y14.5
Feature	MEAS	NOMINAL	+TOL	-TOL	DEV	OUTTOL		
CYL_240	0.21550	0.21550	0.00450	0.00450	0.00000	0.00000		
CYL_240 - LS	0.21550	0.21550	0.00450	0.00450	0.00000	0.00000		
B_87_89		IN	⊕ Ø 0.03 (M) A2 M2 (M) C2 (M)				DEFAULT	ASME Y14.5
Feature	AX	MEAS	NOMINAL	+TOL	-TOL	DEV	OUTTOL	BONUS
CYL_240 (END PT)	Y	-0.00000	-0.00000			0.00000		
	Z	-0.75000	-0.75000			-0.00000		
	TP	0.00000	0.00000	0.03000	0.00000	0.00000	0.00000	
B_101_103 Size		IN	Ø 0.1275 +0.0075/-0.0075 CIRCULAR ELEMENTS				DEFAULT	ASME Y14.5
Feature	MEAS	NOMINAL	+TOL	-TOL	DEV	OUTTOL		
CYL_209	0.12750	0.12750	0.00750	0.00750	0.00000	0.00000		
CYL_209 - LS	0.12750	0.12750	0.00750	0.00750	0.00000	0.00000		
B_101_103		IN	⊕ Ø 0.03 (M) A2 M2 (M) C2 (M)				DEFAULT	ASME Y14.5
Feature	AX	MEAS	NOMINAL	+TOL	-TOL	DEV	OUTTOL	BONUS
CYL_209 (START PT)	Y	-0.50000	-0.50000			0.00000		
	Z	0.00000	0.00000			0.00000		
	TP	0.00000	0.00000	0.03000	0.00000	0.00000	0.00000	
B_104_105 Size		IN	Ø 0.2155 +0.0075/-0.0075 CIRCULAR ELEMENTS				DEFAULT	ASME Y14.5
Feature	MEAS	NOMINAL	+TOL	-TOL	DEV	OUTTOL		
CYL_210	0.21550	0.21550	0.00750	0.00750	0.00000	0.00000		
CYL_210 - LS	0.21550	0.21550	0.00750	0.00750	0.00000	0.00000		
B_104_105		IN	⊕ Ø 0.03 (M) A2 M2 (M) C2 (M)				DEFAULT	ASME Y14.5
Feature	AX	MEAS	NOMINAL	+TOL	-TOL	DEV	OUTTOL	BONUS
CYL_210 (END PT)	Y	0.00000	0.00000			0.00000		
	Z	0.75000	0.75000			0.00000		
	TP	0.00000	0.00000	0.03000	0.00000	0.00000	0.00000	

B_106_108 Size		IN	Ø 0.2155 +0.0075/-0.0075 CIRCULAR ELEMENTS				DEFAULT	ASME Y14.5
Feature	MEAS	NOMINAL	+TOL	-TOL	DEV	OUTTOL		
CYL_211	0.21550	0.21550	0.00750	0.00750	0.00000	0.00000		
CYL_211 - LS	0.21550	0.21550	0.00750	0.00750	0.00000	0.00000		
B_106_108		IN	⊕ Ø 0.03 (M) A2 M2 (M) C2 (M)				DEFAULT	ASME Y14.5
Feature	AX	MEAS	NOMINAL	+TOL	-TOL	DEV	OUTTOL	BONUS
CYL_211 (START PT)	Y	0.71900	0.71900			0.00000		
	Z	0.00000	0.00000			0.00000		
	TP	0.00000	0.00000	0.03000	0.00000	0.00000	0.00000	
B_303_305 Size		IN	Ø 0.3335 +0.0085/-0.0085 CIRCULAR ELEMENTS				DEFAULT	ASME Y14.5
Feature	MEAS	NOMINAL	+TOL	-TOL	DEV	OUTTOL		
CYL_221	0.33350	0.33350	0.00850	0.00850	0.00000	0.00000		
CYL_221 - LS	0.33350	0.33350	0.00850	0.00850	0.00000	0.00000		
B_303_305		IN	⊕ Ø 0.03 (M) A2 L2 (M) E2				DEFAULT	ASME Y14.5
Feature	AX	MEAS	NOMINAL	+TOL	-TOL	DEV	OUTTOL	BONUS
CYL_221 (END PT)	X	-3.43700	-3.43700			0.00000		
	Z	-3.00000	-3.00000			0.00000		
	TP	0.00000	0.00000	0.03000	0.00000	0.00000	0.00000	
B_308_310 Size		IN	Ø 0.3335 +0.0085/-0.0085 CIRCULAR ELEMENTS				DEFAULT	ASME Y14.5
Feature	MEAS	NOMINAL	+TOL	-TOL	DEV	OUTTOL		
CYL_222	0.33350	0.33350	0.00850	0.00850	0.00000	0.00000		
CYL_222 - LS	0.33350	0.33350	0.00850	0.00850	0.00000	0.00000		
B_308_310		IN	⊕ Ø 0.03 (M) A2 L2 (M) C2-D2 (M)				DEFAULT	ASME Y14.5
Feature	AX	MEAS	NOMINAL	+TOL	-TOL	DEV	OUTTOL	BONUS
CYL_222 (START PT)	X	0.50000	0.50000			0.00000		
	Z	-3.90600	-3.90600			0.00000		
	TP	0.00000	0.00000	0.03000	0.00000	0.00000	0.00000	
B_316_317 Size		IN	Ø 0.1275 +0.0075/-0.0075 CIRCULAR ELEMENTS				DEFAULT	ASME Y14.5
Feature	MEAS	NOMINAL	+TOL	-TOL	DEV	OUTTOL		
CYL_207	0.12750	0.12750	0.00750	0.00750	0.00000	0.00000		
CYL_207 - LS	0.12750	0.12750	0.00750	0.00750	0.00000	0.00000		
B_316_317		IN	⊕ Ø 0.03 (M) A2 L2 (M) E2				DEFAULT	ASME Y14.5
Feature	AX	MEAS	NOMINAL	+TOL	-TOL	DEV	OUTTOL	BONUS
CYL_207 (END PT)	X	-1.65000	-1.65000			0.00000		
	Z	-3.00000	-3.00000			-0.00000		
	TP	0.00000	0.00000	0.03000	0.00000	0.00000	0.00000	
B_318-CYL_223			IN	Ø 0.3335 +0.0085/-0.0085 CIRCULAR ELEMENTS				
MODIFIER	MEAS	NOMINAL	+TOL	-TOL	DEV	OUTTOL		
UAME	0.33350	0.33350	0.00850	0.00850	0.00000	0.00000		
Local Size	0.33350	0.33350	0.00850	0.00850	0.00000	0.00000		
B_326_328 Size		IN	Ø 0.3335 +0.0085/-0.0085 CIRCULAR ELEMENTS				DEFAULT	ASME Y14.5
Feature	MEAS	NOMINAL	+TOL	-TOL	DEV	OUTTOL		
CYL_246	0.33350	0.33350	0.00850	0.00850	0.00000	0.00000		
CYL_246 - LS	0.33350	0.33350	0.00850	0.00850	0.00000	0.00000		

B_326_328		IN	⊕ ∅ 0.125 (M) A2 C2 (M) D2 (M)				DEFAULT	ASME Y14.5
Feature	AX	MEAS	NOMINAL	+TOL	-TOL	DEV	OUTTOL	BONUS
CYL_246 (START PT)	Y	1.56200	1.56200			0.00000		
	Z	-3.81200	-3.81200			0.00000		
	TP	0.00000	0.00000	0.12500	0.00000	0.00000	0.00000	
B_330_331 Size		IN	∅ 0.1905 +0.0075/-0.0075 CIRCULAR ELEMENTS				DEFAULT	ASME Y14.5
Feature		MEAS	NOMINAL	+TOL	-TOL	DEV	OUTTOL	
CYL_220		0.19050	0.19050	0.00750	0.00750	0.00000	0.00000	
CYL_220 - LS		0.19050	0.19050	0.00750	0.00750	0.00000	0.00000	
CYL_219		0.19050	0.19050	0.00750	0.00750	0.00000	0.00000	
CYL_219 - LS		0.19050	0.19050	0.00750	0.00750	0.00000	0.00000	
B_330_331		IN	⊕ ∅ 0.03 (M) A2 M2 (M) C2 (M)				DEFAULT	ASME Y14.5
Feature	AX	MEAS	NOMINAL	+TOL	-TOL	DEV	OUTTOL	BONUS
CYL_220 (START PT)	Y	6.84300	6.84300			0.00000		
	Z	-3.78100	-3.78100			-0.00000		
	TP	0.00000	0.00000	0.03000	0.00000	0.00000	0.00000	
CYL_219 (END PT)	Y	6.90600	6.90600			0.00000		
	Z	-0.53100	-0.53100			0.00000		
	TP	0.00000	0.00000	0.03000	0.00000	0.00000	0.00000	
B_333_1-CYL_247			IN	∅ 0.3335 +0.0085/-0.0085 CIRCULAR ELEMENTS				
MODIFIER		MEAS	NOMINAL	+TOL	-TOL	DEV	OUTTOL	
UAME		0.33350	0.33350	0.00850	0.00850	0.00000	0.00000	
Local Size		0.33350	0.33350	0.00850	0.00850	0.00000	0.00000	
B_333_2-CYL_251			IN	∅ 0.3335 +0.0085/-0.0085 CIRCULAR ELEMENTS				
MODIFIER		MEAS	NOMINAL	+TOL	-TOL	DEV	OUTTOL	
UAME		0.33350	0.33350	0.00850	0.00850	0.00000	0.00000	
Local Size		0.33350	0.33350	0.00850	0.00850	0.00000	0.00000	
B_337_339 Size		IN	∅ 0.3335 +0.0085/-0.0085 CIRCULAR ELEMENTS				DEFAULT	ASME Y14.5
Feature		MEAS	NOMINAL	+TOL	-TOL	DEV	OUTTOL	
CYL_249		0.33350	0.33350	0.00850	0.00850	0.00000	0.00000	
CYL_249 - LS		0.33350	0.33350	0.00850	0.00850	0.00000	0.00000	
B_337_339		IN	⊕ ∅ 0.03 (M) A2 M2 (M) C2 (M)				DEFAULT	ASME Y14.5
Feature	AX	MEAS	NOMINAL	+TOL	-TOL	DEV	OUTTOL	BONUS
CYL_249 (START PT)	Y	7.31200	7.31200			0.00000		
	Z	-2.15600	-2.15600			0.00000		
	TP	0.00000	0.00000	0.03000	0.00000	0.00000	0.00000	
B_341-CIR_204			IN	∅ 0.613 +0.029/-0.029 CIRCULAR ELEMENTS				
MODIFIER		MEAS	NOMINAL	+TOL	-TOL	DEV	OUTTOL	
UAME		0.61300	0.61300	0.02900	0.02900	0.00000	0.00000	
Local Size		0.61300	0.61300	0.02900	0.02900	0.00000	0.00000	

B_350_352 Size		IN	Ø 0.3455 +0.0085/-0.0085 CIRCULAR ELEMENTS					DEFAULT	ASME Y14.5
Feature	MEAS	NOMINAL	+TOL	-TOL	DEV	OUTTOL			
CYL_217	0.34550	0.34550	0.00850	0.00850	0.00000	0.00000			
CYL_217 - LS	0.34550	0.34550	0.00850	0.00850	0.00000	0.00000			
CYL_218	0.34550	0.34550	0.00850	0.00850	0.00000	0.00000			
CYL_218 - LS	0.34550	0.34550	0.00850	0.00850	0.00000	0.00000			
B_350_352		IN	⊕ Ø 0.03 (M) A2 M2 (M) C2 (M)					DEFAULT	ASME Y14.5
Feature	AX	MEAS	NOMINAL	+TOL	-TOL	DEV	OUTTOL	BONUS	
CYL_217 (START PT)	Y	7.31200	7.31200			0.00000			
	Z	-2.90600	-2.90600			0.00000			
	TP	0.00000	0.00000	0.03000	0.00000	0.00000	0.00000	0.00850	
CYL_218 (START PT)	Y	7.31200	7.31200			0.00000			
	Z	-1.40600	-1.40600			0.00000			
	TP	0.00000	0.00000	0.03000	0.00000	0.00000	0.00000	0.00850	
B_353_1-CYL_248				IN	Ø 0.5795 +0.0085/-0.0085 CIRCULAR ELEMENTS				
MODIFIER	MEAS	NOMINAL	+TOL	-TOL	DEV	OUTTOL			
UAME	0.57950	0.57950	0.00850	0.00850	0.00000	0.00000			
Local Size	0.57950	0.57950	0.00850	0.00850	0.00000	0.00000			
B_353_2-CYL_250				IN	Ø 0.5795 +0.0085/-0.0085 CIRCULAR ELEMENTS				
MODIFIER	MEAS	NOMINAL	+TOL	-TOL	DEV	OUTTOL			
UAME	0.57950	0.57950	0.00850	0.00850	0.00000	0.00000			
Local Size	0.57950	0.57950	0.00850	0.00850	0.00000	0.00000			
B_359_363 Size		IN	Ø 0.1345 +0.0045/-0.0045 CIRCULAR ELEMENTS					DEFAULT	ASME Y14.5
Feature	MEAS	NOMINAL	+TOL	-TOL	DEV	OUTTOL			
CYL_243	0.13450	0.13450	0.00450	0.00450	0.00000	0.00000			
CYL_243 - LS	0.13450	0.13450	0.00450	0.00450	0.00000	0.00000			
CYL_244	0.13450	0.13450	0.00450	0.00450	0.00000	0.00000			
CYL_244 - LS	0.13450	0.13450	0.00450	0.00450	0.00000	0.00000			
CYL_245	0.13450	0.13450	0.00450	0.00450	0.00000	0.00000			
CYL_245 - LS	0.13450	0.13450	0.00450	0.00450	0.00000	0.00000			
B_359_363		IN	⊕ Ø 0.011 (M) A2 N2 (M) C2 (M)					DEFAULT	ASME Y14.5
Feature	AX	MEAS	NOMINAL	+TOL	-TOL	DEV	OUTTOL	BONUS	
CYL_243 (START PT)	Y	-0.00000	-0.00000			0.00000			
	Z	-0.56200	-0.56200			0.00000			
	TP	0.00000	0.00000	0.01100	0.00000	0.00000	0.00000	0.00450	
CYL_244 (START PT)	Y	0.48700	0.48700			0.00000			
	Z	0.28100	0.28100			0.00000			
	TP	0.00000	0.00000	0.01100	0.00000	0.00000	0.00000	0.00450	
CYL_245 (START PT)	Y	-0.48700	-0.48700			0.00000			
	Z	0.28100	0.28100			-0.00000			
	TP	0.00000	0.00000	0.01100	0.00000	0.00000	0.00000	0.00450	
↔	IN	B_393 - DAT_E2 TO CYL_206 (XAXIS)							
AX	MEAS	NOMINAL	+TOL	-TOL	DEV	OUTTOL			
M	3.06200	3.06200	0.01000	0.01000	0.00000	0.00000			